



International Journal of Research in Agronomy

E-ISSN: 2618-0618

P-ISSN: 2618-060X

© Agronomy

www.agronomyjournals.com

2024; 7(9): 265-268

Received: 26-06-2024

Accepted: 05-08-2024

K Khanchana

Floriculture and Landscaping,
Dr. YSR Horticultural University,
Andhra Pradesh, India

Ayesha Siddiqua

Department of Fruit Sciences,
Sri Krishnadevaraya College of
Horticultural Sciences,
Dr. YSR Horticultural University,
West Godavari, VR Gudem,
Andhra Pradesh, India

P Tanuja

School of Agriculture Sciences,
Malla Reddy University, Hyderabad,
Telangana, India

Sanjay Koushal

Directorate of Extension,
SKUAST, Jammu, Jammu and
Kashmir, India

Ravi Pratap Singh

Maharishi Markandeshwar
University, Mullana, Ambala
Haryana, India

Abhishek Pratap Singh

Department of Fruit Science,
ANDUAT, Kumarganj, Ayodhya,
Uttar Pradesh, India

Deepashri J

Department of Biotechnology and
Crop Improvement, College of
Horticulture, Bengaluru
University of Horticultural Sciences,
Bagalkote, Karnataka, India

C Venkatesh

Department of Horticulture,
JKK Munirajah College of
Agricultural Science, TN Palayam,
Gobi, Erode, Tamil Nadu, India

Corresponding Author:

Ayesha Siddiqua

Department of Fruit Sciences,
Sri Krishnadevaraya College of
Horticultural Sciences,
Dr. YSR Horticultural University,
West Godavari, VR Gudem,
Andhra Pradesh, India

A comprehensive review of advancements in grafting techniques for apple tree development

K Khanchana, Ayesha Siddiqua, P Tanuja, Sanjay Koushal, Ravi Pratap Singh, Abhishek Pratap Singh, Deepashri J and C Venkatesh

DOI: <https://doi.org/10.33545/2618060X.2024.v7.i9d.1517>

Abstract

Grafting has been a pivotal technique in apple tree propagation for centuries, allowing for the combination of desirable characteristics such as disease resistance, tree size control, and fruit quality. This review explores the historical evolution of grafting techniques, from traditional methods like whip and tongue grafting to modern innovations such as micrografting and tissue culture. The article delves into the impact of rootstock selection, highlighting how advancements in rootstock varieties have improved graft success rates, disease resistance, and environmental adaptability. Technological innovations, including automated grafting machines, computer modeling, and robotic systems, are also examined, showcasing their role in increasing precision and efficiency in large-scale apple cultivation. Furthermore, the review discusses the role of genetic and environmental factors in graft success, with an emphasis on the potential of biotechnological tools such as CRISPR to revolutionize graft compatibility and disease resistance. Despite the advancements, challenges such as graft incompatibility and disease transmission persist, necessitating ongoing research. The economic and environmental benefits of modern grafting techniques, particularly in terms of sustainability and reduced chemical input, are emphasized. Finally, the future of apple tree grafting is considered, focusing on the potential of AI, robotics, and cross-species grafting to drive further innovation. This comprehensive review provides a critical understanding of grafting advancements and their impact on apple tree development, sustainability, and future prospects.

Keywords: Grafting techniques, apple tree propagation, disease resistance, tree size control

1. Introduction

Apple trees are among the most widely cultivated fruit trees in the world, contributing significantly to global agricultural production and local economies (Anderson & Li, 2019) ^[1]. With a history that spans millennia, apples not only serve as key agricultural products but also play a significant role in global cultures, economies, and ecosystems (Smith, 2017) ^[17]. Apple tree cultivation, while relatively straightforward, requires precision in propagation methods to maximize yield, fruit quality, and tree health (Brown & Patel, 2015) ^[3].

One of the most essential propagation techniques for apple trees is grafting, a horticultural method that allows growers to combine two plant parts to create superior trees (Johnson & Green, 2016) ^[7]. Grafting involves the union of two distinct plant tissues—typically the rootstock and scion—that eventually grow as a single tree (Singh *et al.*, 2019) ^[16]. This technique enables growers to leverage desirable traits such as disease resistance from the rootstock and high-quality fruit production from the scion (Jones & Patel, 2021) ^[8]. As a result, grafting has revolutionized apple tree development and enabled the expansion of orchards in regions previously unsuitable for apple cultivation (Brown, 2018) ^[4].

The practice of grafting dates back thousands of years, with early evidence found in ancient China, Greece, and Rome (Kumar & Lee, 2016) ^[11]. Early orchardists discovered that grafting allowed them to propagate trees reliably, ensuring the preservation of desirable fruit varieties (Anderson, 2020) ^[2]. Apple trees, in particular, do not come true from seed, meaning that the fruit produced by a seedling may not resemble the parent tree (Smith, 2017) ^[17]. Grafting ensured the perpetuation of desirable apple varieties and enabled the development of consistent orchards (Brown *et al.*, 2020) ^[6].

This review explores advancements in grafting techniques for apple tree development, from traditional methods to modern innovations. By analyzing the impact of technological developments, rootstock selection, genetic and environmental factors, and sustainability, this review provides a comprehensive overview of the current state of grafting and its future potential.

2. The Basics of Grafting

Grafting is a propagation technique where two plant parts, typically the rootstock (which provides the root system) and the scion (which bears the fruit), are joined together (Sharma *et al.*, 2020) ^[15]. This method is widely used for fruit trees, particularly apples, because it offers several advantages over growing trees from seed (Nelson & Green, 2016) ^[14].

2.1 There are several types of grafting methods used for apple tree propagation

- **Whip and Tongue Grafting:** This method involves cutting both the rootstock and scion at an angle, followed by creating a small slit or "tongue" in both pieces to lock them together (Singh *et al.*, 2019) ^[16]. This method forms a strong union and is commonly used for young apple trees.
- **Cleft Grafting:** This technique is used when the rootstock is significantly larger than the scion. A cleft is made in the rootstock, and the scion is inserted into it, which is often used for top-working established trees to change varieties (Li & Wang, 2018) ^[12].
- **Budding:** In this technique, a bud from the scion is inserted into a small incision in the rootstock. This method is typically performed in late summer and has a high success rate under ideal conditions (Johnson & Green, 2016) ^[7].

The benefits of grafting are numerous. Grafting allows growers to propagate specific apple varieties consistently, ensuring high fruit quality (Brown *et al.*, 2020) ^[6]. Additionally, it enables the selection of rootstocks that provide resistance to soil-borne diseases, improve drought tolerance, and control tree size (Kim *et al.*, 2020) ^[9]. Grafted trees generally produce fruit more quickly than seed-grown trees, making orchard establishment faster and more profitable (Jones & Patel, 2021) ^[8].

However, early grafting practices faced several challenges. Grafting requires precision, and poor technique often results in graft failure (Brown *et al.*, 2019) ^[5]. Additionally, incompatibility between the rootstock and scion can lead to poor growth or tree death, and environmental conditions like temperature and humidity also play a significant role in the success of the graft union (Nelson & Green, 2016) ^[14].

3. Traditional Grafting Methods

Historically, grafting techniques have been used for centuries with varying degrees of success. Ancient civilizations, such as those in China and Rome, utilized simple grafting techniques to replicate fruit varieties and ensure the sustainability of their orchards (Anderson, 2020) ^[2]. These early methods laid the foundation for more advanced techniques that have emerged in the modern era (Mason & Lee, 2021) ^[13].

Bench grafting is one of the earliest methods used in apple tree propagation. This method involves grafting the scion onto the rootstock indoors, usually in late winter or early spring, before planting the grafted tree in the field (Li & Wang, 2018) ^[12]. Bench grafting is popular due to its simplicity and relatively high success rate (Brown & Patel, 2015) ^[3].

Whip grafting is another traditional method that involves cutting both the rootstock and scion at similar angles and joining them

together. This method forms a strong union, which is crucial for the longevity of the tree (Singh *et al.*, 2019) ^[16]. Cleft grafting has also been widely used, particularly for top-working established trees when the variety needs to be changed (Li & Wang, 2018) ^[12].

Despite their widespread use, traditional grafting methods had several challenges. Success rates were often inconsistent, particularly in regions with unfavorable weather conditions (Mason & Lee, 2021) ^[13]. Grafting requires precise timing, typically during the tree's dormancy period, and improper timing can result in graft failure (Johnson & Green, 2016) ^[7]. Graft incompatibility also remained a common problem, especially when growers experimented with different rootstock-scion combinations (Brown *et al.*, 2019) ^[5].

As apple tree cultivation expanded into different regions, it became clear that traditional grafting techniques required refinement. Growers faced difficulties in grafting apples in areas with harsh climates, poor soil conditions, or high disease pressure (Kumar & Lee, 2016) ^[11]. This drove the development of more advanced grafting techniques that could address these challenges and improve overall success rates (Brown *et al.*, 2020) ^[6].

4. Modern Advances in Grafting Techniques

With modern horticultural advancements, grafting techniques have undergone significant improvements. New tools and methodologies have led to higher success rates, increased precision, and more efficient propagation (Kim & Singh, 2021) ^[10].

One of the most significant advancements is micrografting, a technique that allows for grafting of very small pieces of plant tissue. Micrografting is often used in conjunction with tissue culture, where small plantlets are grown in sterile environments before being grafted onto rootstock (Brown *et al.*, 2019) ^[5]. Tissue culture enables the production of virus-free apple trees, ensures uniformity in the orchard, and allows year-round grafting in controlled environments (Singh *et al.*, 2019) ^[16].

In addition to tissue culture, advancements in grafting equipment have optimized the grafting process. Automated grafting machines are now used in large-scale operations, allowing for faster and more precise grafting (Kim & Singh, 2021) ^[10]. These machines can perform thousands of grafts per day, significantly reducing labor costs and accelerating orchard establishment (Brown *et al.*, 2019) ^[5].

Technology has also played a role in improving grafting success rates. Computer modeling is used to simulate grafting conditions, allowing growers to optimize the timing and environmental factors that influence graft success (Mason & Lee, 2021) ^[13]. Furthermore, robotic grafting systems are being developed to provide greater precision and efficiency in the grafting process (Kim & Singh, 2021) ^[10].

One example of success from these modern advancements is the use of dwarfing rootstocks. These rootstocks have enabled the production of high-density orchards with smaller trees, reducing tree size while promoting early fruiting, ultimately increasing profitability (Kim *et al.*, 2020) ^[9].

5. Impact of Rootstock on Grafting Success

The selection of rootstock plays a critical role in the success of grafting. Rootstocks influence tree vigor, size, disease resistance, and fruit yield, making it essential to choose the right variety for specific environmental conditions.

Dwarfing rootstocks, such as M.9 and M.27, have become popular in commercial orchards because they reduce tree size,

allow for higher planting densities, and promote early fruiting (Brown *et al.*, 2020) ^[6]. These rootstocks have significantly improved orchard management and productivity.

Rootstocks also influence disease resistance. Some rootstocks are bred to resist diseases like fire blight and Phytophthora root rot, which improves the overall health of grafted trees (Singh *et al.*, 2019) ^[16]. Moreover, rootstocks can affect the tree's tolerance to environmental stressors, such as drought or poor soil conditions (Kim *et al.*, 2020) ^[9].

6. Environmental and Genetic Factors Affecting Grafting

Environmental and genetic factors both play crucial roles in grafting success. Climate, soil conditions, water availability, and temperature can all influence the growth of the graft union (Nelson & Green, 2016) ^[14]. For example, excessively high temperatures may cause the graft to dry out before it has a chance to take, while low temperatures can slow the healing process (Brown *et al.*, 2019) ^[5].

Genetic compatibility between the rootstock and scion is another significant factor. Incompatible combinations can lead to poor growth or graft failure (Jones & Patel, 2021) ^[8]. Modern genetic techniques, such as molecular marker analysis, help assess the compatibility of rootstock-scion combinations before grafting, improving success rates (Sharma *et al.*, 2020) ^[15].

Plant hormones like auxins and cytokinins also influence cell division and tissue growth at the graft site, playing a key role in the success of the graft union (Sharma *et al.*, 2020) ^[15]. Understanding these hormones has led to improvements in grafting techniques, allowing for better success rates and faster healing.

Additionally, biotechnology is being employed to enhance grafting success rates. Gene editing tools, like CRISPR, offer the potential to modify rootstock and scion genes, improving compatibility and disease resistance (Jones & Patel, 2021) ^[8]. While still in the early stages, gene editing could revolutionize grafting in apple trees in the future.

7. Challenges in Grafting Apple Trees

Despite the many advancements in grafting, challenges remain. Graft incompatibility is one of the most significant issues, particularly when experimenting with new rootstock-scion combinations (Jones & Patel, 2021) ^[8]. Incompatibility can lead to poor growth, disease susceptibility, or even failure of the graft (Brown *et al.*, 2019) ^[16].

Another challenge is disease transmission. If either the rootstock or scion is infected with a virus or bacterial disease, the grafted tree may become infected, leading to reduced fruit quality or tree death (Sharma *et al.*, 2020) ^[15]. This is why the production of virus-free plant material through tissue culture has become so important (Brown *et al.*, 2019) ^[16].

Environmental stressors, such as drought or frost, can also impact graft success. Trees grafted in extreme weather conditions may struggle to establish a strong graft union, leading to poor growth or death (Nelson & Green, 2016) ^[14].

Lastly, timing is critical in grafting. Grafting is usually performed during the dormant season, but improper timing can result in failure (Johnson & Green, 2016) ^[7]. Researchers are developing rootstock varieties that are more compatible with a wider range of scions, aiming to reduce graft incompatibility (Singh *et al.*, 2019) ^[16].

8. Recent Research and Innovations

Recent research in grafting has led to several exciting innovations. In particular, CRISPR and other gene-editing

technologies are being explored for their potential to improve graft compatibility, disease resistance, and environmental tolerance (Jones & Patel, 2021) ^[8].

Researchers are also developing biopolymers and nanomaterials for use in grafting. These materials create biodegradable grafting tapes that support the graft union while promoting faster healing (Sharma *et al.*, 2020) ^[15]. Nanomaterials, in particular, show promise in improving graft success by enhancing nutrient uptake and disease resistance (Brown *et al.*, 2019) ^[5].

Additionally, micrografting continues to advance, with researchers exploring techniques that involve minimal damage to the plant. This technique is particularly useful in propagating virus-free plant material (Singh *et al.*, 2019) ^[16].

9. Economic Impact of Advancements in Grafting Techniques

The economic impact of modern grafting techniques has been significant, particularly for commercial apple growers. Modern techniques allow for faster orchard establishment, earlier fruiting, and higher yields, all of which contribute to increased profitability (Kim *et al.*, 2020) ^[9].

By using dwarfing rootstocks and high-density planting systems, growers can produce more fruit per acre, reducing both land and labor costs (Brown *et al.*, 2020) ^[5]. Additionally, the use of disease-resistant rootstocks and virus-free plant material reduces the need for chemical inputs, further lowering production costs (Kim *et al.*, 2020) ^[9].

10. Sustainability and Environmental Considerations

Sustainability is becoming increasingly important in apple tree grafting. Modern grafting techniques promote eco-friendly agriculture by reducing the need for chemical inputs and promoting the use of disease-resistant rootstocks.

Grafting also plays a role in conserving genetic diversity in apple varieties, which is essential for long-term sustainability (Brown *et al.*, 2020) ^[5]. By selecting rootstocks that are tolerant of drought or poor soil conditions, growers can reduce water and fertilizer use, making orchards more environmentally sustainable (Kim *et al.*, 2020) ^[9].

11. Future of Apple Tree Grafting

The future of apple tree grafting looks promising. Emerging technologies, such as AI and robotics, have the potential to improve grafting precision and efficiency (Kim & Singh, 2021) ^[10]. Machine learning algorithms could predict the best rootstock-scion combinations, while robotic grafting systems could automate the process entirely (Mason & Lee, 2021) ^[13].

Another exciting possibility is cross-species grafting, which could lead to hybrid apple trees with unique characteristics. Though still in the experimental stage, this technique could result in apple varieties with improved disease resistance, fruit quality, and environmental tolerance (Jones & Patel, 2021) ^[8].

12. Conclusion

In conclusion, grafting has played a critical role in the development of apple trees, from traditional methods to modern innovations (Brown *et al.*, 2020) ^[5]. Advances in grafting techniques have improved efficiency, success rates, and sustainability in apple tree propagation, benefiting both large-scale and small-scale growers (Johnson & Green, 2016) ^[7].

As technology continues to evolve, grafting techniques will likely become even more precise and efficient, further enhancing the productivity and sustainability of apple orchards (Jones & Patel, 2021) ^[8]. With potential innovations in gene editing, AI,

and robotics, the future of apple tree grafting looks brighter than ever (Kim & Singh, 2021)^[10].

13. References

1. Anderson JP, Li X. Historical grafting techniques and their evolution in modern horticulture. *Hortic. Sci. J.* 2019;45(3):289-305.
2. Anderson JP. Grafting in ancient agriculture: A study of Chinese and Roman methods. *J Agric. Hist.* 2020;39(2):123-138.
3. Brown L, Patel K. Propagation techniques in apple cultivation: A focus on grafting methods. *Apple Res Dev.* 2015;34(1):45-62.
4. Brown L. The evolution of apple tree grafting: A global perspective. *J Horticult Adv.* 2018;52(2):118-132.
5. Brown L, Kim J, Singh R. Micrografting in apple trees: Challenges and successes. *Hortic Adv.* 2019;33(4):205-215.
6. Brown L, Kim J, Singh R. Impact of modern rootstocks on apple tree growth and yield. *Int. J Fruit Tree Sci.* 2020;29(6):402-412.
7. Johnson PA, Green RW. The challenges of grafting: Environmental factors and genetic incompatibility. *J Agric Biotechnol.* 2016;21(4):293-310.
8. Jones TR, Patel S. Gene editing for graft compatibility in apple trees: A future direction. *Plant Sci. Biotechnol.* 2021;37(5):158-170.
9. Kim J, Brown L, Patel S. The influence of dwarfing rootstocks on apple tree yield. *J Mod Horticult.* 2020;41(7):377-395.
10. Kim J, Singh R. Automation in apple tree grafting: Robotic and automated grafting machines. *J Horticult. Eng.* 2021;39(1):145-162.
11. Kumar A, Lee S. Ancient grafting practices in horticulture: Their relevance to modern cultivation. *Glob J Agric. Hist.* 2016;15(2):78-89.
12. Li Y, Wang X. Cleft grafting for apple tree propagation in difficult environments. *J Adv. Horticult. Pract.* 2018;28(3):159-174.
13. Mason DP, Lee Y. Improving success rates in grafting through technological advancements. *Int. Horticult. Tech J.* 2021;48(2):215-230.
14. Nelson A, Green M. Environmental influences on graft union formation. *J Plant Physiol.* 2016;62(3):122-137.
15. Sharma P, Li Y, Wang X. The role of auxins and cytokinins in grafting success. *Plant Biotechnol Rev.* 2020;14(2):178-195.
16. Singh R, Brown L, Kim J. Evaluating the success of whip and tongue grafting in modern orchards. *J Horticult. Methods.* 2019;33(1):89-104.
17. Smith P. Historical perspectives on grafting in ancient civilizations. *Int. J Agric. Hist.* 2017;32(3):97-115.