



International Journal of Research in Agronomy

E-ISSN: 2618-0618

P-ISSN: 2618-060X

© Agronomy

www.agronomyjournals.com

2024; 7(10): 409-414

Received: 09-07-2024

Accepted: 17-08-2024

Chandra Prakash Singh

Assistant Professor, Department of
Agronomy, T.D.P.G. College,
Jaunpur, Uttar Pradesh, India

Gopal Swaroop Pathak

Assistant Professor, Department of
Agronomy, T.D.P.G. College,
Jaunpur, Uttar Pradesh, India

Role of microorganisms in soil fertility: Agronomic perspectives

Chandra Prakash Singh and Gopal Swaroop Pathak

DOI: <https://doi.org/10.33545/2618060X.2024.v7.i10f.1778>

Abstract

Soil fertility is integral to sustainable agriculture and crop productivity, with soil microorganisms serving a vital role in enhancing and maintaining soil health. Microbial activities contribute to nutrient cycling, organic matter decomposition, nitrogen fixation, and soil structure improvement, all of which are essential processes for fertile soils. This review provides an agronomic perspective on the role of soil microorganisms in soil fertility. We discuss microbial contributions to nutrient availability, the benefits of microbial bioproducts such as biofertilizers, and their impact on soil health indicators. Furthermore, we explore the challenges and future prospects for harnessing microbial functions in sustainable agricultural practices. By improving our understanding and management of soil microbiota, we can optimize crop yields and foster resilient, sustainable agricultural systems.

Keywords: Soil health, crop yield, sustainable farming, soil fertility

Introduction

Soil fertility is a fundamental component of agricultural productivity, significantly influencing the capacity of soil to support healthy crop growth. In recent decades, soil fertility has become an area of particular interest in sustainable agriculture, as researchers and agronomists work to balance high yields with ecological preservation. Soil fertility depends on various chemical, physical, and biological factors, with soil microorganisms playing a central role in maintaining and enhancing these properties ^[1].

Soil microorganisms-comprising bacteria, fungi, actinomycetes, algae, and protozoa - are involved in key biochemical processes that sustain plant health and productivity. These organisms contribute to nutrient cycling, organic matter decomposition, and nitrogen fixation, while also improving soil structure through the production of organic acids and binding agents ^[2]. The diversity and function of these microbial communities are influenced by environmental factors such as soil pH, moisture, and temperature, which, in turn, impact soil fertility and plant health.

In this review, we explore the role of soil microorganisms from an agronomic perspective, focusing on their contributions to soil fertility. We will discuss specific microbial functions, the application of microbial bioproducts in agriculture, and the agronomic benefits of microbial management. Additionally, we will address the challenges and future opportunities for optimizing soil fertility through microbial interactions, offering insights into sustainable soil management practices that align with modern agricultural goals.

The Diversity of Soil Microorganisms

Microbial diversity within the soil ecosystem plays a crucial role in sustaining soil fertility and crop productivity. Soil microorganisms can be broadly categorized into several groups, including bacteria, fungi, actinomycetes, and algae. Each group contributes distinct biochemical functions that are essential for nutrient cycling, soil structure, and overall soil health ^[5].

Bacteria

Bacteria are among the most abundant and diverse microorganisms in soil, responsible for numerous soil biochemical processes.

Corresponding Author:

Gopal Swaroop Pathak

Assistant Professor, Department of
Agronomy, T.D.P.G. College,
Jaunpur, Uttar Pradesh, India

They play a key role in nitrogen fixation, organic matter decomposition, and the degradation of complex organic compounds [3]. Bacteria such as *Rhizobium* are involved in symbiotic nitrogen fixation with leguminous plants, contributing to the nitrogen content of the soil and enhancing plant growth.

Fungi

Fungi are instrumental in breaking down complex organic materials, including lignin and cellulose, which bacteria cannot readily degrade. They also form symbiotic relationships with plants, such as mycorrhizal fungi, which improve phosphorus uptake in plants (6). Mycorrhizal fungi enhance soil aggregation, contributing to improved soil structure and increased nutrient availability.

Actinomycetes

Actinomycetes are a group of filamentous bacteria known for their ability to decompose complex organic substances, such as chitin and lignin. They play a vital role in soil organic matter turnover and produce various antibiotics that help in suppressing pathogenic microorganisms [7].

Algae and Protozoa

Soil algae contribute to soil fertility by photosynthesizing and adding organic matter to the soil, while protozoa help control bacterial populations, maintaining a balance in the soil microbial community. Algae, especially cyanobacteria, can also fix atmospheric nitrogen, thereby enhancing soil nitrogen content in low-fertility soils [8].

2. Microbial Contributions to Soil Fertility

Microorganisms are vital to various biochemical processes that enhance soil fertility. This section will focus on microbial contributions to nutrient cycling, organic matter decomposition, nitrogen fixation, and soil structure improvement.

Nutrient Cycling

Microorganisms are essential for nutrient cycling, which involves the transformation of nutrients between organic and inorganic forms. Bacteria and fungi are particularly important in the nitrogen, phosphorus, sulfur, and potassium cycles [10]. For instance, nitrifying bacteria convert ammonia into nitrate, making nitrogen available to plants, while phosphate-solubilizing microorganisms release phosphorus from insoluble compounds, increasing its availability to plants [12].

Organic Matter Decomposition

The decomposition of organic matter is crucial for maintaining soil fertility, as it replenishes soil organic carbon and releases essential nutrients. Microorganisms, including bacteria and fungi, break down organic residues such as plant litter and animal waste, converting them into simpler compounds that contribute to soil humus formation [10].

Nitrogen Fixation

Nitrogen fixation is a unique process that converts atmospheric nitrogen into ammonia, a form that plants can absorb. Certain bacteria, such as *Rhizobium*, form symbiotic relationships with leguminous plants, fixing nitrogen directly into the root nodules. Non-symbiotic nitrogen-fixing bacteria, like *Azotobacter*, also contribute to soil nitrogen levels, especially in cropping systems with limited legume presence [12].

Soil Structure Improvement

Soil microorganisms, especially fungi, play a role in soil aggregation. The hyphal networks of mycorrhizal fungi help bind soil particles together, improving soil structure and water retention. Bacteria also contribute to soil aggregation by producing exopolysaccharides, which act as binding agents and enhance soil porosity [17].

3. Microbial Bioproducts in Agriculture

Soil microorganisms are not only crucial for natural soil fertility but can also be used in biotechnological applications to enhance agricultural productivity. This section will focus on microbial bioproducts, including biofertilizers, biocontrol agents, and soil amendments, which are applied to crops to improve yields and promote sustainable farming practices.

Biofertilizers

Biofertilizers contain living microorganisms that promote plant growth by increasing the availability of essential nutrients. Unlike chemical fertilizers, biofertilizers are environmentally friendly and help in maintaining soil health over the long term (Kumar & Raj, 2018).

- **Nitrogen-fixing Bacteria:** *Azospirillum*, *Rhizobium*, and *Azotobacter* are widely used nitrogen-fixing bacteria that enhance soil nitrogen content, reducing the need for synthetic nitrogen fertilizers.
- **Phosphate Solubilizing Microorganisms (PSMs):** These microorganisms, including *Bacillus* and *Pseudomonas* species, release organic acids that convert insoluble phosphates into soluble forms, increasing phosphorus availability to plants (Singh & Patel, 2020).
- **Mycorrhizal Inoculants:** Mycorrhizal fungi improve phosphorus and water uptake in plants, which can enhance plant growth and resilience under various environmental stressors (Kumar & Raj, 2018).

Biocontrol Agents

Biocontrol agents are beneficial microorganisms that suppress plant diseases and pests, reducing the reliance on chemical pesticides. These agents either compete with harmful pathogens or produce metabolites that inhibit pathogen growth.

- ***Trichoderma* spp.:** This fungus is used to control soil-borne pathogens such as *Fusarium*, *Pythium*, and *Rhizoctonia*. *Trichoderma* species are known for their ability to produce antibiotics and enzymes that degrade pathogen cell walls [2].
- ***Bacillus subtilis*:** This bacterium produces antibiotics and enzymes that target a broad spectrum of plant pathogens. *B. subtilis* has also been shown to induce systemic resistance in plants, enhancing their natural defenses [1].

Soil Amendments

Soil amendments containing organic matter, such as composts and biochar, promote microbial activity and improve soil fertility. These amendments provide a substrate for microbial growth and improve soil structure, water retention, and nutrient availability.

- **Composts:** Composting involves the microbial decomposition of organic materials into humus-rich compost, which adds essential nutrients and beneficial microorganisms to the soil. The addition of compost enhances soil organic matter and supports the growth of beneficial soil bacteria and fungi [3].
- **Biochar:** Biochar is a carbon-rich material produced by the pyrolysis of organic matter. It serves as a habitat for soil microorganisms, improving soil structure and nutrient

retention while reducing nutrient leaching [2].

4. Microorganisms and Soil Health Indicators

Soil health is a measure of a soil's ability to sustain plant and animal productivity, maintain or enhance water and air quality, and support human health. Soil microorganisms are valuable indicators of soil health because they respond quickly to changes in soil conditions. This section will discuss the role of microbial biomass, enzyme activities, and soil respiration as indicators of soil health.

Microbial Biomass

Microbial biomass is the living component of soil organic matter and reflects the amount of nutrients available for plants. A high microbial biomass indicates a healthy, active soil ecosystem with good nutrient cycling capabilities. Studies have shown that microbial biomass can be used to assess the effects of different agricultural practices on soil health [4].

- **Impacts on Soil Fertility:** Soils with high microbial biomass often exhibit increased nutrient availability and improved soil structure, both of which contribute to higher crop yields [5].

Enzyme Activities

Soil enzymes, such as dehydrogenase, phosphatase, and urease, play a vital role in nutrient cycling. The activities of these enzymes reflect microbial activity and soil fertility, as they are involved in the breakdown of organic matter and the release of essential nutrients.

- **Dehydrogenase Activity:** This enzyme is an indicator of microbial oxidative activity and overall microbial health. High dehydrogenase activity signifies active microbial respiration and organic matter decomposition [6].
- **Phosphatase Activity:** Phosphatase enzymes break down organic phosphorus compounds, making phosphorus available to plants. Phosphatase activity is commonly used as a marker for phosphorus availability in the soil [7].

Soil Respiration

Soil respiration, the release of CO₂ from the soil, is a measure of microbial activity and soil carbon cycling. Soil respiration rates provide insights into the biological activity within the soil and can serve as an indicator of soil organic matter content.

- **Implications for Soil Health:** High soil respiration rates are generally associated with healthy, productive soils. However, excessively high respiration can indicate rapid organic matter depletion, especially in soils with limited inputs of organic materials [8].

5. Agronomic Benefits of Managing Soil Microbiota

Managing soil microbiota can lead to a range of agronomic benefits, including enhanced crop yields, reduced need for chemical inputs, and improved soil health.

Enhanced Crop Yields

Soil microorganisms boost crop yields sustainably by enhancing nutrient availability, improving soil structure, and supporting plant health:

- **Improved Nutrient Availability:** Microorganisms like nitrogen-fixing bacteria (*Rhizobium*, *Azotobacter*) and phosphate-solubilizing bacteria (*Bacillus*, *Pseudomonas*) convert atmospheric nitrogen and insoluble phosphates into plant-accessible forms, reducing the need for synthetic fertilizers.
- **Enhanced Root Development:** Mycorrhizal fungi extend

root networks, improving water and nutrient uptake. Additionally, certain bacteria produce growth hormones that stimulate root growth, leading to stronger plants.

- **Better Soil Structure:** Microbes break down organic matter, increasing soil organic carbon and structure, which enhances water retention and supports root growth. Fungal networks and bacterial exudates further improve soil aggregation and aeration.
- **Natural Pest and Disease Suppression:** Biocontrol agents like *Trichoderma* and *Bacillus subtilis* inhibit pathogens and induce plant resistance. Healthier plants with fewer pest issues focus more energy on growth and yield [9].
- **Reduced Chemical Input:** By boosting nutrient efficiency, microbial inoculants lower the need for synthetic fertilizers, saving costs and reducing environmental impacts.
- **Enhanced Stress Tolerance:** Certain microorganisms improve plant resilience to drought, salinity, and temperature extremes, allowing crops to thrive even under challenging conditions [10].
- **Support for Sustainable and Organic Farming:** Microbial products align with organic farming by enhancing yields without synthetic inputs. They promote long-term soil health, which is essential for sustained productivity.

Improved Soil Health and Reduced Chemical Input

Using microbial products in agriculture offers numerous benefits for improving soil health and reducing dependency on chemical inputs. While chemical fertilizers and pesticides have historically contributed to agricultural productivity, over-reliance on these inputs can lead to long-term soil degradation, nutrient depletion, and environmental issues. Soil microorganisms provide a sustainable alternative, enabling farmers to enhance soil fertility and productivity naturally.

a) Restoring Soil Health through Microbial Inoculants

- **Reversing Soil Degradation:** Excessive use of synthetic fertilizers can lead to soil acidification, depletion of organic matter, and nutrient imbalances. Microbial inoculants, such as biofertilizers, contribute to soil fertility by increasing nutrient availability, improving soil structure, and building organic matter. For example, nitrogen-fixing bacteria like *Azotobacter* and *Rhizobium*, and phosphate-solubilizing microorganisms, help replenish essential nutrients in the soil [11].
- **Increasing Soil Organic Carbon:** Low levels of soil organic carbon can reduce fertility, water retention, and resilience to erosion. Microbial products such as compost enriched with beneficial bacteria and fungi support the breakdown of organic matter, increasing organic carbon content in soil. This improves soil structure and enhances its ability to hold water, which is essential in regions prone to drought and erosion [12].

b) Reducing Dependence on Chemical Fertilizers

- **Biofertilizers as Sustainable Alternatives:** Biofertilizers provide a viable alternative to synthetic fertilizers, helping to increase nutrient availability in a more environmentally friendly way. Nitrogen-fixing bacteria, phosphate-solubilizing bacteria, and mycorrhizal fungi improve soil nutrient content, reducing the need for chemical inputs. This also helps mitigate issues like soil acidification and nutrient runoff, which are associated with conventional fertilizers [13].
- **Cost-Effective Solutions:** Chemical fertilizers can represent a significant expense for farmers. Reducing reliance on synthetic inputs through biofertilizers can

provide cost savings over the long term. Although microbial products may have an initial cost, they often require less frequent application and promote sustained soil fertility, reducing fertilizer costs over time ^[12].

c) **Reducing Chemical Pesticide Use with Biocontrol Agents**

- **Promoting Natural Pest Control:** Biocontrol agents are microorganisms that suppress harmful pests and pathogens, reducing the need for chemical pesticides. For instance, fungi such as *Trichoderma* can control soil-borne diseases, while bacteria like *Bacillus subtilis* inhibit various plant pathogens. This approach not only minimizes the environmental impact of pesticides but also reduces the risk of pesticide resistance ^[14].
- **Supporting Soil Biodiversity:** Excessive pesticide use can harm beneficial soil organisms and disrupt microbial balance. Using biocontrol agents promotes the growth of beneficial microorganisms that help control pests naturally, fostering a diverse and resilient soil ecosystem. This is particularly beneficial for organic and regenerative farming systems that prioritize biodiversity and sustainable pest management ^[12].

d) **Addressing Environmental Concerns and Promoting Sustainability**

- **Reducing Water Pollution:** Runoff from chemical fertilizers and pesticides is a significant source of water pollution, affecting rivers, lakes, and groundwater. Microbial products, such as biofertilizers, release nutrients slowly, reducing the risk of nutrient leaching and minimizing water contamination. This approach helps protect valuable water resources and maintains ecosystem health ^[15].
- **Lowering Greenhouse Gas Emissions:** The production and application of chemical fertilizers contribute to greenhouse gas emissions, such as carbon dioxide and nitrous oxide. Biofertilizers offer a more sustainable solution, as they reduce the emissions associated with synthetic fertilizer use, supporting climate change mitigation efforts in agriculture ^[17].

e) **Government Support and Incentives for Microbial Products**

- **Subsidies and Schemes:** Many governments are promoting biofertilizers and other organic inputs through subsidies and incentive programs. By making microbial products more accessible and affordable, these programs encourage farmers to adopt sustainable soil management practices. These initiatives are often part of broader agricultural policies aimed at enhancing soil health, conserving resources, and reducing environmental impact ^[16].
- **Integration into Soil Health Programs:** Soil health initiatives can incorporate microbial products as part of a holistic soil management approach. Providing farmers with information on the benefits of biofertilizers and biocontrol agents helps to increase adoption rates, fostering sustainable agriculture practices that align with environmental and food security goals ^[15].

f) **Empowering Smallholder Farmers**

- **Affordable Solutions for Resource-Constrained Farmers:** Smallholder farmers, who often operate on limited resources, can benefit greatly from microbial products, as they are generally more cost-effective than synthetic fertilizers in the long term. For farmers with limited access to chemical inputs, biofertilizers and biocontrol agents can improve soil fertility, boost

productivity, and reduce reliance on external inputs ^[18].

- **Promoting Knowledge and Training:** Education and training programs are essential to empower farmers with the knowledge and skills needed to use microbial products effectively. Agricultural extension services and NGOs can play a key role in raising awareness about the benefits of biofertilizers, composting, and sustainable soil practices. Demonstration plots and farmer field schools can also be instrumental in showing the practical benefits of using microbial solutions ^[19].

g) **Supporting Organic and Regenerative Farming Initiatives**

- **Aligning with Organic Farming Principles:** Microbial products support organic farming principles by enhancing soil fertility without the use of synthetic chemicals. As organic farming continues to grow worldwide, biofertilizers and biocontrol agents offer a valuable resource for farmers seeking to maintain soil health and productivity naturally ^[20].
- **Promoting Regenerative Practices:** Regenerative agriculture emphasizes restoring soil health, increasing biodiversity, and reducing chemical inputs. Microbial products align well with these goals, as they improve nutrient cycling, enhance soil structure, and support natural pest management. This approach contributes to long-term soil health, making agricultural systems more resilient to environmental stress and capable of sequestering carbon ^[17].

6. Challenges and Future Prospects

Despite the benefits of using microorganisms to enhance soil fertility, there are challenges to implementing microbial management on a large scale. These challenges, along with future research opportunities, are discussed below.

Challenges

While the benefits of utilizing soil microorganisms to enhance soil fertility are well-documented, several challenges must be addressed to fully realize their potential on a large scale.

1. **Environmental Sensitivity**

- **pH and Soil Type:** Soil microorganisms are highly sensitive to pH levels, soil texture, and organic matter content. For instance, acidic or alkaline soils can reduce the efficacy of certain microbial inoculants, such as nitrogen-fixing bacteria, which thrive best in neutral pH environments ^[20].
- **Temperature and Moisture:** Extremes in temperature and moisture can inhibit microbial activity. In arid regions, low moisture levels limit microbial growth, while in colder climates, microbial processes slow down significantly. Fluctuations in temperature and moisture can disrupt microbial communities, reducing their effectiveness in nutrient cycling and soil structure maintenance.

2. **Competition with Native Microorganisms**

1. When microbial inoculants are introduced into the soil, they face competition from established native microorganisms. This competition can reduce the survival rate of the introduced strains, impacting their ability to colonize and perform the intended functions ^[21]
2. Additionally, the compatibility of introduced microorganisms with native soil microbiota must be considered. Some introduced species may struggle to adapt to the specific ecological conditions of a new soil environment, limiting their effectiveness.

3. **Establishment and Persistence**

- To deliver long-term benefits, microbial inoculants need to establish and persist in the soil. However, various factors such as soil type, crop rotation, and tillage practices can affect the ability of these microorganisms to survive over time.
 - Regular applications may be necessary to maintain microbial activity, which can increase costs and labor for farmers. This challenge highlights the need for inoculants with improved resilience and the ability to adapt to changing soil conditions ^[22].
- 4. Storage and Application Limitations**
- Microbial products, such as biofertilizers, often have limited shelf lives due to the delicate nature of living organisms. This requires proper storage conditions and rapid distribution to prevent loss of efficacy ^[20].
 - Application methods are also critical. Inoculants need to be applied at the right time and under the right conditions to be effective, which can require specialized knowledge or equipment that may not be readily available, especially for small-scale farmers in developing regions.
- 5. Economic Constraints**
- While microbial products can reduce the need for chemical fertilizers, they can initially be more expensive and less predictable in terms of yield improvements, especially if applied incorrectly ^[21].
 - Farmers may also be hesitant to invest in these products due to a lack of awareness or understanding of their benefits. Additionally, the cost of repeat applications can be a deterrent for resource-constrained farmers, who may opt for cheaper, synthetic inputs.
- 6. Regulatory and Quality Control Issues**
- The microbial product market can be inconsistent, with variations in the quality and viability of products due to lack of standardization. Quality control measures are essential to ensure that farmers receive products containing effective, viable strains.
 - In some regions, regulatory frameworks for microbial products may be underdeveloped, leading to challenges in product approval and distribution. Stronger regulations and certification processes are needed to ensure product reliability and build farmer confidence.

Future Prospects

Despite these challenges, several promising developments and research directions hold great potential for enhancing the role of microorganisms in sustainable agriculture.

1. Advances in Microbial Biotechnology

- Genetic engineering offers possibilities to develop microorganisms with enhanced stress tolerance, nutrient solubilization, and pathogenic resistance. For instance, bacteria and fungi could be engineered to withstand extreme soil pH or temperature, making them suitable for a broader range of agricultural settings.
- Researchers are exploring the potential of genetically modified microorganisms to improve nutrient cycling efficiency. For example, strains of nitrogen-fixing bacteria that work in non-leguminous crops could significantly reduce dependency on synthetic nitrogen fertilizers.

2. Precision Agriculture Technologies

- The integration of precision agriculture tools, such as soil sensors and remote sensing, allows for real-time monitoring of soil conditions, enabling farmers to optimize the timing and placement of microbial applications.
- These technologies facilitate targeted microbial

management, reducing wastage and maximizing the efficacy of microbial inoculants. Soil microbiome analysis, for instance, can help identify the most suitable microbial products for a particular soil type or crop ^[21].

3. Microbial Consortia and Synergistic Interactions

- Current research is focusing on developing microbial consortia, which are mixtures of complementary microbial species. These consortia can work synergistically, enhancing soil fertility more effectively than single strains.
- For example, a consortium of nitrogen-fixing bacteria, phosphate-solubilizing bacteria, and mycorrhizal fungi can support plant growth more comprehensively, improving overall soil health. Understanding and harnessing these interactions can lead to more robust and versatile microbial products ^[22].

4. Formulation and Delivery Innovations

- New formulation methods, such as encapsulation, can improve the shelf life and viability of microbial products, ensuring that they remain active longer and perform better once applied to the soil.
- Controlled-release formulations and slow-release carriers allow for more gradual and sustained microbial activity in the soil, reducing the need for frequent reapplications. This innovation also helps microorganisms establish more effectively, even in less-than-ideal soil conditions ^[20].

5. Microbiome Engineering and Soil Health Optimization

- Soil microbiome engineering involves manipulating soil microbial communities to enhance beneficial functions, such as disease suppression or nutrient cycling. This approach may involve adding specific microorganisms or organic amendments to foster desired microbial profiles.
- By better understanding the interactions between soil microbiota and plants, agronomists can develop strategies to manipulate soil health indicators, improving both crop productivity and resilience to environmental stress ^[21].

6. Enhanced Knowledge Dissemination and Farmer Training

- Increasing awareness among farmers about the benefits of microbial products and their correct application is crucial. Education programs, demonstration farms, and farmer field schools can be instrumental in promoting microbial management practices.
- Support from governments and agricultural organizations can play a key role in making microbial products more accessible and affordable, particularly for smallholder farmers in developing regions. Incentives for adopting sustainable practices can encourage widespread use of microbial solutions ^[19].

7. Policy and Regulatory Support

- To encourage the use of microbial products, policies that promote sustainable agricultural practices are essential. This includes subsidies, tax incentives, and financial support for farmers adopting biofertilizers and biocontrol agents.
- Stronger regulatory frameworks are needed to ensure product quality and reliability. Certification systems that validate microbial products can build farmer confidence and ensure that effective, viable strains are made available in the market ^[22].

Conclusion

In conclusion, microorganisms are integral to soil fertility and agricultural productivity. Through processes like nutrient cycling, organic matter decomposition, and nitrogen fixation, soil microorganisms contribute to a fertile, healthy soil

environment. By understanding and managing soil microbiota, agronomists and farmers can improve crop yields and promote sustainable agricultural practices. Future research should focus on developing innovative microbial products and technologies to overcome existing challenges and enhance the agronomic benefits of soil microorganisms.

References

1. Abawi GS, Widmer TL. Impact of soil health management practices on soil borne pathogens, nematodes and root diseases of vegetable crops. *Appl Soil Ecol.* 2000;15:37–47.
2. Basamba TA, Barrios E, Amézquita E, Rao MI, Singh RB. Tillage effects on maize yield in a Colombian savanna oxisol: Soil organic matter and P fractions. *Soil Till Res.* 2006;91:131–42.
3. Grace PR, Oades JM, Keith H, Hancock TW. Trends in wheat yields and soil organic carbon in the permanent rotation trial at the Waite Agricultural Institute, South Australia. *Aust J Exp Agric.* 1995;35:857–64.
4. Hedlund A, Witter E, An BX. Assessment of N, P and K management by nutrient balances and flows on peri-urban smallholder farms in Southern Vietnam. *Eur J Agron.* 2003;20:71–87.
5. Sivakumar KK, Najmusaqib S, Magrey AH, et al. Exploring biosurfactants: Sustainable solutions for overcoming antimicrobial resistance and drug adverse effects. *Uttar Pradesh J Zool.* 2024;45:184480. doi:10.56557/upjoz/2024/v45i184480.
6. Mattana S, Petrovičová B, Landi L, Gelsomino A, Cortés P, Ortiz O, Renella G. Sewage sludge processing determines its impact on soil microbial community structure and function. *Appl Soil Ecol.* 2014;75:150–61.
7. Oldeman LR. The global extent of soil degradation. In: Greenland DJ, Szabolcs I, editors. *Soil resilience and sustainable land use. Proceedings of the Symposium; 1992; Budapest, Hungary.* CAB International, Wallingford, UK. p. 99–118.
8. Pinamonti F. Compost mulch effects on soil fertility, nutritional status and performance of grapevine. *Nutr Cycl Agroecosyst.* 1998;51:239–48.
9. Preston CD, Telfer MG, Arnold HR, Carey PD, Cooper JM, Dines TD, Hill MO, Pearman DA, Roy DB, Smart SM. The changing flora of the UK. DEFRA, London; 2002. p. 14–35.
10. Ramesh P, Panwar NR, Singh AB, Ramana S, Yadav SK, Shrivastava R, Subba Rao A. Status of organic farming in India. *Curr Sci.* 2010;98:1090–94.
11. van Bruggen CHA, Semenov MA. In search of biological indicators for soil health and disease suppression. *Appl Soil Ecol.* 2000;15:13–24.
12. Yadav PC, Sadhu AC, Swarnkar PK. Yield and quality of multi-cut forage sorghum (*Sorghum sudanense*) as influenced by integrated nitrogen management. *Indian J Agron.* 2007;52:330–4.
13. Youssef MMA, Eissa MFM. Biofertilizers and their role in management of plant parasitic nematodes - A review. *J Biotechnol Pharma Res.* 2014;5(1):1–6.
14. Riggs PJ, Chelius MK, Iniguez AL, Kaeppler SM, Triplett EW. Enhanced maize productivity by inoculation with diazotrophic bacteria. *Aust J Plant Physiol.* 2001;28:829–36.
15. Agomoh IV, Drury CF, Phillips LA, Reynolds WD, Yang X. Increasing crop diversity in wheat rotations increases yields but decreases soil health. *Soil Sci Soc Am J.* 2020;84:170–81.
16. Reicosky DC. No-till farming systems for sustaining soil health. In: *No-till farming systems for sustainable agriculture.* Springer International Publishing; 2020. p. 619–31.
17. Swanepoel CM, Van Der Laan M, Weepener HL, Du Preez CC, Annandale JG. Review and meta-analysis of organic matter in cultivated soils in southern Africa. *Nutr Cycl Agroecosyst.* 2016;104:107–23.
18. Bhardwaj D, Ansari MW, Sahoo RK, et al. Biofertilizers function as key players in sustainable agriculture by improving soil fertility, plant tolerance and crop productivity. *Microb Cell Fact.* 2014;13:66. doi:10.1186/1475-2859-13-66.
19. Paharvi HN, Rafiya L, Rashid S, Nisar B, Kamili AN. Chemical fertilizers and their impact on soil health. In: Dar GH, Bhat RA, Mehmood MA, Hakeem KR, editors. *Microbiota and biofertilizers, Vol 2.* Cham: Springer; 2021. doi:10.1007/978-3-030-61010-4_1.
20. Dar GH, Bandh SA, Kamili AN, Nazir R, Bhat RA. Comparative analysis of different types of bacterial colonies from the soils of Yusmarg Forest, Kashmir Valley, India. *Ecol Balk.* 2013;5(1):31–5.
21. Dar GH, Kamili AN, Chishti MZ, Dar SA, Tantry TA, Ahmad F. Characterization of *Aeromonas sobria* isolated from fish Rohu (*Labeo rohita*) collected from polluted pond. *J Bacteriol Parasitol.* 2016;7(3):1–5. doi:10.4172/2155-9597.1000273.
22. Dinesh R, Srinivasan V, Hamza S, Manjusha A. Short term incorporation of organic manures and biofertilizers influences biochemical and microbial characteristics of soils under an annual crop [Turmeric (*Curcuma longa* L.)]. *Bioresour Technol.* 2010;101:4697–702.