



International Journal of Research in Agronomy

E-ISSN: 2618-0618

P-ISSN: 2618-060X

© Agronomy

www.agronomyjournals.com

2024; 7(12): 993-997

Received: 27-10-2024

Accepted: 05-12-2024

Neeraj

Ph.D. Scholar, Department of
Agronomy, Chaudhary Charan Singh
Haryana Agricultural University, Hisar,
Haryana, India

Neha Singh

Assistant Professor,
Department of Zoology, HVM (PG)
College, Raisi, Haridwar, Uttarakhand
College, Sri Dev Suman Uttarakhand
University, Chamba, Dharsal Gaon,
Uttarakhand, India

Neha Grace Angel Kisku

Assistant Professor, Department of
Agriculture, Jharkhand Rai University,
Ranchi, Jharkhand, India

Nishant

Associate Professor (Head), Department
of Agriculture, Jagannath University
Delhi, NCR, Bahadurgarh, Haryana,
India

Neeta Shweta Kerketta

Associate Professor, Department of
Agriculture, Jharkhand Rai University,
Ranchi Jharkhand, India

Rashmi Mohapatra

Associate Professor (Botany) & Head
Centre for Indigenous Knowledge on
Herbal Medicines and Therapeutics,
Kalinga Institute of Social Sciences
(KISS), Deemed to be University,
Bhubaneswar, Odisha, India

Dr. V Siva Jyothi

Assistant Professor (SSAC), Soil Science
& Agricultural Chemistry, Agricultural
College, Mahanandi, Acharya N. G.
Ranga Agricultural University, Guntur,
Andhra Pradesh, India

Dr. AK Bhandari

Scientist, Herbal Research and
Development Institute- Mandal,
Gopeshwar, Chamoli, Uttarakhand,
India

Corresponding Author:

Neeraj

Ph.D. Scholar, Department of
Agronomy, Chaudhary Charan Singh
Haryana Agricultural University, Hisar,
Haryana, India

Developing biofertilizers for sustainable agriculture: A metagenomic approach

Neeraj, Neha Singh, Neha Grace Angel Kisku, Nishant, Neeta Shweta Kerketta, Rashmi Mohapatra, V Siva Jyothi and AK Bhandari

DOI: <https://doi.org/10.33545/2618060X.2024.v7.i12l.2410>

Abstract

Sustainable agriculture demands innovative approaches to enhance crop yields while minimizing environmental impact. Biofertilizers, containing beneficial microorganisms, offer a promising alternative to synthetic fertilizers. By directly analyzing the genetic material of microbial communities within soil and plant rhizospheres, metagenomics provides unprecedented access to the vast and largely unexplored microbial diversity. This approach enables the identification of novel microorganisms with potent plant growth-promoting traits, including nitrogen fixation, phosphate solubilization, and the production of phytohormones. Furthermore, metagenomics facilitates the discovery of genes responsible for these beneficial functions, paving the way for targeted strain selection and genetic engineering. The integration of metagenomics with other cutting-edge technologies, such as synthetic biology and high-throughput screening, holds immense potential for developing next-generation biofertilizers with tailored functionalities and enhanced efficacy. Ultimately, metagenomics-driven biofertilizer development offers a sustainable and eco-friendly solution to address the growing global demand for food while safeguarding the environment.

Keywords: Biofertilizer, sustainable agriculture, metagenomics, microbial ecology, soil microbiology, plant growth promotion, nutrient cycling

Introduction

Biofertilizers are natural substances containing living microorganisms that, when applied to seeds, plants, or soil, colonize the rhizosphere or the interior of the plants and promote growth by increasing the supply of nutrients to the host plant. They are an eco-friendly alternative to chemical fertilizers, promoting sustainable agriculture by improving soil health, enhancing nutrient uptake, and reducing environmental pollution. The escalating global demand for food, coupled with the detrimental impacts of conventional agricultural practices on the environment, necessitates a paradigm shift towards more sustainable and eco-friendly approaches. Chemical fertilizers, while effective in boosting crop yields, contribute significantly to environmental pollution, soil degradation, and the depletion of natural resources. This has spurred a growing interest in exploring alternative, environmentally benign solutions, such as biofertilizers (Saha *et al.*, 2013 and Parray *et al.*, 2016) [18, 12].

These beneficial microorganisms, including bacteria, fungi, and algae, perform crucial ecological roles in the soil ecosystem, such as nitrogen fixation, phosphate solubilization, and the production of plant growth hormones (Bhattacharyya and Jha 2012; Smith *et al.*, 2013) [4, 1]. By incorporating biofertilizers into agricultural practices, farmers can enhance crop yields, improve soil health, and minimize their reliance on synthetic inputs, thereby contributing to a more sustainable and resilient agricultural system.

The development of effective biofertilizers, however, has traditionally been hindered by our limited understanding of the complex microbial communities inhabiting soil and the rhizosphere (Santos, *et al.*, 2012) [19]. Traditional cultivation methods often fail to isolate and characterize the majority of microorganisms present in these environments, which are crucial for understanding their ecological functions and potential applications in agriculture.

Metagenomics, the direct study of genetic material recovered from environmental samples, has

emerged as a powerful tool to overcome these limitations. By analyzing the collective genetic material of microbial communities, metagenomics provides unprecedented access to the vast diversity of microorganisms present in the environment, including those that are unculturable using conventional techniques (Thomas and Rahman, 2020) ^[21]. This powerful approach enables researchers to identify novel microorganisms with valuable biofertilizer properties, leading to the development of more effective and targeted biofertilizer formulations for sustainable agriculture.

This paper explores the application of metagenomics in the

development of biofertilizers, outlining the key steps involved in the process, discussing the advantages of this approach, and highlighting its potential to revolutionize sustainable agriculture.

Plant Growth-Promoting Rhizobacteria (PGPR)

Plant Growth-Promoting Rhizobacteria (PGPR) are a diverse group of soil bacteria that colonize plant roots and exert beneficial effects on plant growth and development (Mahanty *et al.*, 2017) ^[8]. Their growth-enhancing mechanisms can be broadly categorized into direct and indirect mechanisms (fig. 1).




Fig 1: Plant Growth-Promoting Rhizobacteria (PGPR) mechanisms

Direct Mechanisms

Nutrient Acquisition

- **Nitrogen Fixation:** Some PGPR, such as *Rhizobium* and *Bradyrhizobium*, can fix atmospheric nitrogen into a plant-usable form (ammonia), enhancing nitrogen availability for the plant (Bhattacharyya and Jha 2012) ^[4].
- **Phosphate Solubilization:** Many PGPR produce organic acids that solubilize insoluble inorganic phosphates in the soil, making them available for plant uptake (Angus 2012; Glick 2012 and Mahdi *et al.*, 2012) ^[2, 5, 9].
- **Iron Sequestration:** PGPR synthesize siderophores, which are iron-chelating compounds that scavenge iron from the environment and make it available to the plant (Rajkumar *et al.*, 2012; Saha *et al.*, 2013 and Parray *et al.*, 2016) ^[14, 18, 12].

Phytohormone Production

- **Auxins:** PGPR produce auxins (like indole-3-acetic acid, IAA), which stimulate root elongation, cell division, and lateral root formation (Ljung 2013) ^[7].
- **Gibberellins:** Some PGPR produce gibberellins, which promote stem elongation and seed germination (Peleg and Blumwald 2011) ^[13].
- **Cytokinins:** PGPR can produce cytokinins, which stimulate cell division and delay leaf senescence (Peleg and Blumwald 2011) ^[13].

Indirect Mechanisms

Biocontrol of Pathogens

- **Antibiosis:** PGPR produce antibiotics and other antimicrobial compounds that inhibit the growth of plant pathogens (Maksimov *et al.*, 2011; Beneduzi *et al.*, 2012) ^[10, 3].
- **Competition:** PGPR compete with pathogens for nutrients and space in the rhizosphere, reducing pathogen colonization (Abeles *et al.*, 2012) ^[1].
- **Induced Systemic Resistance (ISR):** PGPR can trigger systemic resistance in plants, making them more resistant to

a wide range of pathogens (Abeles *et al.*, 2012) ^[1].

Improving Soil Structure

Polysaccharide Production: PGPR produce exopolysaccharides that improve soil aggregation, aeration, and water retention (Weston *et al.*, 2012; Moe 2013) ^[6, 11].

Stress Tolerance

ACC Deaminase Activity: Some PGPR possess ACC deaminase, an enzyme that degrades ethylene, a plant hormone that promotes stress responses (Shinwari *et al.*, 2015) ^[20]. This can help plants cope with various stresses, including drought, salinity, and heavy metals.

PGPR employ a diverse array of mechanisms to enhance plant growth and development, making them valuable tools for sustainable agriculture. By understanding these mechanisms, scientists can develop more effective PGPR-based biofertilizers and biocontrol agents to improve crop productivity and protect plants from biotic and abiotic stresses.

Metagenomics: A Powerful Tool for Biofertilizer Development

Metagenomics, the study of genetic material recovered directly from environmental samples, has revolutionized our understanding of microbial communities. It allows researchers to access the vast diversity of microorganisms present in various environments, including soil, water, and the plant rhizosphere (Thomas and Rahman, 2020) ^[21]. By sequencing and analyzing the genetic material of these communities, scientists can identify novel microorganisms with potential biofertilizer properties. Metagenomics, the direct genetic analysis of microbial communities in their natural environments, has emerged as a transformative tool in various fields, including agriculture. By bypassing the limitations of traditional cultivation techniques, metagenomics provides access to the vast and largely unexplored microbial diversity that exists within soil, water, and the plant rhizosphere (Reddy *et al.*, 2020) ^[15].

How Metagenomics Powers Biofertilizer Development (fig. 2)




Fig 2: Metagenomics for Biofertilizer Development

- 1. Comprehensive Microbial Inventory:** Metagenomics allows researchers to comprehensively analyze the genetic makeup of entire microbial communities.
- 2. Identification of Novel Biofertilizer Candidates:** By analyzing metagenomic data, scientists can identify genes associated with beneficial plant-microbe interactions, such as nitrogen fixation, phosphate solubilization, and plant growth hormone production (Saha *et al.*, 2016) ^[17]. These genes can then be traced back to specific microorganisms, leading to the discovery of novel biofertilizer strains.
- 3. Tailored Biofertilizer Formulations:** Metagenomics can be used to develop customized biofertilizer formulations based on the specific needs of different crops and soil types. By understanding the microbial community composition of a particular agricultural environment, researchers can select and combine microorganisms with complementary functions to optimize biofertilizer efficacy (Roychowdhury *et al.*, 2014) ^[16].
- 4. Improved Understanding of Microbial Interactions:** Metagenomics provides insights into the complex interactions between different microorganisms within the soil ecosystem. This knowledge can be used to develop more effective biofertilizers by considering the synergistic effects of multiple microbial strains.
- 5. Monitoring and Assessment:** Metagenomics can be used to monitor the performance of biofertilizers in the field and assess their impact on soil health and plant growth. By tracking changes in microbial community composition over time, researchers can gain a better understanding of how biofertilizers function and optimize their application strategies.

Challenges and Future Directions

While metagenomics offers significant potential for biofertilizer development, several challenges remain:

- Data Analysis and Interpretation:** The massive amount of data generated by metagenomic sequencing requires sophisticated bioinformatics tools and expertise for analysis and interpretation.
- Culturing and Isolation:** Even after identifying potential biofertilizer candidates, culturing and isolating these

microorganisms can be challenging, especially for those that are slow-growing or have complex nutritional requirements.

- Field Testing and Commercialization:** Translating laboratory findings into successful field applications and commercial products requires extensive testing and optimization.

Despite these challenges, metagenomics continues to advance rapidly, driven by technological innovations in sequencing and bioinformatics. As these technologies become more accessible and affordable, we can expect to see an increasing number of metagenome-derived biofertilizers contributing to a more sustainable and productive agricultural future.

The Metagenomic Approach to Biofertilizer Development

The metagenomic approach to biofertilizer development leverages the power of modern genomics to unlock the potential of microbial communities in promoting plant growth and enhancing soil health (Youssef and Eissa, 2014; Yao *et al.*, 2018) ^[23, 22]. Here's a more detailed breakdown of the process (fig. 3):




Fig 3: The Metagenomic Approach to Biofertilizer Development

1. Sampling and DNA Extraction

- **Strategic Sampling:** Researchers carefully select environmental samples, such as soil, water, or plant rhizosphere, based on factors like agricultural practices, soil type, and plant species. This ensures the capture of diverse microbial communities.
- **DNA Extraction:** Advanced DNA extraction techniques are employed to isolate high-quality DNA from the complex microbial community within the sample. This step is crucial for subsequent sequencing and analysis.

2. Metagenome Sequencing

Next-Generation Sequencing (NGS): High-throughput NGS technologies, such as Illumina or PacBio sequencing, are used to generate massive amounts of sequence data from the extracted DNA. This allows for comprehensive analysis of the microbial community's genetic makeup.

3. Metagenome Assembly and Annotation

- **Assembly:** The raw sequence reads are assembled into longer fragments (contigs or scaffolds) using bioinformatics tools. This step reconstructs the genomes of individual microorganisms within the community.
- **Annotation:** The assembled sequences are annotated to identify genes and their functions. This involves comparing the sequences to known databases and using bioinformatics tools to predict protein-coding regions, functional domains, and metabolic pathways.

4. Functional Gene Screening

- **Target Gene Identification:** Researchers focus on identifying genes associated with plant growth-promoting traits, such as:
- **Nitrogen fixation:** Converting atmospheric nitrogen into usable forms for plants.
- **Phosphate solubilization:** Making insoluble phosphate available to plants.
- **Phytohormone production:** Synthesizing plant hormones that stimulate growth.
- **Siderophore production:** Chelating iron for improved plant uptake.
- **Biocontrol activity:** Suppressing plant pathogens.
- **Metagenomic Libraries:** In some cases, metagenomic libraries are created by cloning fragments of the metagenome into expression vectors. These libraries can then be screened for specific functions, such as the ability to produce plant growth hormones.

5. Microbial Isolation and Characterization

- **Microbial Culturing:** Using traditional culturing techniques and enrichment strategies, researchers attempt to isolate the microorganisms harboring the identified functional genes.
- **Microbial Characterization:** The isolated microorganisms are further characterized for their taxonomic identity, physiological properties, and potential for large-scale production.

6. Formulation and Field Testing

- **Biofertilizer Formulation:** The selected microorganisms are formulated into stable and effective biofertilizers, often in combination with carrier materials like peat moss or vermiculite.

- **Field Trials:** Rigorous field trials are conducted to evaluate the efficacy of the developed biofertilizers in promoting plant growth, yield, and nutrient uptake under various environmental conditions (Jehangir *et al.*, 2017)^[6].

Advantages of the Metagenomic Approach

The metagenomic approach offers several significant advantages in the development of biofertilizers:

Unveiling the "Uncultured Majority"

- Traditional cultivation methods have limitations, allowing us to grow only a small fraction of the microbial world.
- Metagenomics bypasses this limitation by directly analyzing the genetic material of the entire microbial community in a given environment.
- This unlocks a vast reservoir of previously unknown microorganisms with potential biofertilizer properties.

Discovering Novel Biofertilizers

- By exploring the genetic potential of uncultured microbes, metagenomics can lead to the discovery of entirely new classes of biofertilizers.
- These novel organisms may possess unique mechanisms for plant growth promotion, nutrient cycling, or stress tolerance.

Tailoring Biofertilizers

- Metagenomics allows for a more targeted approach to biofertilizer development.
- By analyzing the microbial communities specific to a particular crop or soil type, researchers can identify and select microorganisms that are best suited for that environment.
- This can lead to the development of more effective and sustainable biofertilizers.

Understanding Microbial Interactions

- Metagenomics provides insights into the complex interactions within microbial communities.
- By studying the genetic and functional relationships between different microorganisms, researchers can develop more effective consortia of microbes for use as biofertilizers.
- This can enhance the overall performance and stability of the biofertilizer product.

Reduced Environmental Impact

- Biofertilizers developed using metagenomics are generally more environmentally friendly than chemical fertilizers.
- They can help to improve soil health, reduce reliance on synthetic inputs, and minimize environmental pollution.

The metagenomic approach provides a powerful tool for exploring the vast potential of microbial diversity in the development of sustainable and effective biofertilizers.

Conclusion

In an era of escalating environmental concerns and the urgent need for sustainable agricultural practices, the development of effective and eco-friendly biofertilizers has emerged as a critical endeavor. Metagenomics, with its capacity to unlock the vast and largely uncharted microbial diversity within our ecosystems, has revolutionized this field. By providing access to a treasure

trove of previously unculturable microorganisms, metagenomics empowers researchers to identify novel strains with potent biofertilizing capabilities. This approach transcends the limitations of traditional methods, enabling the discovery of microorganisms with unique plant growth-promoting attributes, such as enhanced nitrogen fixation, phosphate solubilization, and the production of phytohormones. Furthermore, the ability to tailor biofertilizer formulations to specific crop and soil conditions through metagenomic analysis promises to optimize their efficacy and minimize environmental impacts. The successful implementation of metagenome-derived biofertilizers has the potential to significantly enhance agricultural sustainability. By reducing reliance on synthetic fertilizers, these innovative solutions can mitigate environmental pollution, improve soil health, and bolster crop yields. As research in this domain continues to advance, we can anticipate a future where metagenomics plays an increasingly pivotal role in shaping a more sustainable and resilient agricultural landscape. However, several challenges remain. These include the complexities of culturing and formulating novel microorganisms, ensuring their stability and efficacy under field conditions, and addressing potential regulatory hurdles. Continued research and development, coupled with interdisciplinary collaborations, are crucial to overcome these challenges and fully realize the transformative potential of metagenomics in biofertilizer development.

References

1. Abeles FB, Morgan PW, Saltveit Jr ME. Ethylene in plant biology. Academic Press; c2012.
2. Angus JF. Fertilizer fertilizer/fertilizing science fertilizer/fertilizing science and technology fertilizer/fertilizing technology. In: Encyclopedia of Sustainability Science and Technology; c2012.
3. Beneduzi A, Ambrosini A, Passaglia LM. Plant growth-promoting rhizobacteria (PGPR): their potential as antagonists and biocontrol agents. *Genet Mol Biol.* 2012;35:1044-1051.
4. Bhattacharyya PN, Jha DK. Plant growth-promoting rhizobacteria (PGPR): emergence in agriculture. *World J Microbiol Biotechnol.* 2012;28:1327-1350.
5. Glick BR. Plant growth-promoting bacteria: mechanisms and applications. *Scientifica.* 2012;2012:963401.
6. Jehangir IA, Mir MA, Bhat MA, Ahangar MA. Biofertilizers an approach to sustainability in agriculture: a review. *Int J Pure Appl Biosci.* 2017;5:327-334.
7. Ljung K. Auxin metabolism and homeostasis during plant development. *Development.* 2013;140(5):943-50.
8. Mahanty T, Bhattacharjee S, Goswami M, Bhattacharyya P, Das B, Ghosh A, Tribedi P. Biofertilizers: a potential approach for sustainable agriculture development. *Environ Sci Pollut Res.* 2017;24:3315-35.
9. Mahdi SS, Talat MA, Hussain Dar M, Hamid A, Ahmad L. Soil phosphorus fixation chemistry and role of phosphate solubilizing bacteria in enhancing its efficiency for sustainable cropping—a review. *J Pure Appl Microbiol.* 2012;6(4):1-7.
10. Maksimov IV, Abizgil'Dina RR, Pusenkova LI. Plant growth promoting rhizobacteria as alternative to chemical crop protectors from pathogens. *Appl Biochem Microbiol.* 2011;47:333-45.
11. Moe LA. Amino acids in the rhizosphere: from plants to microbes. *Am J Bot.* 2013;100(9):1692-1705.
12. Parray JA, Jan S, Kamili AN, Qadri RA, Egamberdieva D, Ahmad P. Current perspectives on plant growth-promoting rhizobacteria. *J Plant Growth Regul.* 2016;35:877-902.
13. Peleg Z, Blumwald E. Hormone balance and abiotic stress tolerance in crop plants. *Curr Opin Plant Biol.* 2011;14(3):290-295.
14. Rajkumar M, Sandhya S, Prasad MNV, Freitas H. Perspectives of plant-associated microbes in heavy metal phytoremediation. *Biotechnol Adv.* 2012;30(6):1562-1574.
15. Reddy GC, Goyal RK, Puranik S, Waghmar V, Vikram KV, Sruthy KS. Biofertilizers toward sustainable agricultural development. *Plant Microbe Symbiosis.* 2020;115-128.
16. Roychowdhury D, Paul M, Banerjee SK. A review on the effects of biofertilizers and biopesticides on rice and tea cultivation and productivity. *Int J Sci Eng Technol.* 2014;2(8):96-105.
17. Saha M, Maurya BR, Meena VS, Bahadur I, Kumar A. Identification and characterization of potassium solubilizing bacteria (KSB) from Indo-Gangetic Plains of India. *Biocatal Agric Biotechnol.* 2016;7:202-209.
18. Saha R, Saha N, Donofrio RS, Bestervelt LL. Microbial siderophores: a mini review. *J Basic Microbiol.* 2013;53(4):303-17.
19. Santos VB, Araújo AS, Leite LF, Nunes LA, Melo WJ. Soil microbial biomass and organic matter fractions during transition from conventional to organic farming systems. *Geoderma.* 2012;170:227-31.
20. Shinwari KI, Shah AU, Afridi MI, Zeeshan M, Hussain H, Hussain J, *et al.* Application of plant growth promoting rhizobacteria in bioremediation of heavy metal polluted soil. *Asian J Multidiscip Stud.* 2015;3(4):179-185.
21. Thomas L, Rahman Z. A genome-wide investigation on symbiotic nitrogen-fixing bacteria in leguminous plants. *Plant Microbe Symbiosis.* 2020;55-73.
22. Yao YuanLin YY, Zhang Min ZM, Tian YuHua TY, Zhao Miao ZM, Zeng Ke ZK, Zhang BoWen ZB, *et al.* Azolla biofertilizer for improving low nitrogen use efficiency in an intensive rice cropping system. 2018.
23. Youssef MMA, Eissa MFM. Biofertilizers and their role in management of plant parasitic nematodes. A review. *J Biotechnol Pharm Res.* 2014;5(1):1-6.