



ISSN Print: 2664-9926

ISSN Online: 2664-9934

IJBS 2025; 7(2): 13-17

www.biologyjournal.net

Received: 16-10-2024

Accepted: 21-11-2024

Satabdi Bas

Swami Vivekananda
University, Barrackpore,
Telinipara, Barasat-
Barrackpore Road, Bara
Kanthalia, West Bengal, India

Shreyasi Das

Swami Vivekananda
University, Barrackpore,
Telinipara, Barasat-
Barrackpore Road, Bara
Kanthalia, West Bengal, India

Sleep well with golden milk: Can curcumin-infused drinks overcome insomnia- A comprehensive review

Satabdi Basu and Shreyasi Das

DOI: <https://dx.doi.org/10.33545/26649926.2025.v7.i2a.292>

Abstract

The search for natural solutions to sleep-related problems has drawn a lot of attention lately, and one such solution that has garnered popularity is golden milk that has been infused with curcumin. This abstract investigates the possibility of curcumin-rich drinks to reduce insomnia and enhance the general quality of sleep.

Turmeric's main ingredient, curcumin, has long been praised for its anti-inflammatory nature and antioxidant qualities. Turmeric is combined with milk, black pepper, honey, and other ingredients to make golden milk, a classic Ayurvedic beverage that is both tasty and calming. Combining these elements is thought to increase curcumin's bioavailability, facilitating improved body absorption and utilisation. Curcumin is a promising option for treating the underlying causes of insomnia because of its capacity to modify neurotransmitters, lower oxidative stress, and lessen inflammation.

It might help lessen symptoms like pain and discomfort that keep people from falling asleep. Because black pepper helps to improve the absorption of curcumin, its addition with golden milk is significant. Black pepper's piperine ingredient has been shown to boost curcumin's bioavailability by blocking the digestive system's enzyme that break it down. The potential effectiveness of curcumin in treating sleep-related problems is increased by this combination.

Curcumin-infused golden milk has potential as a natural treatment for insomnia. Curcumin from turmeric, milk, also black pepper, with honey provide a comprehensive way to address the causes of sleep disruptions. A deeper comprehension of curcumin's potential contribution to the promotion of restful sleep and enhancement of overall sleep quality will come from further exploration and meticulous scientific research.

Keywords: Anti-inflammatory, Curcumin, Mood enhancement, Immune Support

Introduction

Overview: *Curcuma longa*, a rhizomatous natural plant native to India that relates to the ginger family (Zingiberaceae), is a plant with many medicinal uses (Panpatil *et al.*, 2013) [35]. The supportive benefits of turmeric could be attributed to the presence of dynamic principles called curcuminoids. One of the most captivating pieces of curcuminoid is curcumin, which is a little sub-nuclear weight polyphenolic compound and lipophilic in nature, thusly insoluble in water and besides in ether yet dissolvable in ethanol, dimethylsulfoxide, and other normal solvents (Aggarwal *et al.*, 2003) [6]. Curcumin is consistent at the acidic pH of the stomach (Kharat *et al.*, 2017) [22].

Curcumin, the yellow assortment shade of turmeric, is made precisely from turmeric oleoresin. Turmeric is routinely used as flavor is obvious for its helpful properties in India and Chinese course of action of prescription. It has been extensively used for therapy of a couple of infections. Helpful plants have given a trustworthy source to status of new meds as well as battling sicknesses, from the very outset of progress. The expansive investigation of the composing uncovered that *Curcuma turmeric* is outstandingly seen as broad panacea in the local drug with a great many pharmacological levels of destructiveness (Nasri *et al.*, 2014) [30].

It has different important properties with cell support practices and is useful in conditions, for instance, irritation, ulcer and cancer. The presence of various metabolites, for instance, curcuminoid, oil content, flavonoids, phenolics, a couple of huge amino acids, protein and high alkaloid content uncovers that co-association with its helpful purposes (Sarangthem and Haokip, 2010) [38].

Corresponding Author:**Satabdi Bas**

Swami Vivekananda
University, Barrackpore,
Telinipara, Barasat-
Barrackpore Road, Bara
Kanthalia, West Bengal, India

Curcuma longa is a lasting spice erect, verdant, has a place with the Zingiberaceae family, that contrasts 1 m high and a short stem, having oval, pointed leaves and line framed yellow blooms. It is spread all through tropical and subtropical regions of the world that are generally evolved in Asiatic countries, primarily in India and China. 'Haldi' generally known in India whose rhizomes are curved, hail, pyriform and often short extended (Lal., 2012) [41].

The brilliant powder known as curcumin isolated from rhizome is used helpfully. Dried *Curcuma longa* which is the wellspring of the flavor turmeric gives curry powder whose tone is yellow. Turmeric used in standard Indian medicine as well as Hindu severe capabilities and besides used commonly in food hotspots for Phytochemical and Pharmacological Meaning of Turmeric (*Curcuma longa*) Sayantani Chanda RRJoP (2019) 16-23 © STM Journals 2019. The old Hindu texts have portrayed that turmeric is as sweet-smelling catalyst and carminative (Yadav., 2017) [42].

As of late powder of brilliant used as customary prescription against gastrointestinal contaminations, especially for biliary and hepatic disarray, diabetic wounds, disease, exacerbation, sinusitis, anorexia, coryza and hack. Turmeric which go comparably anticancer, antidiabetic, cancer prevention agent, hypolipidemic, calming, antimicrobial, hostile to ripeness, serum toxin, hepatoprotective, nephroprotective, anticoagulant and have against HIV movement to battle Helps (Akram., 2010) [8].

The dynamic constituents of turmeric are the flavonoid Curcuminoids which is a mix of curcumin (Diferuloylmethane), monodexmethoxycurcumin and bisdesmethoxycurcumin Curcumin makes up generally 90% of the curcuminoid content in turmeric. Various constituents integrate sugars, proteins, and gums. The best investigated dynamic constituent is curcumin, which includes 0.3-5.4% of rough golden powders (DD *et al.*, 2004) [17].

Advantages of Turmeric

Antidiabetic Action: Curcumin was accounted for to have hostile to diabetic movement. The impact of antidiabetic activity could be credited to the cell support property of curcumin (Panchatcharam *et al.*, 2006) [31]. In their survey, examiners showed curcumin advantageous result through the improvement of diabetes-incited endothelial brokenness by reducing superoxide creation and vascular protein kinase C restriction. Inquisitively, late examinations showed the limit of curcumin to can directly stifle responsive oxygen species (ROS) that can add to oxidative damage (Cheredy *et al.*, 2013) [12]. Curcumin was evaluated for the neutralization of type 2 diabetes in pre-diabetic human people. The subjects got curcumin compartments for multi month time period versus counterfeit treatment case bundle. The curcumin - treated pack showed a predominant by and large ability of β -cells, with higher HOMA- β and lower C-peptide. The curcumin treated bundle showed a lower level of HOMA-IR and higher adiponectin, when differentiated and the phony treatment pack. The results showed that curcumin intervention could have useful result to a prediabetic populace (Aggarwal and Harikumar., 2009) [5].

Reducing Inflammation: Curcumin has critical calming movement in extreme as well as in tenacious models of aggravation. It is overall around as solid as phenylbutazone in the carrageenan oedema test yet only half as strong in continuous tests (Naik *et al.*, 2011) [28]. Curcumin has been

shown to coordinate different record factors, cytokines, protein kinases, grasp iotas, redox status and impetuses that have been associated with disturbance (Kim *et al.*, 2010) [22]. *Curcuma longa* show powerful calming impacts because of unpredictable oils and curcumin. One portion of curcumin in the event that taken as oral is powerful for Persistent irritation, was viewed as supportive as cortisone or phenylbutazone in cases of intense aggravation (Pawar., 2015) [33]. Oral organization of curcumin in examples of intense aggravation was viewed as compelling as cortisone or phenylbutazone. Oral association of brilliant powder altogether decreased incendiary enlarging (Cronin and JR., 2003) [13].

Longa's mitigating properties might be ascribed to its capacity to hinder both biosynthesis of combustible prostaglandins from arachidonic destructive, and neutrophil ability during blazing states. Curcuminoids also control LOX, COX, phospholipases, leukotrienes, prostaglandins, thromboxane, nitric oxide elastase, hyaluronidase, collagenase, monocyte chemoattractant protein-1, interferon inducible protein, TNF and interleukin-12. They also decline prostaglandin course of action and limit leukotriene biosynthesis through the lipoxygenase pathway (Bundy *et al.*, 2004) [11]. The helpful impact of curcumin (anti-inflammatory compound) in sepsis seems, by all accounts, to be intervened by the upregulation of PPAR- γ , inciting the disguise of master provocative cytokine, TNF- α enunciation and conveyance (Jacob *et al.*, 2007) [19].

Antimicrobial Action: The antibacterial investigation of curcumin shows the capacity to restrain development of an assortment of periodontopathic microorganisms and Porphyromonas gum sickness Arg-and Lys-express proteinase (RGP and KGP, independently) practices 63. In like manner, curcumin smothered *P. gum* sickness homotypic and *Streptococcus gordonii* biofilm developments in a portion subordinate way (No *et al.*, 2017) [9]. The solid antifungal action of *C. longa* rhizome and its low delayed consequence were the key inspirations to investigate its conceivable synergistic contact with existing fungicides. The synergistic activity of curcumin with five azole and two polyene drugs including voriconazole, itraconazole, ketoconazole, miconazole, fluconazole, amphotericin B and nystatin showed 10-35-overlay decline in the MIC potential gains of the fungicides against 21 clinical disengages of *C. albicans*. The synergistic activity of curcumin with amphotericin B and fluconazole could be connected with the hoarding of ROS which will be covered by adding a cell support (Liu *et al.*, 2016) [24]. Test chamber and animal survey propose turmeric could kill infinitesimal living beings and diseases. In any case, experts don't know whether it would work in people. The liquid concentrate of turmeric rhizomes has antibacterial effects (Kumar *et al.*, 2001) [23]. Curcumin moreover thwarts improvement of *Helicobacter pylori* CagA+ strains *in vitro*. Both curcumin and the oil segment smother improvement of a couple of microorganisms like *Streptococcus*, *Staphylococcus*, *Lactobacillus*, etc. Curcumin has been shown to have antiviral activity (Araujo *et al.*, 2001) [9].

Boost the body's antioxidant levels: Oxidative harm is one of the components which are liable for maturing and numerous sort of illness. The free revolutionaries associated with this component respond profoundly with regular

substance in our body which can cause hurt. Curcumin doesn't simply hinder the free radicals: it moreover enlivens the cell support framework in our body. This is probably one of the most awe-inspiring benefits of turmeric for our body. The phone support development of curcumin was represented (Sharma *et al.*, 1976) [37]. Water and fat dissolvable concentrates of turmeric and its curcumin part significant solid areas for have activity, when it is for all intents and purposes indistinguishable from supplements C and E. Curcumin pre-treatment has feasible result which decreases ischemia induced changes in the hearts (Akram., 2010) [8].

Anti-Cancer Initiation: Disease is the second biggest single reason for death guaranteeing more than 6,000,000 lives consistently around the world (Fu *et al.*, 2015) [15]. Logical investigations of plants utilized in different sorts of ethnic medication have prompted the disclosure of numerous important medications, including taxol, camptothecin, vincristine and vinblastine (Bayomi *et al.*, 2015) [10].

Curcumin applies hindrance of cell multiplication and cancer development, noted by two examinations of colon and prostate dangerous development. The activity of a couple of ordinary mutagens and disease-causing specialists are similarly smothered by turmeric and curcumin. Turmeric and curcumin have against cancer-causing impacts have been connected with direct cell reinforcement and free-extremist rummaging impacts, as well as their capacity to in a roundabout way increment glutathione levels, consequently supporting hepatic detoxification of mutagens and malignant growth causing specialists, and thwarting nitrosamine improvement Curcumin has in like manner been shown to limit the mutagenic selection effect of UV radiates (Pawar., 2015) [33].

Counteracting Viruses: Nonattendance of strong therapeutics for the a huge part of viral sicknesses, ascent of antiviral medication obstruction and significant expense of a few antiviral treatments require tracking down new successful antiviral mixtures (Yun and Lee., 2016) [42].

Man has been involving spices and plant items for fighting illnesses since days of yore. The Indian subcontinent is enhanced by various verdure both fragrant and restorative plants. This broad vegetation has been significantly used as a wellspring of numerous meds in the Indian ordinary plan of prescription. In India, the earliest notification of the use of helpful plants is to be found in Rigveda which was made between 4500-1600 BC (Agarwal *et al.*, 2007) [7].

Turmeric is the percolated, dried, endlessly cleaned rhizomes of *Curcuma longa*. Ensuing to social affair the whole rhizomes are assembled. These rhizomes are moved as whole rhizomes. They are by and large like fingers 2 to 8 cm long and 1 to 2 cm wide having bulbs and parts. The dried rhizomes are moreover taken care of and returned to get the turmeric powder (Pawar *et al.*, 2014) [33]. One of the most entrancing pieces of curcuminoid is curcumin, which is a little sub-nuclear weight polyphenolic compound and lipophilic in nature, thusly insoluble in water and besides in ether anyway dissolvable in ethanol, dimethylsulfoxide, and other normal solvents (Aggarwal *et al.*, 2003) [6].

Turmeric utilized in conventional Indian medication as well as Hindu strict services and furthermore utilized broadly in food sources for its flavor and variety. The old Hindu texts

have depicted that brilliant powder is as sweet-smelling catalyst and carminative (Yadav., 2017) [42]. For conventional Ayurvedics, turmeric plant was a brilliant regular germicide, sanitizer, calming, and pain relieving, while simultaneously the plant has been many times used to help processing, to work on gastrointestinal greenery, furthermore, to treat skin unsettling influences. Similarly, in South Asia it has been used as an expeditiously open sanitizer for cuts, consumes, and wounds. Nonetheless, a few other gainful properties are accounted for in society medication. The rhizome is broadly utilized in Ayurveda and conventional medication (Nasri *et al.*, 2014) [30].

Turmeric/Golden Milk

Brilliant milk, a trademark home fix, has been comprehensively used for treating hack and cold (Gilani *et al.*, 2005) [3]. Customarily brilliant milk is prepared in a home setting by gurgling brilliant powder in milk. Nevertheless, neither how much turmeric powder added nor the communication is standardized. Further, poor watery dissolvability and high speed of gastrointestinal assimilation and fast removal limit maintenance, achieving low bioavailability and clinical practicality. To evade this snag, a couple of techniques, for instance, sprinkle, areas of strength for drying and nano details including nanoparticles, liposomes, micelles, microemulsions, solid lipid nanoparticles and microencapsulation have been examined all through the keep going quite a while to make a fitting movement plan of curcumin (Ipar *et al.*, 2019) [18].

Another very much planned element of the brilliant milk refreshment includes the utilization of whole fat milk or added fat, (For instance, coconut milk or oil) to work with additional created bioavailability of the fat-valuing (Lipophilic) curcuminoid phenols; using a lipophilic arrangement has been shown to consider more noticeable bio accessibility of curcuminoids (Fu S *et al.*, 2016) [14].

Brilliant milk contains cinnamon, which might be a valuable integral treatment for propelling glucose homeostasis. This is a basic benefit, especially for those expecting to prevent or reverse mental disintegration, as one of the fundamental hidden drivers of Alzheimer's disease is insulin resistance, especially for individuals who have or are at risk for the subtype 1.5, Glycotoxic Alzheimer's disorder. Specifically, Ceylon cinnamon has been shown to additionally foster insulin obstacle by diminishing blood glucose levels (Megistrelli *et al.*, 2012) [27]. Brilliant milk is another term and it is generally called turmeric milk which is prepared from cow milk and plant-based milk (Giri *et al.*, 2022) [16]. Turmeric (*Curcuma longa*) is gotten from, a tropical South Asian rhizomatous herbaceous enduring plant in the ginger family Zingiberaceae. Turmeric is made from a tuberous rhizome with a strong and separated covering. Rhizomes are yellowish brown ostensibly and dull orange inside (Ravindran, 2007) [34].

Promoted across virtual entertainment, brilliant milk is a diverse beverage beginning in Asian countries and drank for its moderating properties and sharp flavour. Generally called "splendid milk latte" or "turmeric tea", splendid milk is made with recently ground or ground turmeric, a spot of recently ground pepper, honey or lemon to taste, and high temp water, milk, or dairy elective (Rao., 2018) [39].

Advanced across electronic amusement, splendid milk is a different drink starting in Asian countries and drank for its moderating properties and effective flavour. Generally

called "splendid milk latte" or "turmeric tea", splendid milk is made with recently ground or ground turmeric, a spot of recently ground pepper, honey or lemon to taste, and warmed water, milk, or dairy alternative. The choice of recently ground or ground ginger adds extra flavour and additional quieting characteristics, with cinnamon, cardamom, cloves and nutmeg adjusting the flavour (Rao., 2018) [39].

Sleep deprivation or insomania can be overcome with a curcumin drink

Rest is viewed as a functioning organic cycle and essentially expected to advance wellbeing and prosperity (Adams *et al.*, 2017) [4]. Sleep deprivation is characterized as a rest wake jumble; described by trouble in starting rest, staying unconscious or potentially by waking promptly in the first part of the day and being not able to return to rest (Sanford *et al.*, 2015) [36]. In spite of its high pervasiveness, sleep deprivation frequently goes unnoticed and stays untreated. A sleeping disorder likewise adversely influences wellbeing and prosperity, with daytime debilitation of perception, mind-set, or execution that influences on the individual, yet in addition family, companions, colleagues and guardians (Saddichha *et al.*, 2010) [35]. Besides, individuals encountering sleep deprivation are additionally bound to visit clinics and doctors, have more prominent truancy, are more powerless to auto collisions and have more deadly street mishaps (Kay Stacey and Attarian., 2016) [20].

Curcumin applied at 10 and 20 mg/kg (i.p) to mice for 5 days. Curcumin treatment restored depleted glutathione, catalase development, and decreased lipid peroxidation and nitrite levels, preventing weight decrease, decrease in locomotor activity, and anxiety-like effects across each direct perspective. Besides, the inhibitor of nitric oxide synthase contributed in a critical way to the expert tective feasibility of curcumin (Kumar and Singh., 2008) [2]. Since liquor addiction brings about various neuronal problems, for example, the condition of cognizance, rest issues, sleep deprivation, dementia, and amnesia (Jagota and Reddy., 2007) [1].

Conclusion

Due to its main ingredient, curcumin, golden powder has been known to provide a vast range of therapeutic benefits that are ingrained in customary medicine. Its possible antioxidant, anti-inflammatory, anti-cancer, and maybe antiviral qualities are supported by current studies. The rise in popularity of yellow milk, a combination that contains turmeric, is evidence of the modern use of this age-old spice to treat different sicknesses, including sleep deprivation and other rest issues. Turmeric's many health benefits are becoming more and more apparent as a result of the dynamic interaction between traditional knowledge and contemporary research, establishing it as a potential natural cure.

References

- Jagota A, Reddy MY. The effect of curcumin on ethanol induced changes in suprachiasmatic nucleus (SCN) and pineal. *Cell Mol Neurobiol.* 2007;27(8):997-1006.
- Kumar A, Singh A. Possible nitric oxide modulation in protective effect of *Curcuma longa* (Zingiberaceae) against sleep deprivation-induced behavioral alterations and oxidative damage in mice. *Phytomedicine.* 2008;15(8):577-586.
- Gilani H, Shah G, Ghayur M, Majeed M. Pharmacological basis for the use of turmeric in gastrointestinal and respiratory disorders. *Life Sci.* c2005.
- Adams RJ, Appleton SL, Taylor AW, Gill TK, Lang C, *et al.* Sleep health of Australian adults in 2016: results of the Sleep Health Foundation national survey. *Sleep Health.* 2016;3(1):35-42.
- Aggarwal BB, Harikumar KB. Potential therapeutic effects of curcumin, the anti-inflammatory agent, against neurodegenerative, cardiovascular, pulmonary, metabolic, autoimmune and neoplastic diseases. *Int. J Biochem Cell Biol.* 2009;41(1):40-59.
- Aggarwal BB, Kumar A, Bharti AC. Anticancer potential of curcumin: preclinical and clinical studies. *Anticancer Res.* 2003;23(1/A):363-398.
- Agrawal S. *Herbal Drug Technology.* Hyderabad: Universities Press (India) Pvt. Ltd.; c2007. p. 1.
- Akram M. Curcuma longa and curcumin: a review. *Rom J Biol Plant Biol.* 2010;55(2):65-70.
- Araujo CAC, Leon LL. Biological activities of *Curcuma longa* L. *Mem Inst Oswaldo Cruz.* 2001;96:723-728.
- Bayomi SM, El-Kashef HA, El-Ashmawy MB, Nasr MN, El-Sherbeny MA, Abdel-Aziz NI, *et al.* Synthesis and biological evaluation of new curcumin analogues as antioxidant and antitumor agents: Molecular modeling study. *Eur J Med Chem.* 2015;101:584-594.
- Bundy R, Walker AF, Middleton RW, Booth J. Turmeric extract may improve irritable bowel syndrome symptomology in otherwise healthy adults: A pilot study. *J Altern Complement Med.* 2004;10:1015-1018.
- Cherreddy KK, Coco R, Memvanga PB, Ucarak B, des Rieux A, Vandermeulen G, *et al.* Combined effect of PLGA and curcumin on wound healing activity. *J Control Release.* 2013;171(2):208-215.
- Cronin JR. Curcumin: Old spice is a new medicine. *J Altern Complement Ther.* 2003;9(1):34-38.
- Fu S, *et al.* Enhanced bioaccessibility of curcuminoids in buttermilk yogurt in comparison to curcuminoids in aqueous dispersions. *J Food Sci.* 2016;81(3):H769-776.
- Fu Z, Chen X, Guan S, Yan Y, Lin H, Hua ZC. Curcumin inhibits angiogenesis and improves defective hematopoiesis induced by tumor-derived VEGF in tumor model through modulating VEGF-VEGFR2 signaling pathway. *Oncotarget.* 2015;6(23):19469b.
- Giri SA, Kshirsagar RB, Patil BM. *The Pharma Innovation Journal.* 2022;11(12):350-353.
- Heath DD, Khwaja F, Rock CL. Curcumin content of turmeric and curry powders. *FASEB J.* 2004;18:A125.
- Ipar VS, Dalvi SV, Totre JV. A review on advancements in turmeric (*Curcuma longa*) based nanotechnological formulations. *J Drug Deliv Sci Technol.* 2019;51:298-305.
- Jacob A, Wu R, Zhou M, Wang P. Mechanism of the anti-inflammatory effect of curcumin: PPAR- γ activation. *PPAR Res.* 2007.
- Kay-Stacey M, Attarian H. Advances in the management of chronic insomnia. *BMJ.* 2016;354:i2123.

21. Kharat M, Du Z, Zhang G, McClements DJ. Physical and chemical stability of curcumin in aqueous solutions and emulsions: impact of pH, temperature, and molecular environment. *J Agric Food Chem*. 2017;65(8):1525-1532.
22. Kim J, Lee HJ, Lee KW. Naturally occurring phytochemicals for the prevention of Alzheimer's disease. *J Neurochem*. 2010;112(6):1415-1430.
23. Kumar S, Narain U, Tripathi S, Misra K. Synthesis of curcumin bioconjugates and study of their antibacterial activities against beta-lactamase-producing microorganisms. *Bioconj Chem*. 2001;12:464-469.
24. Liu Y, Xu Z, Yang Z, Sun J, Ma L. Characterization of community-associated *Staphylococcus aureus* from skin and soft-tissue infections: a multicenter study in China. *Emerg Microbes Infect*. 2016;5(12):e127.
25. Longa Linn Rhizome. Pawar MA. *Int. J Chem Phys Sci*. 2015;4(Special Issue):NCSC.
26. Magistrelli A, Chezem JC. Effect of ground cinnamon on post-prandial blood glucose concentration in normal weight and obese subjects. *J Acad Nutr Diet*. 2012;112(11):1806-1809.
27. Naik SR, Thakare VN, Patil SR. Protective effect of curcumin on experimentally induced inflammation, hepatotoxicity and cardiotoxicity in rats: evidence of its antioxidant property. *Exp Toxicol Pathol*. 2011;63(5):419-431.
28. Nasri H, Sahinfard N, Rafieian M, Rafieian S, Rafieian M, Shirzad. Turmeric: A spice with multifunctional medicinal properties. *J HerbMed Pharmacol*. 2014;3(1):5-8.
29. No DS, Algburi A, Huynh P, Moret A, Ringard M, Comito N, *et al*. Antimicrobial efficacy of curcumin nanoparticles against *Listeria monocytogenes* is mediated by surface charge. *J Food Saf*. 2017.
30. Panchatcharam M, Miriyala S, Gayathri VS, Suguna L. Curcumin improves wound healing by modulating collagen and decreasing reactive oxygen species. *Mol Cell Biochem*. 2006;290(1):87-96.
31. Panpatil VV, Tattari S, Kota N, Nimgulkar C, Polasa K. *In vitro* evaluation on antioxidant and antimicrobial activity of spice extracts of ginger, turmeric, and garlic. *J Pharmacogn Phytochem*. 2013;2(3):143-148.
32. Pawar H, Karde M, Mundle N, Jadhav P, Mehra K. Phytochemical evaluation and curcumin content determination of turmeric rhizomes collected from Bhandara District of Maharashtra (India). *Med Chem*. 2014;4(8):588-591.
33. Ravindran PN. Turmeric—The golden spice of life. In: *Turmeric: The genus Curcuma*. 2007;45(1).
34. Saddichha S. Diagnosis and treatment of chronic insomnia. *Ann Indian Acad Neurol*. 2010;13(2):94-102.
35. Sanford LD, Suchecki D, Meerlo P. Stress, arousal, and sleep. *Curr Top Behav Neurosci*. 2015;25:379-410.
36. Sarangthem K, Haokip MJ. Bioactive component in *Curcuma caesia* Roxb. grown in Manipur. *The Bioscan*. 2010;5:113-115.
37. Sharma OP. Antioxidant activity of curcumin and related compounds. *Biochem Pharmacol*. 1976;25:1811-1812.
38. The New York Times. Rao T. Turmeric Tea. Available at: <https://cooking.nytimes.com/recipes/1018548-turmeric-tea>. Accessed June 7, 2018.
39. Lal J. Turmeric, curcumin, and our life: a review. *Bull Environ Pharmacol Life Sci*. 2012;1(7):11-17.
40. Yadav RP. Versatility of turmeric: A review of the golden spice of life. *J Pharmacogn Phytochem*. 2017;6(1):41-46.
41. Yun DG, Lee DG. Antibacterial activity of curcumin via apoptosis-like response in *Escherichia coli*. *Appl Microbiol Biotechnol*. 2016;100(12):5505-5514.