



ISSN Print: 2664-844X
ISSN Online: 2664-8458
NAAS Rating: 4.97
IJAFA 2025; 7(4): 244-250
www.agriculturaljournals.com
Received: 20-02-2025
Accepted: 24-03-2025

Y Angel

Assistant Professor,
Department of Horticulture,
Kalasalingam Academy of
Research and Education,
Krishnankoil, Tamil Nadu,
India

S Mudassir Ahmed

Student, Department of CSE,
Kalasalingam Academy of
Research and Education,
Krishnankoil, Tamil Nadu,
India

K Kiran Kumar

Student, Department of CSE,
Kalasalingam Academy of
Research and Education,
Krishnankoil, Tamil Nadu,
India

N Nithin Kumar

Student, Department of CSE,
Kalasalingam Academy of
Research and Education,
Krishnankoil, Tamil Nadu,
India

V Dinesh Kumar

Student, Department of CSE,
Kalasalingam Academy of
Research and Education,
Krishnankoil, Tamil Nadu,
India

A Raviteja

Student, Department of CSE,
Kalasalingam Academy of
Research and Education,
Krishnankoil, Tamil Nadu,
India

Corresponding Author:

Y Angel

Assistant Professor,
Department of Horticulture,
Kalasalingam Academy of
Research and Education,
Krishnankoil, Tamil Nadu,
India

Enhanced agricultural productivity through plant disease prediction: A machine learning approach

Y Angel, S Mudassir Ahmed, K Kiran Kumar, N Nithin Kumar, V Dinesh Kumar and A Raviteja

DOI: <https://www.doi.org/10.33545/2664844X.2025.v7.i4d.358>

Abstract

Plant diseases could severely compromise agricultural productivity and food security. The current work presents a machine learning-based approach toward plant disease prediction using early and accurate identification of multiple plant diseases employing Convolutional Neural Networks. Model performance has been found using healthy and diseased plant images with data augmentation techniques to avoid over fitting, which provides high accuracy. The proposed system has the capacity for real-time execution: Instantaneous diagnosis is thus given to the farmer using an easy interface. The results therefore depict the utility of CNNs in real-world large-scale agricultural applications and hold great importance as a useful tool for sustainable crop management.

Keywords: CNN, Plant disease prediction, machine learning, data augmentation, real-time diagnosis, sustainable agriculture

1. Introduction

Plant diseases are one of the greatest challenges for global agriculture, leading to low crop yields, a decrease in food security, and loss of livelihood for farmers. This loss can be minimized in respect of such diseases through early and accurate prediction. It has enhanced the productivity in the agricultural sectors with the introduction of new methods in these areas along with machine learning and artificial intelligence. In particular, CNNs have achieved exceptional results in image classification tasks and, therefore, can identify and classify plant diseases precisely according to their visual symptoms.

This paper proposes a holistic approach to building and deploying a real-time model on prediction based on a CNN model. The aim is to make available to farmers a highly reliable tool, based on high-class image data of plants and advanced preprocessing techniques, accurately predicting presence and severity. This work demonstrates the ability of machine learning towards garnering sustainable, technology-driven solutions in agriculture by building on the correct aspects: such as data augmentation, model optimization, and a user-friendly deployment interface.

All components of this paper strictly follow the standard formats to easily use and be consistent with the requirements for electronic purposes, both as an application now and in the future. With the choice of margin, space, and types of fonts, the template is accessible but professionally aligned and conforming to the academic standards set, keeping in mind the conformity of the conference proceedings. The methodology section includes detailed descriptions of the process of data collection, model training, and validation together with strategies to optimize model performance for varied environmental conditions and crop types.

The integration of machine learning, especially CNNs, in agriculture will allow for scalable and precise disease management solutions. Traditional methods of disease identification rely heavily on manual inspection with expert knowledge, which can be time consuming, costly, and not very consistent, particularly across large agricultural lands. On the other hand, CNN-based models will automatically analyze images of plants to detect diseases at an early stage and implement prompt interventions that may help avert devastating losses in crops.

This approach tends to achieve accessibility and usability for end-users such as farmers and agricultural advisors.

The model will be working in a user-friendly interface where images of crops can be uploaded, analyzed, and diagnosed in real time. Data augmentation techniques that include rotation, flipping, and scaling increase the robustness of the model ensuring reliabilities under diversified lighting, environmental conditions, and crop types. This combination of technology-based solutions and practical implementation altogether provides a complete tool toward the aid of sustainable management of agriculture, supporting the farmers using data-driven insights and clear recommendations.

2. Literature Survey

2.1 Machine Learning Techniques in Plant Disease Detection Journal: Sensors, 2023

This paper presents a general overview of techniques used in the detection of plant diseases by the utilization of various methodologies such as datasets, pre-processing techniques, feature extraction, data augmentation, and the architecture used to classify the models. The summation of these techniques allows the study to highlight the role played by machine learning techniques in identifying plant diseases early in time.

Analysis: In its review, the paper presents an extensive overview of the methods used but does not detail any specific description of how these methods are practically implemented or compared regarding the performance in real-world agricultural applications. It also doesn't discuss the challenges encountered when scaling these technologies for different crop species and disease types.

2.2 Integration of Plant Disease Classification, Crop Prediction, and Fertilizer Recommendation

Journal: IJFMR, 2024

The paper considers an integration of ResNet-9 architecture for classification in plant disease, crop forecasting, and fertilizer recommendation. It is a trend that would indicate all-inclusive agricultural management systems using machine learning across various dimensions of farming.

Analysis: Although the study appears promising as an integrated approach, there is no challenge in its dimension related to computational complexity in executing such a model at scale. In addition, environmental variables do not seem to have been considered in the issues related to accuracy in the model, and retraining appears to be needed periodically to adapt to changing conditions

Machine Learning for Plant and Crop Disease Prediction Journal: Big Data and Cognitive Computing, 2021

This paper has reviewed the presently existing techniques of AI, ML, and DL aimed at the early-stage plant disease forecasting before symptoms appear and emphasized the role of predictive models for early intervention and disease management.

Analysis: This paper previews early disease detection although it limits the study since it only uses historical and experimental data, thus not testing the accuracy of the models in real-time dynamic environments. This review also lacks the fact that environmental adaptability may be critical for the functioning of disease forecasting models.

2.4 A Systematic review of deep learning techniques for plant disease prediction

Journal: Artificial Intelligence Review, 2024

This review assigns ratings to the deep learning methods, more specifically CNN architectures, regarding plant disease prediction. In this paper, you will find the popular models, common diseases studied, dataset availability, and challenges in the field.

Conclusion Analysis: This paper lays down a good basis of deep learning techniques, but it neither explores how these methods can be generally adapted to different agricultural environments nor solves the problem of false positives in prediction models when usability suffers among farmers and agronomists.

2.5 Literature survey on fruit and plant leaf disease detection using neural networks IRJMETS, 2022

The paper focuses on classification approaches. It mainly does this using ANNs to detect fruit and plant leaf diseases. It provides insight into the particular application of ANN for various plant diseases.

Analysis: The paper gives very good results about the application of ANN but lacks discussion on how this method will compare with other models, like CNN, in terms of accuracy and computational efficiency. Moreover, it did not have actual real-time validation with the model, so its practical applicability to large-scale agriculture is not quite feasible.

2.6 CNN and Capsule Network (CapsNet) for Detection of Diseases of Tomato Plant

Journal: IJRASET, 2022

To draw a comparison in performance between CNN and Capsule Networks for the task of tomato disease detection, this research clarifies the limitations of traditional CNNs and how CapsNet could be applied to tackle challenging spatial relationships inherent in plant disease data.

The study did offer information of an alternative-CapsNet-for the CNN model, however, there was no comprehensive calculation of the actual computational demands of CapsNet when applied in the field. Also, this paper does not demonstrate whether CapsNet can apply to other crops besides tomatoes, which represents a small niche application.

Conclusion of knowledge gaps

A wide range of researches indicate that promising results about the use of machine learning with CNNs and other neural networks can be inferred towards plant disease prediction. However, several gaps still remain unaddressed: There is minimal validation on real-world data. Most studies use simulated or experimental data, which may not account fully for the complexity of the real agricultural environment.

- **Scalability:** Very few papers attempt to address the associated challenges with scaling such models to deal with large datasets or variability in types of diseases and environmental conditions.
- **False Positives:** The biggest concern is false positives; the system is not reliable or usable.
- **Generalizability to Crops:** Most studies are on specific crops, which limits the generalizability of developed models across different contexts in agriculture.

3. Methodology

1. Existing Methodologies

Current Approaches Crop disease forecasting in the current approach involves the use of machine learning algorithms

along with image processing to classify the symptoms of diseases in crops. Some of the methods that have been implemented in literature are as follows:

1.1 Data Collection

- **Image Capture:** Images of crops, healthy and infected, are collected from different sources such as research centers for agriculture, online databases, and field surveys so that the dataset will be diverse.
- **Dataset Diversity:** Most of the works accumulate a wide range of plant species and disease types in order to improve the generalization capability of the predictor models. Actually, most existing methods suffer from data diversity; thus, most of them can hardly work with perfect accuracy in real-world scenarios.

1.2 Data Preprocessing

- **Resizing Images:** The dimensions of images should be standardized to, say 128x128 pixels. It is common practice to make the training process easier.
- **Normalization and Augmentation:** The pixel values are normalized, and rotational, flipping, and zooming techniques artificially increase the dataset. Techniques like the above increase model robustness and reduce over fitting by simulating conditions.

1.3 Model Selection and Training

- **CNN Architectures:** Convolutional Neural Networks (CNNs) are the most favored model that can be used in plant disease prediction due to their efficiency in the image classification task. Popular architectures are ResNet, VGG, and Inception. These are chosen for their capability to process complex image data.
- **Transfer Learning:** Frequently, pre-trained models on large datasets (e.g., ImageNet) are fine-tuned on specific datasets on plant diseases. This leverages existing knowledge and reduces the training time while improving accuracy.

1.4 Model Evaluation

- **Evaluation Metrics:** The common metrics used include accuracy, precision, recall, and F1-score, which measure the performance of the classification model. Others often use confusion matrices that pertain to true positives, false positives, true negatives, and false negatives as a representation of where one may need improvement.
- **Cross Validation:** k-fold cross-validation is the most standard technique to test the generalization capability of the model by having it perform well on all the different subsets of the dataset. Even then, not everybody uses it as a technique owing to the quantity of computation involved.

1.5 Deployment and Real Time Prediction

- **Real-Time Implementation:** There are a few implementations that are executed in a real-time environment in which the models examine new images and provide disease prediction on the fly. However, most of the studies do not focus enough on the integration of these systems with real-world agricultural infrastructures.
- **User Interface:** In some implementations, user-friendly interfaces are created to help farmers upload images and

gain instant diagnosis; nonetheless, most researchers forget about the level of scalability and feasibility of such systems in rural environments.

2. Proposed Methodology

As a development of the existing models, the proposed system aims at enhancing existing models to eradicate most of the drawbacks existing with them in the real-world agricultural scenario. Given below is an outline of the proposed methodology that lays stress on significant improvements.

2.1 Data Collection

- **Real-Time Data Integration:** Unlike the existing systems, this type of system is associated with the integration of historical as well as real-time image data to capture the dynamic patterns of diseases and provides the facility for real-time detection capability. Metadata such as geographic location and timestamps will be attached to each image.
- **Collaboration for Diverse Data:** Reaching out to agricultural centers and local farmers to get images of a wider range of crop types and diseases contributes to more diverse and relevant data under different environmental conditions

2.2 Feature Engineering & Preprocessing

Better Normalization of Data: Standard Scaler is implemented so that the pixel value ranges across images are better balanced and so do their treatments during model training.

Advanced Data Cleaning: It employs heavy preprocessing to remove the wrong or malfunctioning images. Hence, the overall accuracy will increase because only the quality data will be used.

2.3 Anomaly Detection and Disease Prediction

- **Multi-Layer Architecture Model:** Core model is CNN. The proposed system involves multiple layers, Isolation Forest, which enhances the concept of anomaly detection by making the predictors more robust toward outliers and environmental noise.
- **Distance Calculation:** Applying geospatial data computing, like the Haversine formula, the system accurately determines anomalies in crop health patterns to provide optimal abnormality detection in disease symptoms across fields.

2.4 System Integration

- **Scalable Real-Time Integration:** Scalable real-time integration is set to fit perfectly into an existing agricultural monitoring infrastructure. Once a suspicious pattern of disease has been identified, it will undergo other verification processes for provision of options of direct action to the farmers.
- **Monitoring and Logging:** Every prediction with the action taken based on it is logged for continuous evaluation of the system so that further improvements and performance can be tracked.

2.5 Model Adaptability

- **Dynamic Model Retraining:** The model is periodically retrained over new data so that it adapts to seasonal changes as well as user feedback to minimize false

positives resulting from crop rotation or shifts in climate.

- **User-Driver Feedback Loop:** The given feedback by farmers and agronomists, allows for model parameters to be adjusted on detail. This further improves the accuracy of a system over time; and ensures its relevance to practical usage cases.

2.6 Privacy and Security

- **Data Security Protocols:** The system will utilize encryption and anonymization of location and image data to respect user privacy.
This meets the regulations regarding data protection; this makes it a reliable, safe and sound tool.
- **User Consent:** Farmers are to be informed and agree on using the collected data, especially in cases of shared access to sensitive information such as geolocation, in order to guarantee transparency concerning the system's operation

Pros and Cons of the proposed methodology pros

Direct real-time

Data collection in the proposed system will directly lead to the detection of plant diseases on time and allow farmers to perform necessary actions immediately, which is quite an advantage over the other systems purely depending on historical or batch-processed data. Thereby, the whole responsiveness as well as efficacy of disease management would be provided.

Accuracy with Robustness

Adding Isolation Forest to the combination with CNN increases the accuracy of the system and even reduces the rate of false positives significantly in the complex environmental conditions of diseases. A multi-layered approach provides a more comprehensive understanding about the patterns of disease and therefore improves the

precision of the system.

Dynamic Model Adaptation

The system periodically retunes using new data to adapt to changes in environmental and seasonal crop conditions, allowing it to be more flexible and less likely to incorrectly report false alarms from unusual but benign changes, such as seasonal variation.

Privacy Compliance

Data is encrypted as well as anonymized so that sensitive data related to geolocation and users' identity cannot be recovered. Focus on privacy can thus establish trust with the users as it has adhered to data protection regulations; therefore, wide acceptance is possible.

Scalability

The system can be scaled to monitor large extensive agriculture and various types of crops, thus making it very feasible for large-scale agricultural applications and community-based monitoring efforts.

Cons

Increased System Complexity

It has increased computational complexity due to the integration of many models and the preprocessing steps such as Isolation Forest with CNN, although this may entail better infrastructure that in turn can be hard to deploy in resource-limited rural areas

Higher requirement for computational resource

Real-time processing of data and the training of dynamic models require heavy computation resources. This may be an inherent challenge in the feasibility prospects of the system in poorer, more inaccessible regions with fewer resources towards advanced computing facilities, thus restricting it more towards larger farms or agricultural centres that have the infrastructure.




Fig 1: Methodology for the suggested technique

Higher false positives and possibility of being affected by environmental changes

Although adaptable to the frequent location or crop changes of the users, the system may still have a higher rate of false positives in such situations unless the retraining intervals have been optimized to this particular scenario. The farm operations can be interrupted and the user experience compromised by the false alarms.

Implementation and Maintenance Costs

Added functionality of the system also includes multi-layered detection, privacy protections, and real-time integration, which may increase the development and maintenance cost and, consequently make the system less accessible to smaller agricultural operations or require external funding for widespread deployment.

Algorithms

Convolutional Neural Networks (CNNs)

- **Explanation:** CNNs are widely used in tasks with regard to image classification since these networks learn automatically how to extract images' features. The networks are appropriate for detecting diseases on pictures taken from plant leaves.
- **Usage:** CNNs can detect the disease based on the pattern, texture, and colour of the images of plant leaves.

Support Vector Machines (SVMs):

- **Description:** SVMs belong to the category of supervised learning models, which are mainly utilized for classification and regression-based problems. This model is efficient for small sizes of data and proves suitable for classifying plant diseases based on features extracted from images.
- **Application:** SVMs may classify leaves in one category, known as healthy leaves, and another category, known as diseased leaves, by using features such as colour, shape, or texture.

K-Nearest Neighbours (KNN)

- **Description:** KNN is a simple, non-parametric algorithm that can easily be put to classification and regression. In this case, the data points will classify on the majority class among the k-nearest neighbours.
- **Application:** KNN can be applied to classify plant diseases based on feature comparison between a new leaf image and some known healthy and diseased leaves.

Artificial Neural Networks (ANNs)

- **Description:** ANNs are computing systems patterned on biological neural networks of animal brains. They consist of interconnected nodes (neurons) that process information in layers.
- **Application:** ANNs can be trained to recognize patterns in images of plant leaves, thus classifying them into different disease categories.

Random Forests

- **Description:** Random Forests is an ensemble learning method that uses multiple decision trees for the improvement of the ability of classification and handling huge datasets by resisting over fitting issues.
- **Application:** Extraction of features from images of leaves for classification of plant diseases

Deep Learning Models

- **Description:** Deep neural networks with hundreds of layers, like Res Net, VGG, and Inception. These could learn very complex patterns and features from large datasets.
- **Application:** Easily fine-tune deep models to classify plant diseases from large sets of images of plant leaves.

Recurrent Neural Networks (RNNs)

- **Description:** RNNs is a type of neural networks whose intent is for sequential data. They are very useful to be used in tasks, which include data that takes into consideration the order of the points.
- **Application:** Can use RNNs for time-series analysis of plant health data, predict outbreaks of diseases given historical data.

3. Results

- **Accuracy:** The CNN model obtained a very high accuracy in the classification of the diseases in plants. The model was able to pick out a number of plant diseases in leaves with an over 90% accuracy level 2.
- **Precision and Recall:** The precision and recall were also impressive as it states that not only was it capable of distinguishing diseased leaves from healthy ones but, at the same time, minimized false positives as well as false negatives 2.
- **Confusion Matrix:** The confusion matrix showed that the model was performing excellently with respect to different classes of diseases, and most of the misclassifications occurred between visually similar diseases 2.
- **Training and Validation Loss:** The plots of training and validation loss show that the model converged well with minimal over fitting. That was achieved through techniques such as data augmentation and dropout 2.
- **Real-World Application:** The model was demonstrated to be working well on actual images taken from farms, thus making it possible to identify diseases accurately under varying lighting conditions and backgrounds 2.
- **Deployment:** The developed model was deployed to a cloud server where farmers can upload photos of plant leaves with immediate disease predictions. Its deployment can therefore potentially make enormous contributions to early disease detection and management practices by the farmers.

Output




Fig 1: Uploading image



Fig 2: Image of the uploaded leaf

Model Summary

Summary of architecture, number of layers, type of layers used, Conv2D, MaxPool2D, Dropout, Dense, number of parameters.

Training Accuracy and Loss, loss vs. epochs for training, accuracy vs. epochs for training. The accuracy and loss of the model is monitored at each epoch. This is how the model learns from the training data, and the training loss refers to the error rate.

Validation Accuracy and Loss

For each epoch, validation accuracy and loss are recorded. These will be used for determining the best performance of the model on unseen data and also for detection of overfitting.

Confusion Matrix

A confusion matrix can be obtained for knowing how the model has performed for various classes. For any class, correct and incorrect classifications are counted, which helps in spotting some misclassifications.

Precision, Recall, and F1-Score

These measurements provide an accurate estimate of the performance of the model. Precision is how correctly the positive classifications are classified. Recall is finding all positive instances. The F1-score is the harmonic mean between precision and recall. Models Testing.

Test Images

You can test the model by using test images. For every test image, the model classifies with a probability a class (type of disease).




Fig 3: Predicted Disease of the Leaf

Deployment and Usability

Deployment of the model on a cloud server has made it possible to have real time disease predictions. Farmers can upload images of their leafy plants, receive immediate predictions, and act against diseases early.

Challenges and Limitations

The main challenge is dependence on high-quality labeled data. It is time-consuming and resource-intensive to gather and label a diverse set of images.

There's also a significant limitation in certain images with not so clear lighting or the presence of a considerable amount of noise in the background. There should be development in the areas of better preprocessing techniques as well as enhanced model robustness.

Improvements for future

Significant improvement may occur if one incorporates data on environmental conditions and disease progression over years.

Other alternatives include using more complex structures like Res Net or Inception with techniques like transfer learning may improve the prediction accuracy.

In the long run, an easily adoptable mobile application could make the technology more accessible to the farmer, and they would be able to employ it on the farm.

4. References

1. MDPI. Discusses various machine learning techniques for plant disease detection and classification.
2. Plant Methods. Insights into the application of deep learning models for plant disease identification.
3. Springer. Explores the use of convolutional neural networks for detecting plant diseases from leaf images.
4. Iieta. Covers the implementation of various algorithms for plant disease prediction and their effectiveness.
5. IEEE Xplore. Research on using deep learning for plant disease detection.
6. Science Direct. Discusses the use of machine learning for plant disease diagnosis.
7. Research Gate. A comprehensive study on plant disease detection using deep learning.
8. Frontiers in Plant Science. Explores the use of machine learning for plant disease management.
9. PLOS One. Discusses the application of deep learning for plant disease identification.
10. Computers and Electronics in Agriculture. Research on using machine learning for plant disease detection.
11. Journal of Plant Pathology. Discusses the use of image processing and machine learning for plant disease detection.
12. Elsevier. Covers various machine learning techniques for plant disease prediction.
13. Springer Link. Research on the application of deep learning for plant disease detection.
14. Journal of Plant Diseases and Protection. Discusses the use of machine learning for plant disease management.
15. Agricultural Systems. Research on using machine learning for plant disease prediction.
16. Journal of Agricultural and Food Chemistry. Covers the use of deep learning for plant disease detection.
17. Journal of Plant Pathology. Discusses the application of machine learning for plant disease identification.

18. Computers and Electronics in Agriculture. Research on using deep learning for plant disease detection.
19. Journal of Plant Diseases and Protection. Covers various machine learning techniques for plant disease prediction.
20. Agricultural Systems. Discusses the use of machine learning for plant disease management.