



International Journal of Agriculture and Food Science

ISSN Print: 2664-844X
ISSN Online: 2664-8458
NAAS Rating: 4.97
IJAFA 2025; 7(7): 19-23
www.agriculturaljournals.com
Received: 22-05-2025
Accepted: 28-06-2025

Aditi Vohra
Doctoral Researcher,
Department of Home Science,
Kurukshetra University,
Kurukshetra, Haryana, India

The triple burden: Exploring the impact of climate-stressed agriculture on food availability, nutrient quality and public health

Aditi Vohra

DOI: <https://www.doi.org/10.33545/2664844X.2025.v7.i7a.490>

Abstract

Climate-stressed agriculture presents a growing threat to global food systems, intensifying a "triple burden" that encompasses food insecurity, nutrient decline, and deteriorating public health. This paper examines the multifaceted impacts of climate change on agriculture, focusing on how altered agro-climatic conditions disrupt food availability, reduce crop nutrient quality, and pose risks to population health. Rising temperatures, unpredictable precipitation patterns, and extreme weather events have led to significant yield losses, affecting both staple and horticultural crops. These changes compromise the nutritional value of food through reduced protein and micronutrient content and increased post-harvest nutrient losses. Furthermore, the resulting nutritional deficiencies and food insecurity contribute to a rise in diet-related non-communicable diseases and exacerbate existing health disparities, particularly among vulnerable populations. The paper explores the complex feedback loops between agriculture, nutrition, and health, emphasizing the need for integrated responses that consider socioeconomic and policy dimensions. Key mitigation strategies discussed include climate resilient agricultural practices, biofortification, improved storage and distribution systems, and nutrition-sensitive policies. By adopting a systems-based approach and fostering cross-sectoral collaboration, it is possible to build resilient food systems that safeguard both nutritional quality and public health under climate stress.

Keywords: Climate-stressed agriculture, food insecurity, nutrient decline, public health, non-communicable diseases, biofortification

1. Introduction

Climate change is a global challenge that increasingly threatens the integrity of agricultural systems and the health and well-being of populations. The concept of the "triple burden"—comprising food insecurity, declining nutrient quality, and adverse public health outcomes has gained prominence in the context of climate-stressed agriculture. Agriculture is intrinsically linked to climate, and even slight shifts in weather patterns can significantly disrupt crop growth, soil fertility, and food availability^[1].

Food insecurity is intensifying in regions with climate-sensitive agriculture, as temperature anomalies, irregular rainfall, and extreme events such as droughts and floods limit agricultural productivity^[2]. At the same time, the nutritional quality of food is declining due to elevated CO₂ concentrations and disrupted plant physiology, which reduce the micronutrient density of major crops like wheat, rice, and maize^[3, 4].

Public health consequences follow closely behind, as nutrition deficiencies and compromised food safety elevate the prevalence of malnutrition, diet-related non-communicable diseases (NCDs), and foodborne illnesses, particularly in vulnerable populations^[5, 6].

This paper aims to explore how climate-stressed agriculture contributes to this triple burden and to evaluate mitigation and adaptation strategies. A systemic, interdisciplinary approach is essential to address these challenges at the nexus of agriculture, nutrition, and public health.

2. Climate-Stressed Agriculture: An Overview

2.1 Defining Climate Stress in Agriculture

Climate stress in agriculture refers to a spectrum of environmental pressures both biotic (like pests and pathogens) and abiotic (such as heat, drought, salinity, and erratic rainfall) that disrupt normal farming operations. These stressors lead to reduced crop growth, declining

Corresponding Author:
Aditi Vohra
Doctoral Researcher,
Department of Home Science,
Kurukshetra University,
Kurukshetra, Haryana, India

yields, and impaired soil fertility. For instance, high temperatures can denature enzymes essential for plant growth, while water stress disrupts nutrient transport in plants. Soil salinization from rising sea levels or over-irrigation further depletes agricultural productivity. Over time, these disturbances degrade agro-ecosystems, erode resilience, and pose serious threats to long-term food production ^[7].

2.2 Agro-Climatic Changes and Vulnerable Farming Systems

Regions that rely heavily on rain-fed agriculture such as parts of South Asia and Sub-Saharan Africa are particularly vulnerable to climate shifts. These areas often lack irrigation, crop insurance, or early-warning systems, leaving smallholder farmers at the mercy of fluctuating weather. Compounded by poverty, low literacy, and weak market access, these agro-climatic vulnerabilities exacerbate the risk of food insecurity and income instability. Marginal communities struggle to adapt due to limited access to capital, climate-resilient seeds, and extension services, deepening their exposure to climate shocks ^[8].

2.3 Impact on Crop Physiology and Yield

Climate extremes alter plant physiology by impairing fundamental processes like photosynthesis, respiration, and nutrient uptake. For instance, heat stress causes stomatal closure in plants, reducing CO₂ absorption and inhibiting growth. Drought restricts root function and leads to wilting and poor flowering. The cumulative effect is a drastic reduction in yield, particularly for climate-sensitive staples such as wheat, rice, and maize. Projections suggest that global productivity of major crops could decline by up to 40 percent by the 2080s if current trends persist ^[9].

2.4 Regional and Global Trends

The Indian subcontinent is projected to experience temperature increases of up to 5.4°C by the end of the century. This could dramatically shift crop growing zones, shorten growing seasons, and accelerate pest outbreaks. Globally, warmer climates are enabling the spread of invasive pests and diseases into previously unaffected regions. These biotic stressors interact with abiotic conditions, compounding their effects and posing a transboundary threat to global food security ^[10].

3. Food Availability Under Climate Stress

3.1 Yield Reductions and Crop Failure Patterns

Unpredictable climate events such as floods, droughts, and unseasonal rains disrupt sowing and harvesting cycles, leading to widespread crop failures. Staples like rice, wheat, and maize are particularly sensitive to such fluctuations, resulting in volatile food supplies. In some years, simultaneous crop failures across multiple regions—known as synchronized shocks—can destabilize global food markets and trigger sharp price hikes ^[11].

3.2 Impact on Staple vs. Horticultural Crops

Staple crops generally have longer grown periods and are more sensitive to sustained climate stress, especially during flowering and grain-filling stages. In contrast, horticultural crops (fruits and vegetables) may have shorter cycles and some resilience, but are still vulnerable to heat, water stress, and nutrient imbalances. These conditions compromise not only quantity but also the quality of produce manifesting as lower nutrient density, poor taste, and reduced shelf life ^[12].

3.3 Disruptions in Food Supply Chains

Climate-induced yield losses are further exacerbated by infrastructural weaknesses, particularly in rural and developing regions. Damaged roads, unreliable power supply, inadequate cold storage, and delayed market access hinder the efficient transportation and distribution of food. Geopolitical instability and inconsistent trade policies can create additional barriers, cause supply chain bottlenecks and increasing post-harvest food loss. These disruptions disproportionately affect remote and vulnerable communities, limiting their access to affordable and nutritious food ^[13].

3.4 Food Security and Access

Food security is a multidimensional concept including availability, access, utilization, and stability. Climate change compromises each of these dimensions. Rising food prices limit affordability, especially for the poor. Geographic disparities in access mean that rural areas often face chronic shortages. Nutritional utilization is affected when low-quality or spoiled food dominates diets. Furthermore, the increasing unpredictability of weather patterns makes food systems inherently unstable ^[14].

4. Nutrient Quality of Crops in a Changing Climate

The nutritional quality of crops is deteriorating due to multiple climate-induced stressors that affect both pre- and post-harvest stages. Table 1 summarizes the key dimensions of climate-related nutrient changes in crops.

Table 1: Climate-Induced Changes in Crop Nutritional Quality

Aspect	Climate Stressor	Nutritional Impact	Implications	Reference
Elevated CO ₂ & Temperature	CO ₂ fertilization & heat	Lower protein, iron, and zinc due to “dilution effect”	Poor diet quality, micronutrient deficiencies	[15]
Biochemical Composition	Heat waves & water scarcity	Decline in protein and minerals; rise in sugars/starches; altered phytochemicals	Reduced taste, shelf life, and nutritional density	[16]
Soil Degradation & Mineral Loss	Erosion, salinity, leaching	Decline in nitrogen, phosphorus, and potassium uptake	Nutrient-poor crops, contributing to hidden hunger	[17]
Post-Harvest Nutrient Depletion	High temperature & humidity	Vitamin loss (esp. vitamin C and folate); spoilage	Increased waste, reduced nutrient intake in warm regions	[4]

5. Public Health Consequences of Agricultural Disruption

The ripple effects of declining food quality and availability

extend directly into the realm of human health. Table 2 outlines the most pressing health challenges linked to agricultural disruptions.

Table 2: Public Health Risks Stemming from Climate-Stressed Agriculture

Health Concern	Climate Driver	Outcome	Most Vulnerable Groups	Reference
Malnutrition & Micronutrient Deficiency	Reduced food quantity and quality	Stunting, anemia, compromised maternal/child health	Low-income households, women, children	[18]
Rise in NCDs	Shift to ultra-processed foods due to fresh food scarcity	Obesity, diabetes, hypertension, heart diseases	Urban poor, nutrition-insecure populations	[6]
Foodborne Illnesses	Heat and water scarcity enabling pathogen proliferation	Diarrhoea, infections, long-term developmental issues	Rural and peri-urban communities	[19]
Gendered & Social Vulnerability	Socioeconomic inequalities exacerbated by climate stress	Greater malnutrition, food insecurity among women and elders	Pregnant/lactating women, elderly, rural poor	[20]

6. Interlinkages and Feedback Loops

6.1 Agriculture-Nutrition-Health Nexus

Agriculture is not just a means of food production it shapes diet quality, health outcomes, and economic resilience. Climate-disrupted agriculture reduces access to diverse and nutritious foods, pushing communities toward poor dietary habits and increasing disease burdens. In turn, compromised health reduces agricultural labour productivity, perpetuating a cycle of poverty and malnutrition ^[21].

6.2 Socioeconomic and Policy Dimensions

Climate change often deepens existing social and economic inequalities. Marginalized groups are least equipped to adapt, yet they face the most severe consequences. Policy fragmentation across sectors—agriculture, health, climate, and social welfare prevents coherent responses. Coordinated, equity-focused policies are essential to address these interconnected challenges holistically ^[22].

6.3 Feedback Loops: Poverty, Climate, and Health

Poor households lack the financial resources to invest in adaptive technologies or access quality healthcare. When climate events damage crops or disrupt markets, these households are pushed deeper into poverty. Ill-health from undernutrition further diminishes earning potential, trapping them in a vicious cycle of vulnerability and deprivation ^[23].

7. Mitigation and Adaptation Strategies

7.1 Climate-Resilient Agricultural Practices

To reduce vulnerability, farmers must adopt adaptive practices like mixed cropping, agroforestry, zero-tillage, and water-efficient systems such as drip irrigation. Government-led initiatives like India's National Action Plan on Climate Change (NAPCC) and Pradhan Mantri Krishi Sinchayee Yojana (PMKSY) offer crucial support through infrastructure, awareness, and financial incentives ^[24].

7.2 Enhancing Nutritional Quality Through Biofortification

Biofortified crops such as iron-rich pearl millet or vitamin A enriched sweet potato offer a scalable solution to combat micronutrient deficiencies. Developed through plant breeding or genetic engineering, these crops can provide critical nutrients without altering food habits or increasing costs significantly ^[25].

7.3 Strengthening Food Storage and Distribution

Investment in cold storage, refrigerated transport, and digital supply chain systems is essential to reduce post-harvest losses and ensure that nutrient-rich foods reach remote areas. Smart logistics technologies can help optimize food movement even during climate disruptions ^[26].

7.4 Nutrition-Sensitive Agricultural Policies

Integrating nutrition into agricultural policy involves supporting crops that offer dietary diversity, promoting soil health, and providing subsidies or incentives for nutrient-rich food production. Programs like soil health cards and minimum support prices for pulses and millets can align agricultural output with national nutrition goals ^[27].

8. Conclusion and Recommendations

Climate-stressed agriculture presents a complex, systemic challenge that intersects directly with food availability, nutritional integrity, and public health. As this paper has shown, climate change disrupts agro-ecological balance by reducing yields, altering crop nutrient profiles, and threatening the very stability of food systems. These disruptions disproportionately affect vulnerable populations, exacerbating existing inequalities and contributing to a persistent cycle of malnutrition and disease. The decline in essential nutrients such as protein, iron, and zinc combined with increased foodborne illness and rising rates of obesity and non-communicable diseases underscores the gravity of the triple burden that climate change imposes on human health through agriculture.

At the same time, this crisis offers a crucial opportunity to rethink how food systems can become more resilient, equitable, and health-promoting. Future interventions must move beyond siloed approaches and adopt an integrated framework that connects agriculture, nutrition, and public health. This will require cross-sectoral coordination, robust governance, and increased investment in climate-adaptive solutions.

Recommendations

- Promote Climate-Resilient Agricultural Systems:** Policymakers should prioritize the development and adoption of climate-resilient practices such as crop diversification, regenerative farming, conservation agriculture, and water saving irrigation techniques. These methods can stabilize yields while maintaining ecosystem health.
- Invest in Crop Biofortification and Nutrition Science:** Enhanced support for biofortified crops, through both conventional breeding and biotechnology, can help offset the nutrient loss associated with elevated CO₂ and heat stress. Collaboration between agricultural scientists, nutritionists, and plant geneticists is essential.
- Strengthen Post-Harvest and Supply Chain Infrastructure:** To minimize nutrient losses and reduce food spoilage, governments and private stakeholders must invest in climate-controlled storage, cold chains, and efficient transportation networks particularly in rural and peri-urban areas.
- Design and Implement Nutrition-Sensitive Agricultural Policies:** Agricultural policies should include explicit goals related to human nutrition.

Programs such as soil health cards, integrated farming systems, and targeted subsidies for nutrient-dense crops should be scaled up.

5. **Target Vulnerable Populations through Inclusive Interventions:** Nutritional safety nets, including school feeding programs, maternal nutrition schemes, and community-based nutrition education, must be expanded to protect those most affected by climate stressed agriculture, including women, children, and smallholder farmers.
6. **Advance Research and Data Systems:** There is a pressing need for multidisciplinary research and real-time data to understand localized impacts of climate change on food systems. Investment in geospatial tools, agro-nutritional modelling, and early warning systems can improve responsiveness and resilience.
7. **Integrate Public Health in Climate and Agriculture Policies:** National health strategies must address food system disruptions as key determinants of public health. This includes incorporating nutrition into climate action plans, disaster response frameworks, and agricultural subsidies.
8. **Foster Global Collaboration and Financing Mechanisms:** International organizations, development banks, and philanthropic foundations must work together to finance and scale sustainable food system transformations, particularly in the Global South.

In conclusion, addressing the triple burden posed by climate-stressed agriculture requires not only scientific innovation but also political will and societal commitment. A future-proof food system must nourish people and protect the planet simultaneously. By weaving together sustainability, equity, and nutrition into agricultural agendas, the global community can create resilient pathways toward food and health security for all.

9. References

1. Fanzo J, Schneider K, Wood S. Food insecurity and malnutrition. In: *The Oxford Handbook of Food, Politics, and Society*. Oxford University Press; 2024. p. 151-170. doi:10.1093/oso/9780197683293.003.0008
2. von Braun J. Climate change risks for agriculture, health, and nutrition. In: *Handbook of Climate Change and Agroecosystems*. Springer; 2020. p. 249-268. doi:10.1007/978-3-030-31125-4_11
3. Beach R, Cai Y. Assessing the impacts of climate change on global nutrient availability. In: Antle J, Valentini R, editors. *Climate Change and Food Security*. Springer; 2020. p. 163-188.
4. Sathee L, Adavi SB, Padhan BK, Sinto A, Anand A, Sailo N, *et al.* Elevated atmospheric CO₂ induced changes in nitrogen metabolism and crop quality. In: *Climate Change and Crop Stress*. Academic Press; 2022. p. 197-214. doi:10.1016/B978-0-12-816091-6.00010-9
5. Prentice AM. The triple burden of malnutrition in the era of globalization. *Ann Nutr Metab*. 2023;79(4):268-275. doi:10.1159/000529005
6. Yilmaz H, Yilmaz A. Hidden hunger in the age of abundance: the nutritional pitfalls of modern staple crops. *Food Sci Nutr*. 2025;13(4):1-12. doi:10.1002/fsn3.4610
7. Vijai C, Wisetsri W, Elayaraja M. Climate change and its impact on agriculture. *Int J Agric Sci Vet Med*. 2023;11(4):58-66. doi:10.25303/1104ijasvm0108
8. Dutta G, Paramanik B, Bhabai B, Layek J, Choudhury A, Dutta S, *et al.* Climate change impacts and adaptation strategies for agronomic crops. In: *Sustainable Agriculture in the Era of Climate Change*. Springer; 2024. p. 231-252. doi:10.1007/978-981-99-7935-6_14
9. Rai R. Heat stress in crops: driver of climate change impacting global food supply. In: *Heat Stress Tolerance in Crops*. Springer; 2020. p. 73-98. doi:10.1007/978-981-32-9595-7_5
10. Alotaibi MA. Climate change, its impact on crop production, challenges, and possible solutions. *Not Bot Horti Agrobo Cluj-Napoca*. 2023;51(1):3020. doi:10.15835/nbha51113020
11. Hamed R. Crop impacts from compound weather extremes in major breadbaskets under climate change [dissertation]. Wageningen: Wageningen University; 2024. doi:10.5463/thesis.892
12. Sharma S. Impact of climate change on food security. *J Sci Innovat Nature Earth*. 2023;3(3):100-107. doi:10.59436/https://jsiane.com/archives3/3/100
13. Feher A, Raicov M, Brad I, Toader CS, Sîrbulescu C, Saleh RB. Food security in a changing climate world. *Rev Agric Rural Dev*. 2022;1-2:32-38. doi:10.14232/rard.2022.1-2.32-38
14. Berhe HM, Kidanu KF. Impact of climate change on crop yield and food accessibility in Sub-Saharan Africa—a review. *Int J Life Sci*. 2020;8(2):45-58.
15. Soares J, Santos C, Carvalho SMP, Pintado M, Vasconcelos MW. Preserving the nutritional quality of crop plants under a changing climate: importance and strategies. *Plant Soil*. 2019;443(1-2):1-19. doi:10.1007/s11104-019-04229-0
16. Smith MR, Thornton PK, Myers SS. The impact of rising carbon dioxide levels on crop nutrients and human health. *Glob Food Secur*. 2018;18:1-7.
17. Miner GL, Stewart CE, Delgado JA, Ippolito JA, Mason RE, Haley SD, *et al.* Global change impacts on mineral nutritional quality of cereal grains: coordinated datasets and analyses to advance a systems-based understanding. *Field Crops Res*. 2024;305:109338. doi:10.1016/j.fcr.2024.109338
18. Kundu P, Goel K, Zinta G. Nutritional imbalance in plants under rising atmospheric CO₂. In: *Advances in Plant Physiology*. Academic Press; 2022. p. 151-172. doi:10.1016/B978-0-12-822916-3.00006-8
19. Chowdhury SR. Micronutrient deficiency in Indian diet. *Indian Sci J Res Eng Manag*. 2024;4(2):33586. doi:10.55041/ijrsrem33586
20. Sun Y. Malnutrition problems caused by vitamin deficiency in African countries. In: *Food Security in Africa*. CRC Press; 2024. p. 725-740. doi:10.1201/9781003587590-45
21. Mehra D, Rael T, Bloem MW. A review of the intersection between climate change, agriculture, health, and nutrition in Africa: costs and programmatic options. *Front Sustain Food Syst*. 2024;8:1389730. doi:10.3389/fsufs.2024.1389730
22. Saxena S, Upadhyay S. From fields to forks: navigating the new climate reality in agriculture and health. In:

- Climate Change Adaptation and Mitigation. Springer; 2024. p. 93-116. doi:10.1007/978-3-031-56564-9_5
23. Patterson KP, Jameel Y, Maikuri CP, West PC. Climate-poverty connections: opportunities for synergistic solutions at the intersection of planetary and human well-being. Project Drawdown. 2022 Mar;1-22. doi:10.55789/y2c0k2p2
24. Rao CS, Baral K, Chanadana VM, Jagadesh M, Karthik R. Climate change adaptation and mitigation in Indian agriculture. J Agrometeorol. 2024;26(2):2582. doi:10.54386/jam.v26i2.2582
25. Mandal O, Krishnamoorthi A, Singh A, Kaur R, Kalaiselvi P, Nageshwar N, *et al.* Biofortification: enhancing nutritional content in crops through biotechnology and fighting climate change. J Adv Biol Biotechnol. 2024;27(2):710-725. doi:10.9734/jabb/2024/v27i2710
26. Kumar M, Boruah A, Sonia H, Padha K. Building agricultural resilience: strategies for climate change adaptation. Int J Environ Climate Change. 2024;14(11):4568-4580. doi:10.9734/ijecc/2024/v14i114568
27. Patel J, Kumar GS. Climate resilient agriculture practices—the future of farming. Plant Sci Today. 2023;10(3):1835. doi:10.14719/pst.1835