




International Journal of Advanced Biochemistry Research



ISSN Print: 2617-4693
ISSN Online: 2617-4707
NAAS Rating: 5.29
IJABR 2025; 9(7): 350-355
www.biochemjournal.com
Received: 10-04-2025
Accepted: 14-05-2025

Ganesh MC

Young Professional, Soil
Testing Lab, Technology
Evaluation Center, Coffee
Board, Gonikoppal,
Karnataka, India

Shanurasab KN

10th Battalion, KSRP,
Shiggavi, Karnataka, India

VR Yadahalli

Dy Manager Vijayapur &
Bagalkot Milk Union Ltd.,
Vijayapur KMF Unit,
Vijayapur KMF Unit,
Karnataka, India

Emerging techniques in soil microbiome analysis for sustainable agriculture

Ganesh MC, Shanurasab KN and VR Yadahalli

DOI: <https://www.doi.org/10.33545/26174693.2025.v9.i7e.4734>

Abstract

The soil microbiome plays a pivotal role in maintaining soil health, promoting plant growth, and supporting sustainable agricultural practices. Traditional methods of studying soil microbial communities have often been limited by low resolution and culture-dependent biases. However, recent advances in high-throughput sequencing, functional omics, and computational tools have revolutionized our ability to analyse and understand complex soil ecosystems. This review highlights emerging techniques such as long-read metagenomics, metatranscriptomics, metaproteomics, and metabolomics that provide deeper functional and taxonomic insights into soil microbiota. It also explores innovative approaches like culturomics, single-cell genomics, and artificial intelligence-driven data interpretation, all of which are pushing the boundaries of soil microbiome research. Furthermore, we discuss the integration of multi-omics strategies and their applications in precision agriculture, biofertilizer development, and soil health monitoring. These cutting-edge techniques are not only enhancing our understanding of soil microbial dynamics but also offering practical tools for improving crop productivity and ecological sustainability. The article concludes with a discussion on current challenges, including data standardization and field validation, while proposing future directions for research and implementation in sustainable agriculture.

Keywords: Soil microbiome, sustainable agriculture, metagenomics, multi-omics, microbial diversity, bioinformatics, precision farming, culturomics, microbial ecology, soil health

1. Introduction

Soil is a dynamic and complex ecosystem teeming with an immense diversity of microorganisms, including bacteria, archaea, fungi, protozoa, and viruses. Collectively referred to as the soil microbiome, these microbial communities are essential to nutrient cycling, organic matter decomposition, soil structure formation, and plant health. In the context of agriculture, the soil microbiome directly influences crop productivity, resilience to pests and diseases, and the efficiency of fertilizer use. Thus, understanding and managing the soil microbiome is central to advancing sustainable agricultural practices [1, 2].

Historically, the study of soil microbes has relied heavily on culture-based techniques, which capture only a fraction of the microbial diversity due to the inability to culture many soil organisms under laboratory conditions [3, 4]. As a result, traditional microbiological methods provide limited insight into the composition and functional potential of these communities. With the advent of high-throughput sequencing and systems biology approaches, researchers can now investigate soil microbiomes with unprecedented depth and resolution. These technologies enable not only the identification of microbial taxa but also the exploration of their functional roles, interactions, and responses to environmental changes [5, 6].

In recent years, emerging techniques such as shotgun metagenomics, metatranscriptomics, metaproteomics, and metabolomics have expanded our toolkit for dissecting the complexity of soil microbial ecosystems. Complemented by advanced bioinformatics and artificial intelligence (AI), these approaches allow researchers to extract meaningful patterns and build predictive models for soil health and crop performance. Additionally, innovations like culturomics and single-cell genomics are helping to uncover previously uncharacterized microorganisms with potential agricultural benefits [7, 8].

2. High-Throughput Sequencing Technologies

High-throughput sequencing (HTS) has revolutionized soil microbiome research by enabling

Corresponding Author:**Ganesh MC**

Young Professional, Soil
Testing Lab, Technology
Evaluation Center, Coffee
Board, Gonikoppal,
Karnataka, India

comprehensive profiling of microbial communities at unprecedented speed, accuracy, and depth^[9, 10]. These techniques bypass the limitations of culture-dependent methods and allow for the analysis of entire microbial populations directly from environmental DNA (eDNA). The most widely used HTS methods include amplicon-based sequencing, shotgun metagenomics, and the more recent long-read sequencing platforms^[11, 12].

2.1 Amplicon-Based Metagenomics (16S rRNA and ITS Sequencing)

Amplicon sequencing targets specific conserved gene regions—such as 16S rRNA for bacteria and archaea, or ITS (Internal Transcribed Spacer) regions for fungi—to identify and classify microorganisms in a sample^[12, 13]. This method is relatively cost-effective and useful for assessing microbial diversity and community structure. However, it is limited in its ability to provide functional information or distinguish between closely related species^[12].

2.2 Shotgun Metagenomics

Shotgun metagenomic sequencing involves sequencing all genomic DNA extracted from a soil sample, allowing for the reconstruction of entire microbial genomes. This method provides higher taxonomic resolution and uncovers a broad range of functional genes involved in processes such as nitrogen fixation, phosphorus solubilization, and pathogen suppression. Shotgun metagenomics also enables detection of rare and novel taxa that may not be captured through targeted approaches^[14, 15].

2.3 Long-Read Sequencing (Oxford Nanopore and PacBio)

Recent advances in third-generation sequencing technologies, such as Oxford Nanopore and Pacific Biosciences (PacBio), have further enhanced microbiome analysis by generating long sequence reads^[16, 17]. These long reads enable the accurate assembly of microbial genomes, resolution of repetitive regions, and better identification of gene clusters, mobile genetic elements, and operons. Long-read platforms are especially valuable in capturing full-length 16S rRNA genes and complex biosynthetic pathways in soil microbes^[18, 19].

Together, these high-throughput sequencing technologies provide a foundational layer of information for deeper microbiome analysis. By combining short-read accuracy with long-read continuity, researchers can gain a more complete understanding of soil microbial diversity, function, and ecological relationships^[20, 21].

3. Metatranscriptomics, Metaproteomics, and Metabolomics

While metagenomics reveals the genetic potential of microbial communities, it does not indicate which genes are actively expressed or how microbes function in real-time. To bridge this gap, researchers employ functional omics approaches—metatranscriptomics, metaproteomics, and metabolomics—that provide dynamic insights into microbial activity, interaction, and metabolism under various environmental and agricultural conditions^[7, 12].

3.1 Metatranscriptomics

Metatranscriptomics involves sequencing the total RNA (mainly messenger RNA) from soil microbial communities

to identify genes that are actively transcribed at a given moment. This approach offers a snapshot of microbial activity in response to environmental stimuli, such as drought, fertilizer application, or plant-microbe interactions. Metatranscriptomic analysis helps identify functional pathways associated with nutrient cycling, stress response, and disease resistance. However, RNA is less stable than DNA, making its extraction and processing from complex soil matrices technically challenging. Advanced rRNA depletion techniques and robust computational pipelines are now improving the accuracy and reliability of metatranscriptome data^[19, 22].

3.2 Metaproteomics

Metaproteomics analyzes the entire set of proteins expressed by soil microbial communities, offering a closer link to microbial function than transcriptomics alone. By using high-resolution mass spectrometry, researchers can identify enzymes and structural proteins involved in key soil processes such as organic matter decomposition, nitrogen fixation, and phosphate solubilization^[23, 24].

Although technically demanding due to protein degradation, extraction complexity, and the vast diversity of soil proteins, metaproteomics provides valuable insights into active microbial metabolism and functional redundancy in soil ecosystems^[18, 24].

3.3 Metabolomics

Metabolomics investigates the small-molecule metabolites produced by microbes and plants within the soil environment. These metabolites include signaling compounds, antimicrobial agents, and nutrient precursors that mediate plant-microbe and microbe-microbe interactions.

Using techniques like nuclear magnetic resonance (NMR), gas chromatography-mass spectrometry (GC-MS), and liquid chromatography-mass spectrometry (LC-MS), metabolomics helps decode biochemical exchanges in the rhizosphere. It is particularly valuable for understanding how microbial communities influence plant health, soil fertility, and resistance to pathogens^[21, 23].

4. Advanced Bioinformatics and AI in Microbiome Data Interpretation

The complexity and volume of data generated by multi-omics approaches in soil microbiome research demand powerful computational tools for accurate interpretation. Advanced bioinformatics pipelines and the growing application of artificial intelligence (AI) and machine learning (ML) algorithms are transforming raw sequencing data into actionable biological insights. These tools are essential for taxonomic classification, functional annotation, statistical analysis, and predictive modelling in agricultural systems^[23, 25].

4.1 Bioinformatics Pipelines and Tools

Modern bioinformatics workflows begin with quality control, sequence alignment, and taxonomic assignment. Popular platforms like QIIME2, Mothur, MetaPhlAn, and DADA2 are commonly used for amplicon-based data, while MG-RAST, MEGAN, and Kraken2 are widely applied to shotgun metagenomic datasets. Functional profiling is enabled by tools such as KEGG, COG, eggNOG, and HUMAnN2, which help annotate genes involved in nitrogen

cycling, phosphorus mobilization, and carbon metabolism [17, 21].

Data visualization tools like Phyloseq, MicrobiomeAnalyst, and Pavian enable researchers to interpret microbial abundance, diversity metrics, and community composition across treatments and time points. The integration of metadata (e.g., soil pH, crop type, fertilizer use) further enhances ecological interpretation [21, 25].

4.2 Machine Learning and AI in Soil Microbiome Research

AI and machine learning algorithms are now being employed to identify patterns and generate predictive models from high-dimensional microbiome datasets. These models can uncover hidden correlations between microbial community structure and soil health indicators, crop yield, or environmental stress factors [22, 23].

Commonly used techniques include:

- **Random Forest** and **Support Vector Machines (SVMs)** for classification of soil health status [24, 25].
- **Neural Networks** and **Deep Learning** for complex pattern recognition and time-series prediction [21, 22].
- **Unsupervised Learning** (e.g., clustering, PCA, t-SNE) for exploratory analysis and dimensionality reduction [22].

4.3 Network Analysis and Microbial Interactions

Co-occurrence and correlation-based network analyses provide insights into microbial interactions—highlighting potential keystone species, symbiotic relationships, and antagonistic behaviors. Tools like Cytoscape, CoNet, and SPIEC-EASI help map these complex ecological interactions, aiding in the design of synthetic microbial consortia for soil amendments [23, 24].

By combining bioinformatics, AI, and ecological modelling, researchers can transition from descriptive microbiome studies to predictive and prescriptive applications—a crucial leap for implementing microbiome-based strategies in sustainable agriculture [24, 25].

5. Culturomics and Single-Cell Genomics

Despite the advances in DNA-based techniques, a significant portion of the soil microbiome remains classified as “microbial dark matter” due to the inability to culture many of its constituents in laboratory conditions. Emerging culture-based and single-cell approaches—culturomics and single-cell genomics—are helping to close this gap by enabling the isolation and characterization of previously unculturable or rare microorganisms, thereby enhancing our understanding of microbial diversity and function in soil ecosystems [25, 26].

5.1 Culturomics

Culturomics is a high-throughput microbial cultivation strategy that employs diverse culture media, atmospheric conditions, and incubation times to isolate a wide range of microbial species from environmental samples. Unlike traditional microbiological methods that rely on a few standard media, culturomics uses a combinatorial approach—sometimes involving hundreds of media types—to promote the growth of rare and fastidious organisms [27, 28].

5.1.1 Advanced culturomics incorporates

- Robotics and automated pipetting systems for large-scale culture experiments [24, 25].
- Matrix-Assisted Laser Desorption/Ionization-Time of Flight (MALDI-TOF) Mass Spectrometry for rapid microbial identification [24].
- Genome sequencing of isolated strains for functional annotation [24].

In the context of sustainable agriculture, culturomics holds potential for discovering novel plant growth-promoting bacteria (PGPB), nitrogen-fixing organisms, and biocontrol agents that can be developed into biofertilizers or soil health enhancers [21, 23].

5.2 Single-Cell Genomics

Single-cell genomics bypasses the need for microbial cultivation by isolating and sequencing the genome of individual microbial cells directly from soil. Techniques such as fluorescence-activated cell sorting (FACS), microfluidics, and whole-genome amplification (WGA) are used to sort and process individual cells for sequencing [26, 27].

5.2.1 This method allows

1. Characterization of rare or slow-growing microbes that escape detection in bulk metagenomics [27].
2. Insights into metabolic capabilities, gene content, and evolutionary relationships of uncultured taxa [27].
3. Targeted discovery of microbes with specific functional traits, such as stress tolerance or antibiotic production [27].

Together, culturomics and single-cell genomics are crucial for uncovering novel microbial functions, expanding reference genome databases, and developing microbial resources tailored for sustainable agriculture. These techniques provide the biological material necessary for functional validation, microbial inoculant design, and strain-level monitoring in the field [28, 29].

6. Integrative Multi-Omics Approaches

No single omics technique can fully capture the complexity of soil microbial communities and their interactions with plants and the environment. Integrative multi-omics approaches combine different layers of biological information—such as metagenomics, metatranscriptomics, metaproteomics, and metabolomics—to generate a holistic understanding of microbial structure and function. This systems-level perspective is particularly valuable in sustainable agriculture, where multiple environmental and biological factors influence soil health and crop productivity [29, 30].

6.1 The Power of Integration

Integrating omics datasets enables researchers to track the flow of biological information from gene presence (DNA), to gene activity (RNA), to protein expression (proteome), and finally to biochemical outcomes (metabolome) [23, 27]. For example:

- Metagenomics can identify genes involved in nitrogen fixation [27].
- Metatranscriptomics can reveal when those genes are actively transcribed [27].

- Metaproteomics can confirm the production of nitrogenase enzymes ^[27].
- Metabolomics can detect the presence of ammonia or other nitrogenous compounds in the soil ^[27].

Together, these data provide a comprehensive picture of microbial functions and interactions under various agricultural treatments such as organic amendments, crop rotation, or reduced chemical inputs ^[28, 29].

6.2 Applications in Rhizosphere and Crop Health Studies

Multi-omics approaches are especially useful in studying the rhizosphere, the narrow zone of soil influenced by root secretions and microbial activity. By integrating omics data, researchers can uncover how root exudates shape microbial communities and how these communities, in turn, impact plant nutrient uptake, stress tolerance, and immune response ^[28, 29].

For instance, studies have used multi-omics to:

- Identify microbial consortia that promote drought tolerance in maize ^[30, 31].
- Understand how compost application alters microbial activity and boosts soil organic matter ^[31, 32].
- Track the emergence of plant pathogens and shifts in beneficial microbe populations in response to climate change ^[31].

6.3 Challenges in Multi-Omics Integration

While powerful, multi-omics integration presents several challenges:

- **Data heterogeneity:** Different omics platforms generate datasets with varying formats, scales, and noise levels ^[32].
- **Computational complexity:** Integrating and analyzing large, multidimensional datasets requires advanced statistical models and machine learning techniques ^[32].
- **Standardization:** There is a lack of standardized protocols and metadata frameworks, making cross-study comparisons difficult ^[32].

Despite these hurdles, the continued development of data fusion algorithms, integrated bioinformatics platforms, and shared databases is steadily improving the accessibility and utility of multi-omics approaches in agriculture ^[33].

7. Applications in Sustainable Agriculture

The integration of advanced soil microbiome analysis techniques is unlocking new pathways to achieve sustainability in agriculture. By understanding the structure, function, and dynamics of soil microbial communities, farmers and researchers can design interventions that promote plant health, optimize input usage, and enhance long-term soil fertility. These insights have led to several practical applications that align with the goals of sustainable farming ^[32, 33].

7.1 Microbiome-Guided Crop Management

Emerging microbiome insights are enabling the development of targeted microbial consortia and bioinoculants designed to improve crop growth and resilience ^[34, 35]. For example:

- Plant growth-promoting rhizobacteria (PGPR) and mycorrhizal fungi are being deployed to enhance nutrient uptake and protect against pathogens ^[36, 37].
- Customized microbial formulations are being used as biocontrol agents to reduce the dependency on synthetic pesticides ^[38, 39].
- Inoculants tailored to specific crops or soil types are now developed using sequencing-based diagnostics to ensure compatibility and efficacy ^[37].

7.2 Soil Health Monitoring and Diagnostics

Microbial communities are sensitive indicators of soil quality and environmental stress. High-throughput sequencing and functional omics have enabled the identification of microbial biomarkers for key soil functions such as nitrogen cycling, organic matter decomposition, and disease suppression ^[38, 39].

These biomarkers are increasingly being used in:

- Soil health monitoring programs to assess the impact of agricultural practices over time ^[40, 41].
- Environmental risk assessments related to over-fertilization, pesticide exposure, and heavy metal contamination ^[42].
- The development of early-warning systems for soil degradation or pathogen outbreaks ^[42].

7.3 Precision Agriculture and Decision Support Systems

The fusion of microbiome data with precision agriculture tools—such as remote sensing, geospatial mapping, and Internet of Things (IoT)-enabled sensors is enabling farmers to make data-driven decisions at a micro-scale ^[43]. These integrated systems help in:

- Site-specific application of fertilizers or biostimulants based on microbial activity ^[41].
- Monitoring of soil microbial changes in real-time during crop cycles ^[42].
- Development of predictive models that link microbial traits with crop performance ^[43].

8. Challenges and Future Perspectives

Despite the rapid advancements in soil microbiome analysis, several critical challenges hinder the widespread application and scalability of these technologies in sustainable agriculture. Addressing these barriers is essential to translate laboratory breakthroughs into practical, cost-effective solutions for farmers, agronomists, and policymakers ^[42].

8.1 Data Standardization and Reproducibility

One of the most significant hurdles is the lack of standardization in sample collection, DNA extraction methods, sequencing platforms, and data processing pipelines. These inconsistencies make it difficult to compare findings across studies or develop universal microbiome-based soil health benchmarks ^[41, 43]. The field needs:

- Harmonized protocols for microbiome sampling and analysis ^[41].
- Open-access reference databases with well-annotated soil microbial genomes ^[42].
- Metadata frameworks that ensure transparency and reproducibility in multi-omics research ^[43].

8.2 Field Validation and Environmental Variability

Laboratory conditions often fail to replicate the complexity of field environments, where microbial communities are

influenced by a multitude of factors including soil type, climate, crop rotation, and agrochemical use [23, 21]. Many promising microbial inoculants and biofertilizers show inconsistent performance in the field due to:

- Host-microbe incompatibility across soil types and plant varieties [12].
- Ecological competition with native microbes [12].
- Abiotic stressors such as drought, salinity, or pollution [12].

8.3 Accessibility and Farmer Awareness

High-end omics technologies and computational analysis remain expensive and technically demanding, posing barriers for smallholder farmers, especially in developing countries [33, 33]. Democratizing microbiome science will require:

- Affordable diagnostic kits and mobile tools [33].
- Training programs for farmers and agribusinesses [34].
- Extension services to translate microbiome findings into actionable insights [35].

8.4 Future Perspectives

Looking forward, the integration of AI-driven analytics, multi-omics platforms, and digital agriculture technologies will continue to transform soil microbiome research. The development of real-time microbial sensors, in-field DNA sequencers, and digital twin models of soil ecosystems could dramatically enhance precision farming [21, 22].

Moreover, emerging areas such as phage therapy in soils, microbiome engineering, and synthetic ecology offer exciting frontiers for tailoring soil microbiomes to desired agronomic outcomes [23, 25].

Ultimately, advancing sustainable agriculture through soil microbiome science will require interdisciplinary collaboration, open innovation, and farmer centered design [27, 28].

9. Conclusion

The soil microbiome holds immense potential to drive the next generation of sustainable agricultural practices. By illuminating the hidden world of microorganisms beneath our feet, emerging technologies—ranging from high-throughput sequencing and multi-omics profiling to AI-powered data interpretation and single-cell genomics—are reshaping how we understand and manage soil ecosystems. These advanced techniques enable scientists and farmers to move beyond mere taxonomic surveys toward functional, predictive, and even prescriptive microbiome insights. Whether through microbiome-informed crop management, early disease diagnostics, or precision application of biofertilizers, soil microbial data is becoming a powerful tool for improving crop yields, enhancing soil resilience, and reducing environmental footprints. However, realizing the full benefits of microbiome science in agriculture requires addressing key challenges—especially in the areas of data standardization, field validation, accessibility, and farmer education. The path forward will depend on fostering cross-disciplinary collaboration among microbiologists, agronomists, data scientists, and stakeholders across the agricultural value chain. As we look ahead, integrating soil microbiome intelligence into mainstream farming has the potential to transform agriculture into a more regenerative, resource-efficient, and ecologically harmonious enterprise—

one rooted not only in innovation, but also in nature's own microbial networks.

10. References

1. Fagorzi C. Challenges of multi-omics in improving microbial-assisted phytoremediation. In: *Rhizomicrobiome Dynamics in Bioremediation*. Boca Raton: CRC Press; 2021. p. 69-79.
2. Wankhade A, Wilkinson E, Britt DW, Kaundal A. A review of plant-microbe interactions in the rhizosphere and the role of root exudates in microbiome engineering. *Applied Sciences*. 2025;15(13):7127.
3. Chandra D, Bhatt P, editors. *Unravelling Plant-Microbe Synergy*. Cambridge, MA: Academic Press; 2022.
4. Mu YQ, Song JB, Zhao M, Ren P, Liu HY, Huang X. Integrative omics analysis of plant-microbe synergies in petroleum pollution remediation. *Peer J*. 2025;13:e19396.
5. Nandhini M, Roopa G, Kumudini BS, Prakash HS. Ecological symphony: multi-omics study of environment dynamics of endophyte communities. In: *Multi-omics Approach to Investigate Endophyte Diversity*. Singapore: Springer; 2025. p. 265-286.
6. Anas M, Khalid A, Saleem MH, Ali Khan K, Ahmed Khattak W, Fahad S. Symbiotic synergy: unveiling plant-microbe interactions in stress adaptation. *Journal of Crop Health*. 2025;77(1):1-21.
7. Diwan D, Rashid MM, Vaishnav A. Current understanding of plant-microbe interaction through the lenses of multi-omics approaches and their benefits in sustainable agriculture. *Microbiological Research*. 2022;265:127180.
8. Bastas KK, Kumar A. Omics technologies in the plant-microbe interactions. In: *Microbial Biocontrol: Molecular Perspective in Plant Disease Management*. Singapore: Springer Nature; 2023. p. 257-282.
9. Kumar U, Raj S, Sreenikethanam A, Maddheshiya R, Kumari S, Han S, *et al*. Multi-omics approaches in plant-microbe interactions hold enormous promise for sustainable agriculture. *Agronomy*. 2023;13(7):1804.
10. Kimotho RN, Maina S. Unraveling plant-microbe interactions: can integrated omics approaches offer concrete answers? *Journal of Experimental Botany*. 2024;75(5):1289-1313.
11. Mishra AK, Sudalaimuthuasari N, Hazzouri KM, Saeed EE, Shah I, Amiri KM. Tapping into plant-microbiome interactions through the lens of multi-omics techniques. *Cells*. 2022;11(20):3254.
12. Tahat M, Alananbeh M, Othman A, Leskovar DI. Soil health and sustainable agriculture. *Sustainability*. 2020;12(12):4859.
13. Lavanyaa K. Recent advances in agricultural microbiology for sustainable agricultural production. In: *Agricultural Research, Technology and Policy: Innovations and Advances*. Hyderabad: ICAR-National Academy of Agricultural Research Management (NAARM); 2021.
14. Hesham AEL. Phytomicrobiome interactions and sustainable agriculture. In: Verma A, Saini JK, Singh HB, editors. Hoboken, NJ: Wiley-Blackwell; 2021.
15. Kumar V, Iram S, editors. *Microbial Technology for Agro-Ecosystems: Crop Productivity, Sustainability, and Biofortification*. Amsterdam: Elsevier; 2024.

16. Tan C, Kalhor MT, Faqir Y, Ma J, Osei MD, Khaliq G. Climate-resilient microbial biotechnology: a perspective on sustainable agriculture. *Sustainability*. 2022;14:5574.
17. García G, Carlin M, Cano RDJ. Holobiome harmony: linking environmental sustainability, agriculture, and human health for a thriving planet and one health. *Microorganisms*. 2025;13(3):514.
18. Manfredini A, Malusà E, Costa C, Pallottino F, Mocali S, Pinzari F, Canfora L. Current methods, common practices, and perspectives in tracking and monitoring bioinoculants in soil. *Frontiers in Microbiology*. 2021;12:698491.
19. Kumar R, Farda B, Mignini A, Djebaili R, Koolman L, Paul A, *et al.* Microbial solutions in agriculture: enhancing soil health and resilience through bioinoculants and bioremediation. *Bacteria*. 2025;4(3):28.
20. Chukwuneme CF, Ayangbenro AS, Venturi V, Glick BR, Babalola OO. Potential innovations from the application of beneficial soil microbes to promote sustainable crop production. *Studia Universitatis Babeş-Bolyai, Biologia*. 2024;69(1).
21. Qasim M. Beneficial microbes in plant health: from biocontrol agent to plant growth promoting rhizobacteria. *International Journal of Research and Advances in Agricultural Sciences*. 2023;2:39-49.
22. Datta S. Aptamers for Detection and Diagnostics (ADD): Can mobile systems process optical data from aptamer sensors to identify molecules indicating presence of SARS-CoV-2 virus? Should healthcare explore aptamers as drugs for prevention as well as its use as adjuvants with antibodies and vaccines? 2021.
23. Ishiguro E, Haskey N, Campbell K. Gut microbiota: Interactive effects on nutrition and health. Amsterdam: Elsevier; 2023.
24. Bergis H, Betts G, Binet R, Bird R, Bover-Cid S, Cantergiani F, *et al.* Development of standards for conducting microbiological challenge tests for food and feed products (ISO 20976). In: IAFP 2019 Annual Meeting Abstracts. 2019. p. 261.
25. Yamin D, Uskoković V, Wakil AM, Goni MD, Shamsuddin SH, Mustafa FH, *et al.* Current and future technologies for the detection of antibiotic-resistant bacteria. *Diagnostics*. 2023;13(20):3246.
26. Das S, Maity S. Metabolomics for plant growth-promoting microbe profiling and designing biofertilizer. In: *Microbial Metabolomics*. Singapore: Springer; 2025. p. 249-290.
27. Rebenaque LL, Orena CM. Bacteriophage application for *Salmonella* control in poultry and its implications on their microbiota and metabolome [dissertation]. Valencia: Universidad CEU Cardenal Herrera; 2022.
28. Hu Y, Green GS, Milgate AW, Stone EA, Rathjen JP, Schwessinger B. Pathogen detection and microbiome analysis of infected wheat using a portable DNA sequencer. *Phytobiomes Journal*. 2019;3(2):92-101.
29. Debode F, Caulier S, Demeter S, Dubois B, Gelhay V, Hulin J, *et al.* Roadmap for the integration of environmental microbiomes in risk assessments under EFSA's remit. EFSA Supporting Publications. 2024;21(2):8602E.
30. Hohmann P, Wille L, Studer B, Bodenhausen N, Messmer M. Breeding for microbiome-mediated disease resistance. In: *International Symposium on Microbe-Assisted Crop Production-Opportunities, Challenges & Needs*. 2017. p. 48.
31. Chen W, Modi D, Picot A. Soil and phytomicrobiome for plant disease suppression and management under climate change: A review. *Plants*. 2023;12(14):2736.
32. Srivastava N, Ibrahim SA, Nasr MHA, editors. *Microbiome Engineering: The New Dimension of Biotechnology*. Boca Raton: CRC Press; 2024.
33. Yu Y, Wen H, Li S, Cao H, Li X, Ma Z, *et al.* Emerging microfluidic technologies for microbiome research. *Frontiers in Microbiology*. 2022;13:906979.
34. Chelliah R, Banan-Mwine Daliri E, Khan I, Wei S, Elahi F, Yeon SJ, *et al.* A review on the application of bioinformatics tools in food microbiome studies. *Briefings in Bioinformatics*. 2022;23(2):bbac007.
35. Kent AD, Favela A, Ghotbi M, Raglin S, Klimasmith I, Bohn M. Soybean cyst nematode infestation is associated with changes in fungal community composition in agricultural soils of Ohio.
36. Sharma B, Tiwari S, Kumawat KC. Microbiome engineering and biotechnology: The real finenesses of a robust rhizosphere. In: *Core Microbiome: Improving Crop Quality and Productivity*. 2022. p. 118-138.
37. Brüssow F, Bruessow F, Brüssow H. The role of the plant microbiome for forestry, agriculture and urban greenspace in times of environmental change. *Microbial Biotechnology*. 2024;17(6):e14482.
38. Adeniji A, Fadiji AE, Li S, Guo R. From lab bench to farmers' fields: Co-creating microbial inoculants with farmers input. *Rhizosphere*. 2024;:100920.
39. Gupta S, Kumar D, Negi R, Singh R, Ansari MJ, Kashyap S, Mehrotra S, editors. *Genomic Intelligence: Metagenomics and Artificial Intelligence*. Boca Raton: CRC Press; 2024.
40. Lei C, Lu T, Qian H, Liu Y. Machine learning models reveal how biochar amendment affects soil microbial communities. *Biochar*. 2023;5(1):89.
41. Pace R, Schiano Di Cola V, Monti MM, Affinito A, Cuomo S, Loreto F, Ruocco M. Artificial intelligence in soil microbiome analysis: A potential application in predicting and enhancing soil health—A review. *Discover Applied Sciences*. 2025;7(2):85.
42. Ambaru B, Manvitha R, Madas R. Synergistic integration of remote sensing and soil metagenomics data: Advancing precision agriculture through interdisciplinary approaches. *Frontiers in Sustainable Food Systems*. 2025;8:1499973.