



International Journal of Agriculture and Food Science

ISSN Print: 2664-844X
ISSN Online: 2664-8458
NAAS Rating (2026): 4.97
IJAFA 2026; 8(2): 393-397
www.agriculturaljournals.com
Received: 08-12-2025
Accepted: 20-01-2026

Dr. Neeraj K Charmkar
Assistant Professor of Botany,
PMCOE, Govt. Model Science
College Rewa, Madhya
Pradesh, India

The emergence of vegan meat: Plant-powered protein alternatives to animal meat for ensuring global food security and sustainability

Neeraj K Charmkar

DOI: <https://www.doi.org/10.33545/2664844X.2026.v8.i2e.1211>

Abstract

Vegan meat, commonly referred to as plant-based meat alternatives (PBMA), has emerged as a pivotal innovation in the food industry, addressing multifaceted concerns including health, environmental sustainability, animal welfare, and ethical dietary choices. This review paper provides an in-depth synthesis of the historical evolution, production technologies, nutritional compositions, environmental footprints, market trajectories, consumer perceptions, inherent challenges, and prospective developments of vegan meat. Leveraging data from peer-reviewed studies, market analyses, and empirical research up to early 2026, it elucidates how PBMA replicate the sensory attributes taste, texture, and appearance of conventional animal meat utilizing ingredients such as soy, peas, wheat gluten, and mycoproteins. Despite these advantages, obstacles such as sensory inconsistencies, elevated production expenses, and regulatory complexities endure. Consumer surveys from 2025-2026 demonstrate increasing acceptance, with 75% of global consumers expressing interest in plant-based options, particularly when they align closely with meat's organoleptic properties. Future trajectories encompass technological advancements like precision fermentation, AI-driven formulations, and whole-cut analogs to augment authenticity and affordability. This review posits that vegan meat holds substantial promise for fostering sustainable food ecosystems, substantiated by empirical data, illustrative diagrams, graphs, tables, and references from authoritative sources.

Keywords: PBMA, vegan meat, fermentation, sustainable food, AI-driven formulations etc.

Introduction

The advent of vegan meat marks a transformative juncture in global dietary paradigms, propelled by escalating imperatives for sustainable, healthful, and compassionate protein sources. Conventional animal husbandry is increasingly scrutinized for its role in exacerbating climate change, habitat destruction, species extinction, and health epidemics, including antimicrobial resistance and pandemics originating from zoonoses. Vegan meat, derived predominantly from plant proteins, endeavors to emulate animal meat's attributes sans these adversities, thereby offering a viable substitute. Tracing its roots to antiquity, contemporary vegan meat surged in prominence during the late 20th and early 21st centuries, with pioneering products like tofu, tempeh, and seitan evolving into advanced analogs such as patties, links, and tenders from innovators like Beyond Meat and Impossible Foods. This proliferation is underpinned by a burgeoning cohort of vegetarians, vegans, and flexitarians, with projections estimating over 2 billion individuals embracing plant-centric diets by 2030. Nutritionally, PBMA furnish essential amino acids while mitigating hazards associated with red and processed meat intake, such as coronary heart disease, type 2 diabetes, and colorectal cancer. Environmentally, a pivot to plant-based proteins could attenuate food-system emissions, which constitute roughly 34% of anthropogenic greenhouse gases. Economically, the alternative protein domain attracted investments surpassing USD 5 billion in 2025, notwithstanding market fluctuations. This comprehensive review adopts an interdisciplinary approach, amalgamating insights from nutritional science, environmental assessments, economic forecasts, and sociological studies. It incorporates visual elements including production schematics, nutritional juxtaposition tables, market expansion graphs, environmental impact bar charts, and consumer preference diagrams to facilitate deeper understanding.

Corresponding Author:
Dr. Neeraj K Charmkar
Assistant Professor of Botany,
PMCOE, Govt. Model Science
College Rewa, Madhya
Pradesh, India

Citations are sourced from credible repositories, ensuring an objective, data-driven discourse. To further contextualize, recent 2025-2026 developments highlight integrations of hybrid products blending plant and minimal animal elements for enhanced palatability, alongside regulatory

endorsements in regions like the EU and Asia for novel ingredients. These advancements underscore vegan meat's role in mitigating the projected doubling of global meat demand by 2050, which could otherwise strain planetary boundaries.




Fig 1: PMBAs alternatives of Meat

History and Development

The genesis of vegan meat intertwines with millennia-old cultural, spiritual, and philosophical traditions, evolving from rudimentary substitutes to technologically sophisticated replicas. In ancient China, circa the Han Dynasty (206 BCE-220 CE), Buddhist ascetics pioneered tofu as a meat surrogate to comply with ahimsa (non-violence) doctrines, crafting dishes that imitated poultry and seafood textures. Concurrently, in Indonesia, tempeh—a fermented soybean product—originated around the 16th century, prized for its meaty umami and nutritional density. Western adoption materialized in the 19th century amid health and temperance movements. John Harvey Kellogg, an advocate of vegetarianism, patented "protose" in 1896, a nut-derived analog touted for superior digestibility and moral virtues. The mid-20th century witnessed industrialization, exemplified by the 1960s invention of Textured Vegetable Protein (TVP) via extrusion processes, enabling scalable, fibrous meat-like structures from soy. The 2010s heralded a renaissance with "bleeding" burgers: Impossible Foods' 2016 debut incorporated leghemoglobin (heme) from engineered yeast to mimic juiciness and iron-rich flavor, while Beyond Meat's 2019 IPO emphasized pea-based, non-GMO formulations. The COVID-19 crisis in 2020 accentuated vulnerabilities in animal supply chains, spurring a 27% uptick in plant-based sales and accelerating R&D. By 2026, milestones include fungal innovations like mycoprotein from Quorn and Meati, leveraging *Fusarium*

venenatum for sustainable, high-protein yields. Regulatory progress, such as the FDA's 2025 approvals for precision-fermented proteins, has facilitated market entry for hybrid and whole-cut products. Globally, Asia's revival of ancestral analogs like seitan integrates with modern tech, while Europe's sustainability mandates propel adoption. This trajectory illustrates a fusion of heritage and ingenuity, positioning vegan meat as an antidote to modern alimentary dilemmas. Timeline highlights: 206 BCE (tofu), 1896 (protose), 1960s (TVP), 2016 (Impossible Burger), 2025 (fermentation breakthroughs).

Production Methods

Fabricating vegan meat entails converting plant-derived proteins into architectures that mirror animal muscle's fibrillar composition, succulence, and savor. The methodology bifurcates into ingredient procurement, texturization, and assembly, with scalability and sustainability as imperatives. Primary feedstocks encompass protein concentrates/isolates from legumes (soy, peas, fava), cereals (wheat gluten), and novel sources like algae or fungi, selected for emulsifying and gelling prowess. Lipids from canola or coconut emulate marbling, while hydrocolloids like carrageenan or xanthan gum bolster binding. Aromatics, including yeast autolysates and natural colorants (beetroot extract), augment sensory fidelity. Pivotal is extrusion: high-moisture extrusion (HME) at 50-70% hydration yields steak-like cuts via thermo-mechanical protein alignment at

140-160 °C, whereas low-moisture variants produce mince precursors. Shear cell systems apply laminar forces for anisotropic fibers, circumventing extrusion's energy intensity. Avant-garde techniques include 3D bioprinting for bespoke morphologies, precision fermentation for heme-like compounds, and electrospinning for nanofibrous scaffolds.

Mycelium cultivation, as in Ecovative's processes, ferments fungi for inherent meatiness.

Post-extrusion phases involve chilling, molding, and fortification. Challenges encompass optimizing energy efficiency and minimizing waste; 2026 advancements integrate AI for predictive modeling of texture outcomes.




Fig 2: Vegan Meat Production Process Diagram

Nutritional Profile

Vegan meat's nutritional matrix renders it a compelling proxy for animal meat, with variances contingent on formulation. Typically, PBMA's equate protein quanta (18-22 g/100 g) but surpass in fiber (3-6 g/100 g vs. nil) and eschew cholesterol, though sodium may escalate (300-500 mg/100 g) due to seasonings. Recent 2025 meta-analyses evince plant-based burgers harboring 15-25% fewer calories, 40-60% less saturated fat, and augmented polyunsaturated fats vis-à-vis beef. Amino acid completeness is achieved via blending (*e.g.*, pea + rice), with digestibility scores nearing 90%, comparable to meat;

fortifications with vitamin B12, iron, and zinc ameliorate potential shortfalls. Substituting red meat with PBMA's correlates with 25% lower cardiovascular risk and improved gut microbiota via fiber. However, ultra-processing implicates additives; 2025 studies advocate clean-label iterations. Recent analyses (2025-2026) confirm that plant-based meat offers a nutrient density comparable to animal meat for many essentials, with unique benefits in fiber and lower saturated fat. Adapted from 2025 studies, PBMA's foster micronutrient density, particularly in iron-fortified variants. It also possesses higher folate and magnesium, but vigilance for B-vitamins is advised in vegan diets.

Table 1: Extended Nutritional Comparison per 100 g

Nutrient	Beef Burger	PB Burger	Pork Sausage	PB Sausage	Chicken Nugget	PB Nugget
Calories (kcal)	252	220	300	240	246	210
Protein (g)	17	19	14	18	14	15
Total Fat (g)	20	14	27	16	15	12
Saturated Fat (g)	8	2	9	3	3	1
Fiber (g)	0	5	0	4	0	3
Sodium (mg)	75	390	650	450	570	400
Cholesterol (mg)	62	0	72	0	44	0
Iron	2.5	4.5	1.2	2.0	0.9	0.9

Health Implications of Vegan Meat

Vegan meat, or plant-based meat alternatives (PBMA's), has gained significant traction as a dietary option for health-conscious consumers, flexitarians, vegetarians, and vegans. These products aim to replicate the sensory experience of animal meat while offering potential advantages in reducing risks associated with traditional meat consumption, such as

cardiovascular disease (CVD), type 2 diabetes (T2D), certain cancers, and overall mortality. However, concerns arise from their often ultra-processed nature, higher sodium content, and use of additives. This section provides a detailed, evidence-based analysis of the health implications, drawing from recent systematic reviews, meta-analyses, and randomized controlled trials (RCTs) up to 2026.

Table 2: Comparative Health implications of PMBAs (Avg.)

Nutrient	Beef Burger (Conventional)	Plant-Based Burger (Avg.)	Key Health Implication for PBMA
Calories (kcal)	250-280	200-240	Lower energy density aids weight management.
Protein (g)	18-22	18-22	Equivalent high-quality protein (often blended for completeness)
Total Fat (g)	18-22	10-16	Reduced overall fat intake.
Saturated Fat (g)	7-9	1-4	Major reduction in CVD risk factor.
Fiber (g)	0	4-6	Supports digestion and blood sugar control.
Sodium (mg)	70-100 (pre-cooking)	300-600	Higher; monitor for hypertension.
Cholesterol (mg)	60-80	0	Eliminates dietary cholesterol.
Iron (mg)	2-3	3-5 (often fortified)	Comparable or higher, but plant form less bioavailable.

Positive Health Outcomes: Reduced Chronic Disease Risk

Substituting PBMAs for animal meat shows promising effects on cardiometabolic health:

- **Cardiovascular Health:** A 2024-2025 systematic review and meta-analysis of RCTs found that replacing conventional meat with PBMAs for up to 8 weeks reduced total cholesterol by ~6%, LDL cholesterol by ~12%, and body weight by ~1%. These changes lower CVD risk factors. Broader plant-based diets (including PBMAs) are linked to better lipid profiles, reduced inflammation, and lower ischemic heart disease risk.
- **Type 2 Diabetes:** Plant-based patterns, particularly vegan/vegetarian ones, show stronger associations with reduced T2D incidence. PBMAs contribute by improving glycemic control via fiber and lower saturated fat.
- **Cancer and Mortality:** While direct evidence for PBMAs is emerging, overall plant-based diets reduce risks of certain cancers (*e.g.*, colorectal) and all-cause mortality. Replacing red/processed meat with plant sources mitigates carcinogenic compounds like heme iron and nitrates.
- **Inflammation and Other Markers:** RCTs like SWAP-MEAT show similar or improved inflammation biomarkers when PBMAs replace animal meat, with potential benefits in gut health from fiber.

Concerns and Limitations: Ultra-Processing, Sodium, and Additives

PBMAs are classified as ultra-processed foods (UPFs) under the NOVA system due to industrial formulation, additives (*e.g.*, methylcellulose, emulsifiers), and isolated proteins. Key concerns include:

- **Higher Sodium:** Often 300-600 mg per 100 g (vs. lower in unprocessed meat), contributing to hypertension risk if consumed excessively.
- **Additives** - Emulsifiers, binders, and flavor enhancers are generally safe per FDA/WHO, but some studies raise questions about long-term gut microbiome effects.
- **Ultra-Processed Category Risks:** Broader UPF consumption links to obesity, CVD, T2D, and cancer. A 2024 UK Biobank analysis found plant-based UPFs (including some PBMAs) associated with higher CVD risk when replacing minimally processed plants, though not necessarily when replacing animal meat.
- **Methylcellulose:** It's common in PBMAs for binding. Limited direct evidence on microbiome impact, but broader emulsifier research suggests potential disruption in sensitive individuals.
- **Metabolomic Differences:** Untargeted studies show ~90% difference in metabolites between PBMAs and grass-fed beef, indicating they are not identical nutritionally, though both have pros/cons.

Gut Microbiome Effects of Vegan Meat

The gut microbiome the trillions of microorganisms residing in the intestines — plays a crucial role in digestion, immune function, inflammation regulation, and overall health. Vegan meat, or plant-based meat alternatives (PBMAs), differs from conventional animal meat in composition, particularly due to higher dietary fiber content from plant proteins (*e.g.*, pea, soy, wheat) and the potential inclusion of additives like emulsifiers (*e.g.*, methylcellulose, carrageenan). As of early 2026, research on PBMAs' specific impact on the gut microbiome remains emerging and mixed, but key patterns emerge from interventional studies, systematic reviews, and large cohort analyses.

Table 3: Summarizing key microbiome shifts from plant-based vs. animal-based patterns

Diet Type	Key Microbiome Changes	Associated Metabolites/Outcomes
Plant-Based (incl. PBMA s)	↑ Fiber-fermenters (<i>Prevotella</i> , <i>Roseburia</i> , <i>Bifidobacterium</i>); ↑ Diversity	↑ SCFAs (butyrate); ↓ Inflammation; Better gut barrier
Animal-Based/Omnivore	↑ Bile-tolerant (<i>Bacteroides</i> , <i>Clostridia</i>); ↓ Fiber-fermenters	↑ TMAO (from red meat); Potential ↑ Inflammation & IBD risk
Vegan/Vegetarian Overall	More plant-niche pathways; Less animal-protein metabolism	Lower chronic disease risk markers (<i>e.g.</i> , CVD, T2D)

Environmental Impact

Vegan meat proffers profound ecological ameliorations compared to animal analogs, chiefly in curtailing resource depletion and emissions. ISO-certified LCAs from 2025 delineate PBMAs emitting 89% fewer GHGs, consuming 99% less water, and occupying 93% less land than beef per kg. A 2025 harmonized assessment posits plant-dominant diets halving carbon footprints (2.0 kg CO₂e/day vs. 4.5 kg for carnivorous). Animal farming engenders 16.5% of

global emissions, deforestation (*e.g.*, soy for feed), and eutrophication. Plant sourcing, *e.g.*, peas, demands 20x less land; yet, unsustainable monocultures pose risks certified sourcing mitigates.

Conclusion

Vegan meat epitomizes innovation in sustainable nutrition, proffering health, ecological, and ethical boons. Plant-based meat alternatives (PBMAs), commonly known as vegan

meat, represent a nutritionally and ecologically promising bridge between conventional animal meat and more sustainable dietary patterns. When evaluated through the lenses of overall health and gut microbiome impact, the current body of evidence drawn from randomized controlled trials, systematic reviews, meta-analyses, and large cohort studies—paints a largely favorable picture, while highlighting important nuances.

Ultimately, vegan meat stands as a valuable tool in the transition toward more sustainable, health-promoting diets. It meaningfully reduces the chronic disease burden associated with high animal-meat consumption, supports a more diverse and SCFA-rich gut microbiome, and offers a realistic pathway for flexitarians, vegetarians, and even omnivores to lower their environmental footprint without completely abandoning familiar tastes and textures. Continued reformulation (lower sodium, cleaner labels, higher whole-plant content) and longer-term human studies will further refine its role, but as of early 2026, the evidence supports PBMA as a net-positive innovation for both human health and planetary well-being. With surmounted challenges via technology, it augurs a resilient food future. Stakeholders must collaborate to actualize this vision.

References

- Appiani M, Cattaneo C, Laureati M. Sensory properties and consumer acceptance of plant-based meat analogs: A systematic review. *Front Sustain Food Syst.* 2023;7:1268068. doi:10.3389/fsufs.2023.1268068.
- Beyond Meat. 2023 ESG report and LCA study: Environmental benefits of Beyond Steak vs. beef steak tips; 2023. <https://investors.beyondmeat.com>
- Caputo V, Sun J, Staples AJ, *et al.* Market outlook for meat alternatives. *Trends Food Sci. Technol.* 2024;148:104474.
- Grand View Research. Plant-based meat market size, share & growth report, 2030; 2024. <https://www.grandviewresearch.com/industry-analysis/plant-based-meat-market>
- Grossmann L, Weiss J. Alternative protein sources as technofunctional ingredients. *Annu Rev Food Sci Technol.* 2021;12:93-117. doi:10.1146/annurev-food-062520-093642.
- Kyriakopoulou K, Keppler JK, van der Goot AJ. Plant-based meat analogues. In: *Sustainable meat production and processing.* Academic Press; 2021. p. 103-126.
- Lindberg L, McCann RR, Smyth B, *et al.* Environmental, nutritional, and health impact of meat alternatives: A systematic review. *Trends Food Sci. Technol.* 2024. doi:10.1016/j.tifs.2024.104159.
- McGuicken T, Gradidge S, Palomo-Vélez G. Persuasive messaging to increase consumer acceptance of cultured meat. *Br Food J.* 2025. doi:10.1108/BFJ-07-2024-0767.
- Nolden AA, Hayes JE. Consumer acceptance of plant-based meat substitutes: A review. *Foods.* 2022;11(9):1274. doi:10.3390/foods11091274.
- Parlasca MC, Qaim M. Meat alternatives: Plant-based, mycoprotein, and cultured products. *Annu Rev Resour Econ.* 2022;14:1-22.
- Pojić M, Mišan A, Tiwari B. Eco-innovative technologies for plant-based meat alternatives. In: *Future foods.* Springer; 2020. p. 1-20.
- Santo RE, Kim BF, Goldman SE, Dutkiewicz J, Biehl EMB, Bloem MW, Neff RA, Nachman KE. Plant-based meat substitutes and cell-based meats: A public health perspective. *Front Sustain Food Syst.* 2020;4:134. doi:10.3389/fsufs.2020.00134.
- Statista. Meat substitutes - Worldwide: Market forecast. 2025. <https://www.statista.com/outlook/cmo/food/meat/meat-substitutes/worldwide>
- Tang W, Pan Q, He J, Liu J. Protein-polysaccharide interactions in plant-based meat texture. *Food Res Int.* 2025;202:115673.
- van Vliet S, Kronberg SL, Provenza FD. Plant-based meats, human health, and climate change. *Front Sustain Food Syst.* 2020;4:128. doi:10.3389/fsufs.2020.00128.
- Zhang T, Dou W, Zhang X, Zhao Y, Zhang Y, Jiang L, Sui X. Development of soy protein-based meat alternatives. *Trends Food Sci Technol.* 2021;109:702-710. doi:10.1016/j.tifs.2021.01.060.
- Zhang X, Shen A, Zhang Z, Zhang T, Jiang L, Zhou W, Zhang Y, Sui X. Molecular understanding of high-moisture extrusion for plant-based meat. *Food Chem.* 2024;460:140458.
- Kyriakopoulou K, Dekkers B, van der Goot AJ. Plant-based meat analogues. In: *Sustainable meat production and processing.* Academic Press; 2019. p. 103-126.
- Lee HJ, Yong HI, Kim M, *et al.* Status and future role of meat alternatives. *Anim Biosci.* 2020;33(10):1533-1541. doi:10.5713/ab.20.0193.
- Ahmad M, Qayum A, *et al.* Rise of plant-based meat alternatives: Challenges and perspectives. *Trends Food Sci. Technol.* 2025. doi:10.1016/j.tifs.2025.104816.