



International Journal of Research in Agronomy

E-ISSN: 2618-0618
P-ISSN: 2618-060X
© Agronomy
NAAS Rating (2026): 5.20
www.agronomyjournals.com
2026; SP-9(5): 304-314
Received: 16-02-2026
Accepted: 18-03-2026

Dr. Rupasree Mukhopadhyay
Department of Genetics and
Biotechnology, Veeranari Chakali
Ilamma Women's University, Koti,
Hyderabad, Telangana, India

Zainab Qurratul Ain
Department of Genetics and
Biotechnology, Veeranari Chakali
Ilamma Women's University, Koti,
Hyderabad, Telangana, India

CNR Santhoshini
Assistant Professor, Department of
Floriculture and Landscaping, College of
Horticulture, Rajendranagar, Sri Konda
Laxman Telangana Horticultural
University Ranga Reddy, Telangana,
India

Dr. Amol M Dethe
Professor of Genetics and Plant
Breeding, Vasant Rao Naik Marathwada
Krishi Vidyapeeth, Parbhani,
Maharashtra, India

Dr. Preeti Mahawar
Professor (Biotechnology), Department
of Agriculture, Gokul Global University,
Siddhpur, Gujarat, India

Manjot Kaur
Assistant Professor, Department of
Agriculture, Khalsa College Amritsar,
Punjab, India.

Dr. Hemant Sharma
Assistant Professor, Department of
Botany, Dayanand College, Hisar,
Haryana, India

Dr. M Ramasamy
Assistant Professor, (Veterinary and
Animal Sciences), ICAR- Krishi Vigyan
Kendra, Virinjipuram, Vellore District,
Tamil Nadu, India

Vishal Singh
Research Scholar, Department of
Genetics and Plant Breeding, Institute
of Agricultural Sciences, Banaras Hindu
University, Varanasi, Uttar Pradesh,
India

Corresponding Author:
Dr. Rupasree Mukhopadhyay
Department of Genetics and
Biotechnology, Veeranari Chakali
Ilamma Women's University, Koti,
Hyderabad, Telangana, India

The role of genetics and plant breeding for crop improvement: Current progress and future prospects

Rupasree Mukhopadhyay, Zainab Qurratul Ain, CNR Santhoshini, Amol M Dethe, Preeti Mahawar, Manjot Kaur, Hemant Sharma, M Ramasamy, Vishal Singh

DOI: <https://www.doi.org/10.33545/2618060X.2026.v9.i5Sd.5577>

Abstract

Genetics and breeding are inseparable in current crop production for the ever-increasing need for food and environmental problems. The first findings of Mendelian inheritance and hybrid vigor provided the basis for the systematic development of plant growth systems. In recent decades, molecular and genomic technology have been used in approaches that have accelerated the development of crops. Some of the techniques such as marker-assisted selection, genetic transformation and genome editing come under this heading. The goal of this research is to explore the role of genetics and plant breeding in crop production, examining both past successes and future possibilities. This article briefly summarizes the most important advances achieved in conventional breeding, molecular breeding, tissue culture, genetic engineering and genome editing methods related to breeding animals. Such results have led in improved agricultural productivity, pest and disease resistance, stress tolerance and nutritional improvement. Moreover, the study shows that the use of modern biotechnology methods and worldwide research collaboration are becoming increasingly important in the hunt for agricultural productivity conservation and food security. It also emphasizes future tactics such as cultivation of crop varieties that are resistant to climate change, resource-efficient, and biofortified to address the concerns of ever-increasing population and progressively changing climatic conditions.

Keywords: Plant breeding; genetic improvement; genomics; biotechnology; climate resilience; CRISPR

Introduction

By 2050, the global population is expected to exceed 10 billion, which will lead to a greater demand for expanded food production. Climate change puts further intensifies these concerns^[1, 2], yet it is important to improve agricultural yields significantly to provide food security. The traditional driver of productivity gains and trait improvements has been the practice of choosing and crossing plants, known as plant breeding. The first findings in genetics provide the basic concepts that led to the methodical strategy of deliberate breeding^[3, 4, 5]. Advances in molecular genetics (DNA markers, gene editing) of today offer a complement to conventional breeding approaches, allowing superior cultivars to be generated more accurately and more efficiently. The aim of this review is to evaluate the use of genetics into crop breeding with the purpose of boosting agricultural yields and quality^[6]. In this review, we give a historical perspective of the major scientists and discoveries, compare the major breeding techniques and modern genetic technology, present cases of crop improvement which are emblematic of the field, and suggest future research targets for sustainable crop improvement^[8]. Genetics is a branch of the biological sciences that deals with the study of heredity and variation in living things. It describes how such qualities as plant height, floral colour, yield, resistance to disease, length of maturity and tolerance to stress are transmitted from parents to offsprings^[9]. It is the gene, a specific segment of DNA that contains information for a certain trait, that is the fundamental unit of heredity. The study of genetics^[10, 11] allows us to better understand why plants are similar to their parents, why differences may be observed between individuals and how desirable or unpleasant features are handed down from generation to generation. Genetics is the study of chromosomal behaviour, gene function, mutation and transmission of features from

one generation to another. Plants are widely investigated from the perspective of genetics in the following domains. It provides a scientific basis for development of crops by identifying desirable traits and getting an understanding of the regulation of such traits^[12].

Plant breeding is the art and science of improving the genetic makeup of plants to make them more beneficial to man. Selection of plants, hybridization of those plants, introduction of those plants, and appraisal of those plants are needed to develop better varieties with increased production, quality, adaptability and tolerance to biotic and abiotic issues^[13]. Plant breeding is largely aimed at the development of crop varieties capable of generating more food, fibre and other agricultural products while at the same time meeting the needs of farmers, consumers and industries^[14]. Plant breeding is the practice of selecting for desired traits from a number of different parents and merging them using the principles of genetics into a single improved variety. It is a scientific topic and practical agricultural activity since it requires knowledge of genetics, plant biology, field conditions and crop management^[15]. This is because it involves knowledge of all these things. Genetics is the science, but plant breeding is an art. Genetics provides the theoretical basis and plant breeding is responsible for the application of this knowledge to crop development^[16]. Without genetics, plant breeding would largely rely on trial and error. This allows breeders to be more precise in predicting how features will be inherited, choose parents more carefully and find plants that have the greatest promise genetically. For example, if a breeder wants to develop a wheat variety that is rust-resistant and has a high yield, genetic information will help to pick the parental plants that have those traits and will help to identify the best offspring that arise from crossing^[17, 18].

Plant breeding has done a significant favour to the sector of agriculture. This has resulted in the development of high yielding varieties, improved hybrid crops, disease resistant plants, drought tolerance cultivars, early maturing types and variations with improved nutritional content^[19]. These achievements have greatly contributed to increasing food output and ensuring food security^[20]. Modern plant breeding increasingly utilizes the advanced techniques such as molecular markers, biotechnology, tissue culture, and genetic engineering, which make the process more efficient and precision-driven^[21].

Historical Milestones in Plant Breeding

Plant breeding has been practiced since the early stages of agriculture. Archaeological evidence suggests that ancient farmers in Asia, Africa and the Americas domesticated the wild grasses and legumes approximately 5, 000-10, 000 years ago by selecting desirable traits in seeds and fruits. However, the scientific foundation for breeding was not developed until the 19th century. The famous experiments of Gregor Mendel on hybridization of peas (1865) established the fundamental principles of heredity, and laid the foundation for modern genetics. Mendel's work remained largely unrecognized until 1900, when Hugo de Vries, Carl Correns and Erich von Tschermak independently rediscovered Mendel's principles. Shortly thereafter, Wilhelm Johannsen (1903) introduced the concepts of genotype and phenotype and proposed the principle of pure line selection to develop genetically uniform inbred lines^[22, 23, 24]. These concepts were used by notable breeders for several crops early in the 20th century. Luther Burbank (USA) developed more than 800 improved varieties of fruits, vegetables and ornamental plants through hybridization and selection for enhanced disease resistance, productivity and quality. George

Shull (1914) and Edward East demonstrated heterosis (hybrid vigour) in maize, showing that crosses between inbred lines produced hybrids superior to their parental line. This discovery facilitated the development of hybrid maize cultivars which improved maize yield by harnessing vigour from controlled crossings. By the mid-20th century, hybrid breeding techniques were widely applied in sorghum, rice and vegetable crops.^[25, 26] The "Green Revolution" of the 1960s represented a major milestone in cereal crop improvement. Norman Borlaug and colleagues in Mexico and then Asia produced semi-dwarf, high-yielding wheat cultivars that were very responsive to fertilizer and were resistant to lodging (with Rht dwarfing genes). These cultivars substantially increased wheat production in several countries and contributed significantly to global food security, and winning Borlaug the Nobel Prize. Around the same time comparable semi-dwarf genes were introduced into rice (the IR8 variety), substantially improving rice yields. In 1974, Yuan Longping introduced the first economically viable hybrid rice variety, greatly boosting global rice production^[27, 28]. By the end of the 20th century, advanced biotechnological approaches had emerged that extended beyond conventional breeding methods. The first transgenic plant was developed in 1983, while the first GM crop to be commercially marketed was the Flavr Savr tomato (designed for delayed ripening) in 1994. Subsequently insect-resistant *Bacillus thuringiensis* (Bt) maize and cotton, and herbicide-tolerant soybean varieties, were introduced, demonstrating the potential of genetic engineering to introduce new traits. Simultaneously, advances in molecular biology enabled whole genome sequencing (the first Arabidopsis and rice genomes in the early 2000s) and improved the understanding of trait loci. 2012 saw the discovery of the CRISPR/Cas9 system, and by 2013 scientists were using it for precise edits to plant genomes. Genome editing technologies now enable breeders to perform precise targeted alterations in plant genomes (knockouts or insertions) without the introduction of foreign DNA to accelerate trait development^[29, 30, 31]. Figure 1 summarizes the timeline of historical milestones in plant breeding.




Fig 1: Historical milestones in plant breeding

Major Breeding Methods in Plant Breeding for Crop Improvement

Plant breeding is a scientific strategy to change the genetic material of crops to get increased yield and better quality, resistance to pests and diseases and adaptation to changing environmental circumstances. Its roots go back to the very beginnings of agriculture, but in contemporary plant breeding it has become a methodical, technology-driven discipline. Since the beginning of agriculture, mankind has selected better species for cultivation^[32, 33]. The precise breeding tactics examined depend on the crop species, reproductive behaviour, breeding aims and the genetic variation available^[34]. Each strategy has its pros and cons, but collectively they make a substantial

contribution to global food security and sustainable agriculture. Plant breeding procedures are the strategies employed by plant breeders to develop better crop varieties with desired characteristics [35, 36]. The purpose of these techniques is to mix beneficial genes and weed out undesired ones. Crop development projects usually target higher yield, better nutritional quality, greater tolerance to abiotic conditions such as drought and salt, and resistance to insects and disease. The correct choice of breeding procedures has a great impact on the success level of breeding operations [37, 38].

Mass Selection

Through the process of mass selection, a large number of plants that possess desirable characteristics are chosen from a population that is diverse, and the seeds of these plants are grouped Mass Selection

Mass Selection is the process of selecting a large number of plants with desired qualities from a varied population and combining the seed of these plants for the following generation. This approach is often utilized in self-pollinated and cross-pollinated crops for the improvement of the local variety. It is straightforward to utilize, cost-effective and suitable for features with a high heritability [39].

Pure Line Selection

Pure line selection is a procedure in which the best successful single plant is selected from a self-pollinated crop and selfed for many generations until a genetically uniform line is produced. The resulting variant is called a pure line. This method has been highly successful in the production of crops including wheat, rice, and barley [40].

Clone Selection

Clonal selection is used in the breeding process of vegetatively propagated crops including potatoes, sugarcane, bananas and garlic. There is a process of selection and propagation of better plants by vegetative methods to maintain their perfect genetic makeup [41]. Clonal selection helps to retain beneficial features such as high yield, disease resistance, uniform growth and better quality in the subsequent generations. This approach is particularly useful in crops that generate few or no viable seeds. It maintains genetic consistency in farmed variety.

Hybridization Method

Hybridization is the crossing of two genetically different parents in order to produce offsprings with ideal mix of traits or qualities. It is one of the most widely utilized techniques in current plant breeding [42]. Hybridization is a tool to combine desirable features such as increased yield, quality, disease resistance and stress tolerance into a single variety. Also it improves the genetic diversity, greater chances to the breeders for crop enhancement.

Intervarietal Hybridization

This implies the crossing of two distinct varieties of the same species. It is conceivable that the hybrids that result may include favorable traits such as high yield from one parent and resistance to disease from another [43].

Interspecific Hybridization

This system involves the crossing of two separate species belonging to the same genus. It is used to introduce valuable features, like as stress tolerance or insect resistance from wild

relatives into cultivated crops and non cultivated as well [44].

Intergeneric Hybridization

This involves crossing plants of various genera. It is technically difficult but has been used in certain crops for the production of new genetic combinations. The increased genetic variety resulting from hybridization provides an opportunity for breeders to choose better recombinants. But it needs careful planning, controlled pollination, and comprehensive progeny assessment [45].

Pedigree Method

The pedigree method is often employed in the breeding of self-fertilized plants. The method involves crossing and then selecting single plants in each generation for the desired traits, while keeping complete records of their ancestry. This technique will be repeated until steady and uniform lines are obtained. This technique helps plant breeders to properly choose superior genotypes and to trace inheritance patterns. However, the pedigree method is laborious and requires many generations to develop stable lines. It is quite effective in integrating many desirable traits, but it is also labor demanding [46].

Bulk Population Method

In the bulk approach, seeds from hybrid populations are combined and grown in bulk for a number of generations without individual plant selection. At this point in time natural selection is at work in the population. In case of sufficient homozygosity better plants are selected for selection [47].

Backcross Breeding

Backcross breeding is a method for transferring one or a few desired features from a donor parent into a variety that is already well suited, called the recurrent parent. The hybrid offspring are regularly bred back to the parent utilized in the selection procedure. This selects for the desired feature. This method is especially useful to provide disease resistance, insect resistance or quality attributes to the original variety without changing the overall characteristics of the variety. Backcross breeding has played an important role in developing resistant forms of crops around the world [48].

Mutation breeding

In mutation breeding mutation is induced by physical or chemical mutagens. Polyploidy is a condition in which a plant has more than two sets of chromosomes. Polyploidy breeding is used to increase vigor in plants, the size of their fruits and their resilience to stress. It is typically caused by the use of medicines such as Colchicine. Polyploid plants often have improved features, including larger flowers, thicker leaves and more biomass. This procedure is often used in the growth of ornamental plants, fruit and feed crops [49].

Polyploidy Breeding

Polyploidy is the situation when a plant has more than two sets of chromosomes. Polyploidy breeding is used to boost plant vigor, fruit size and stress tolerance. It is usually caused by drugs such as colchicine. Polyploid crops generally have better traits, such as bigger blooms, thicker leaves and more biomass. It has been extensively employed in decorative plants, fruits and feed crops [50].

Heterosis Breeding

Hybrid vigor, or heterosis, is the phenomenon in which hybrids

are superior than their parents. The aim of heterosis breeding is to generate hybrids with greater yield, better adaptability and improved resilience to stressors. It is widely utilized in cross-pollinated crops including maize, sunflower, pearl millet and many others. Hybrid cultivars provide much better yields than traditional kinds but farmers have to acquire fresh hybrid seeds every season ^[51].

Biotechnological Methods in Plant Breeding

Modern plant breeding increasingly uses biotechnology to accelerate crop improvement.

Marker-Assisted Selection

Molecular markers linked to important traits help breeders identify desirable plants at an early stage without waiting for trait expression. This method increases precision and reduces breeding time ^[52]. It is especially useful for improving disease resistance, drought tolerance, and crop yield in modern plant breeding programs. Marker-assisted selection also helps in developing superior crop varieties more efficiently and accurately than conventional breeding methods. The steps involved in MAS are illustrated in Figure 2.




Fig 2: Steps involved in marker assisted selection (MAS)

Genetic material engineered

Genetic engineering may be used to transfer certain genes from one creature to another. It has been proven that this strategy may be utilized to create crops resistant to insects, tolerant to herbicides and with increased nutritional quality ^[53]. It allows researchers to add desired features in a more expeditious and accurate way than more traditional methods of breeding. The agricultural productivity is increased, the use of pesticides is minimized and the technology helped to enhance the global food security.

Tissue Cultures

In plant breeding attempts, procedures like as micro-propagation, embryo rescue, and somaclonal variation are routinely used. These strategies are applied for quick multiplication and growth of disease-free plants ^[54]. Such processes make it feasible to get a huge number of genetically identical plants in a short period of time. And all this may be done within a laboratory, under controlled circumstances. Tissue culture is a very valuable approach especially for the conservation of rare and endangered plant species and for the

development of plants that are difficult to grow by traditional means. It also contributes in the creation of better crop types with higher yields, more resilient to stress and resistant to disease.

Gene editing

Newer methods to edit the genome, like as CRISPR-Cas9, provide the capacity to make precise and targeted modifications to genes associated with crucial agricultural properties. Now scientists can cut and paste certain DNA sequences with almost perfect precision, using a gene-editing tool called CRISPR-Cas9 (Figure 3). Genome editing has offered new avenues for quick and cost-effective crop improvement by improving traits like as resilience to disease and drought, increased yield and better nutritional quality ^[55]. The process is faster than more traditional breeding approaches, resulting in a decrease in the time it takes to make better crop kinds and a reduction in the number of undesirable genetic alterations. The accuracy and speed with which genome editing manages the editing process make it a potential tool for sustainable agriculture and global food security.




Fig 3: CRISPR/Cas9-mediated genome editing in plants

Major Breeding Methods (Pros and Cons)

Various breeding methods have been developed to create improved crop varieties, each with specific strengths and trade-offs. Table 1 lists major approaches (classical and modern) with their advantages and disadvantages [56, 57, 58, 59]. Conventional breeding techniques have played a major role in crop improvement for decades, while modern molecular and genomic

tools have significantly increased the precision and speed of breeding programs. The choice of a breeding method depends on factors such as crop species, target traits, available resources, and breeding objectives. Integrating traditional and advanced breeding approaches is increasingly important for developing high-yielding, stress-tolerant, and nutritionally improved crop varieties suited to changing environmental conditions.

Table 1: Comparison of Major Plant Breeding Methods with Their Advantages and Disadvantages

Method	Advantages	Disadvantages
Conventional cross-breeding	Exploits natural variation; low-tech	Slow progress; traits may be environment-dependent; limited precision
Hybrid breeding	Strong heterosis; significantly higher yield	Requires development of pure inbred parents; complex seed production; uniform genetics may reduce diversity
Mutation breeding (radiation/chem)	Generates novel variation without transgenes	Random changes; many unwanted mutations; time-consuming to screen
Polyploid breeding	Can increase vigour, adaptability, size	Complex inheritance; may produce fertility issues; not applicable to all crops
Doubled haploids	Instant generation of homozygous lines; speeds inbreeding	Technical difficulty; requires tissue culture expertise; limited to responsive species
Marker-assisted selection (MAS)	Early-stage selection (e.g. seedlings); environment-independent	High initial genotyping cost; requires known markers linked to traits; recombination may break marker-trait linkage
Genomic selection (GS)	Improves complex traits (polygenic) via genome-wide prediction; accelerates breeding cycles	Expensive high-density genotyping; requires large training populations; statistical complexity
Backcross breeding	Efficient introgression of target gene(s) into elite varieties	Repeated backcrossing is labour-intensive; potential linkage drag (undesirable genes)
Recurrent selection	Improves quantitative traits (e.g. yield); maintains diversity in population	Slow (many cycles needed); requires reliable phenotyping each cycle
Mass selection	Simple and low-cost; useful for traits with high heritability	Inefficient for low-heritability traits; many generations needed; risk of losing rare alleles

Genetic Technologies and Applications: Modern breeding uses many molecular and genomic technologies. Table 2 highlights key genetic tools and their typical applications in crop improvement [60, 61, 62]. These advanced technologies have greatly improved the efficiency, accuracy, and speed of plant breeding programs compared to conventional methods. Molecular tools

enable the identification and manipulation of genes associated with important agronomic traits such as yield, disease resistance, stress tolerance, and nutritional quality. The integration of genomics, bioinformatics, and biotechnology is also helping breeders develop climate-resilient and sustainable crop varieties to meet future agricultural demands.

Table 2: Major Molecular and Genomic Tools Used in Modern Crop Improvement and Their Applications

Technology	Application in Crop Breeding
Molecular markers (RFLP, SSR, SNP)	Identify and track genes or QTL; genetic mapping of traits; fingerprint varieties.
Marker-Assisted Selection (MAS)	Select individuals carrying target genes (disease resistance, quality, etc.) without phenotyping.
Genomic Selection (GS)	Use genome-wide marker profiles to predict breeding values; accelerate improvement of complex traits like yield and stress tolerance.
Mutation & TILLING	Introduce or identify new alleles (e.g. target a gene for herbicide tolerance via mutation) followed by screening for desired mutations.
Transgenic modification (GM)	Insert foreign or synthetic genes (e.g. Bt toxin gene for insect resistance, or nutrient-biosynthesis genes) to create traits not possible by crossing.
Genome editing (CRISPR/Cas9, TALEN)	Precisely knock out or alter specific plant genes (e.g. remove a yield-limiting gene, fix a single nucleotide in an essential gene) for trait improvements.
RNAi / Gene silencing	Silence expression of undesirable genes (e.g. reduce allergens or pigments, improve taste or shelf life).
Double haploid production	Quickly generate homozygous lines from hybrids for inbred line development.
Tissue culture (micropropagation)	Mass-produce clones of elite plants; enable embryo rescue in wide crosses; facilitate genetic transformation.
Association mapping (GWAS)	Scan natural diversity panels to associate DNA variants with traits (e.g. identify genes for drought tolerance).

Notable Crop Improvement Examples

A few significant examples highlight the use of genetics and breeding approaches. The Green Revolution production of semi-dwarf wheat and rice varieties, for example, employed traditional crosses led by trait selection, leading to a remarkable increase in grain output. High-yielding hybrids were developed via hybrid breeding and utilized extensively in maize^[63]. Bt genes were introduced into cotton and maize, making them resistant to insects. This was quite successful and resulted in reduced pesticide usage. One example of nutritional metabolic engineering is Golden Rice (transgenic rice containing provitamin A). Examples include flooding tolerant rice (Sub1 gene) and disease resistant cassava (CMD2 gene) developed via marker aided backcrossing, showing that even single gene features may safeguard yield under stress^[64]. Recently, CRISPR-edited wheat with knock-out of MLO genes shown high powdery mildew resistance with no yield loss. These case studies demonstrate the importance of combining knowledge of genetics with the appropriate breeding method to make large advances in traits. Crop development has been crucial in raising agricultural output, enhancing food quality and maintaining food security globally^[65]. Scientists have produced crop varieties that are more yielding, disease resistant, stress tolerant and have improved nutritional content using plant breeding, biotechnology and current genetic technologies. Many enhanced crop types have revolutionized agriculture and have made major contributions to economic prosperity and farmer welfare. Below are some significant instances of agricultural improvement in various crops^[66].

1. Semi-Dwarf Wheat Varieties

The creation of semi-dwarf wheat cultivars was made during the Green Revolution which is referred as one of the most remarkable accomplishments in the area of agricultural development. Lodging of traditional types of wheat happened when large quantities of fertilizer were applied because of the tallness of individuals. The scientists were able to create dwarf variants with stronger stems and a greater response to fertilizer levels. The introduction of cultivars such as Kalyan Sona and Sonalika brought to a notable boost in wheat yield in India. These were early maturing types with big yield and lodging resistance. Norman Borlaug's work was essential in the success of wheat development efforts worldwide^[67].

2. High-Yielding Rice Varieties

The influence of programs aimed to boost rice production has been extensive on food production across Asia. The introduction

of semi-dwarf rice cultivars such as IR8, popularly referred to as "Miracle Rice," has resulted in a considerable increase in the quantity of rice produced. These types were also shorter and more responsive to fertilization and produced more grain. Later, more sophisticated rice varieties resistant to pests, diseases, drought and salt were produced. The advent of hybrid rice technology enhanced the potential yield. Two more aims that contemporary rice breeding strives to attain are biofortification and climatic resistance^[68].

3. Hybrid Maize Development

It might be said that hybrid maize is one of the most effective instances of heterosis breeding. Hybrid variants have a substantially greater yield than open-pollinated species. Besides this, there is increased flexibility, resistance to disease, and stability in the growing process. The widespread use of hybrid maize seeds has resulted in considerable increases in maize yields in a number of nations. Modern hybrids are also produced for traits including drought tolerance, enhanced nutritional value, and industrial use^[69].

4. Bt Cotton

A genetically modified kind of cotton called Bt cotton was developed by inserting a gene from the bacteria *Bacillus thuringiensis*. The presence of this gene allows the plant to create proteins that are poisonous to many insect pests including bollworms in particular. In many parts of the world, the introduction of Bt cotton resulted in less crop loss, less need for pesticides and more cotton produced. It has become one of the most extensively utilized genetically modified crops in nations such as India, United States of America and China^[70].

5. Golden Rice

Golden Rice is a quintessential case of biofortification. The rice grains were genetically modified to synthesize beta-carotene, a precursor of vitamin A. This was achieved via the usage of genes. Vitamin A deficiency is a severe nutritional concern in many underdeveloped nations. Golden Rice development was directed at human nutrition and fighting diseases related by nutritional deficiencies, notably vitamin A insufficiency in youngsters^[71].

6. Quality Protein Maize (QPM)

The normal maize kernel does not contain adequate levels of the important amino acids, lysine and tryptophan. The scientists were able to create Quality Protein Maize by altering the nutritional makeup of the maize protein. In areas where maize is

the staple food, QPM variants have a definite advantage since they are more nutritious. The use of these adjustments helps to increase the quantity of protein intake and battle malnutrition [72].

7. Disease-Resistant Potato Varieties

There are a variety of diseases affecting potato crops, including late blight, bacterial wilt and viruses. Both traditional breeding techniques and biotechnology have been utilized by breeders to generate disease resistant types of potatoes. Improved potato cultivars are correlated with smaller production losses, less usage of pesticides, and better tuber quality. In addition, the production of disease-free seed tubers is often done via tissue culture procedures [73].

8. Drought-Tolerant Sorghum and Millet

In the dry and semi-arid areas, sorghum and millets are two important crops. Through agricultural research and development, drought-resistant cultivars that can withstand circumstances of water scarcity have been created. The superior cultivars in issue are characterized by early maturity, improvement in grain quality and resilience to the harmful impacts of environment stressors. Such crops are becoming increasingly essential in climate resilient agriculture [74].

9. Sugarcane Improvement

Modern cultivars of sugarcane have been created to enhance the sugar content of the crop, the cane yield, and to make the crop resistant to diseases and pests. Another goal of breeding programs is to develop cultivars that are able to react to a diversity of weather conditions. Improved sugarcane cultivars are generally seen as an important factor in the production of sugar and biofuel sectors [75].

10. Improved Pulse Varieties

Pulses are a source of protein from plants. Crop improvement programmes have been launched on many crops including chickpea, pigeon pea, lentil and mung bean which have led in the production of cultivars with higher yield, disease resistance and shorter duration. Early maturing pulse cultivars may be employed in different cropping systems and enhance soil fertility via nitrogen fixation [76].

11. Biofortified Crops

Biofortification is the practice of increasing the nutritional value of crops via the use of breeding methods and biotechnology. Other examples are pearl millet, which is high in iron, wheat, which is high in zinc, and sweet potatoes, which are rich in vitamin A [77].

12. Climate-Resilient Crop Varieties

We want crops that can tolerate stress because of climate change. Scientists have produced strains of crops that are resistant to things such as heat, salt, drought and flood. For example, you may use rice types that can tolerate lengthy periods of waterlogging, and wheat kinds that can tolerate high temperatures to provide meals when temperatures rise. These discoveries are very important for future food security [78].

Future Directions and Challenges

Crop improvement and plant breeding have contributed significantly to the growth of agriculture and enhancement of food security at the international level. However, new

difficulties for agriculture are appearing as a result of the growing world population, the degradation of the environment, the depletion of natural resources and the emergence of changing preferences of customers. Therefore, the aim of future breeding activities should not only be to increase output, but also to improve the sustainability, nutritional quality, environmental protection and resilience to biotic and abiotic issues [79, 80, 81, 82, 83, 84]. Modern science and technology provide plant breeders new chances but yet many scientific, economic and social hurdles need to be crossed.

1. Climate-Resilient Crop Development

One of the most significant objectives for the future of plant breeding is the development of crops resistant to the impacts of climate change. Many areas are seeing adverse impacts on agricultural productivity, owing to variables such as increasing temperatures, erratic rainfall, droughts, floods, salinity and harsh weather conditions. In the future, breeding will focus on the development of cultivars tolerant to these environmental constraints and able to provide stable yields. Breeders are increasingly using stress physiology, molecular markers and genomic techniques to find genes related with heat tolerance, drought resistance and the capacity to withstand floods. Crops that can adapt to changing weather conditions will be vital to ensure there is enough food to go around.

2. Biofortification and Nutritional Security

Millions of individuals throughout the world are suffering from a form of hunger that is not easily obvious, due to shortages in vitamins and minerals. In the future, attempts to enhance crops are projected to increasingly rely on biofortification, the process of enhancing crops' nutritional content. And researchers are trying to produce crops with higher levels of iron, zinc, vitamin A and protein to boost the health of the general population. Some of the crops presently being developed for greater nutritional value include nutrient-dense rice, wheat, maize, sweet potato and pearl millet. These differences have the potential to lessen hunger, particularly in economically disadvantaged nations.

3. Application of Biotechnology

Biotechnology is gaining momentum in the area of plant breeding. In the future, methods like molecular breeding, genetic engineering, and genome editing are likely to be increasingly important for crop development. CRISPR-Cas and other gene editing technologies may make specific alterations to genes that control important agricultural characteristics. Moreover, these technologies may improve the accuracy of the breeding process and speed up the procedure, compared to more conventional approaches. Also, it aids in the creation of crops that are resistant to factors such as insects, diseases, herbicides and environmental constraints.

4. Marker-Assisted and Genomic Selection

Modern breeding utilizes genetic markers and genomic information for the selection of better plants at early stages of plant growth. This way breeders may decide which genes are selected, without having to wait for the plant to be at its maximum developmental potential. Genomic selection is a powerful tool that may be used to improve complex traits like as yield and stress tolerance. This approach is based on whole genome data, and is based on prediction of breeding values. These strategies help to make breeding more efficient and hasten the process up.

5. Sustainable Agriculture and Resource Efficiency

Breeding programs of the future must contribute to the sustainability of agriculture by developing types that utilize water, fertilizer and nutrients more efficiently. Increasing the efficiency of crop use of water and nutrients would allow for reductions in the quantity of pollutants emitted into the environment and improved resource conservation. Another part of breeding initiatives is to decrease dependence on chemical pesticides via the development of cultivars resistant to pests and illnesses.

6. Integration of Artificial Intelligence and Digital Technologies

Technologies like artificial intelligence, machine learning, remote sensing, drones and big data analytics are being used at a rapid rate and are essential for contemporary agriculture and plant breeding. These tools enable breeders to analyze large data sets and provide predictions regarding plant performance, improving their decision making. Development of digital phenotyping and precision agricultural technologies are expected to increase the speed and accuracy of crop modification programs.

7. Development of Hybrid and Synthetic Varieties

Hybrid breeding will continue to be a major tool to improve agricultural output. Future breeding procedures might potentially include population breeding and the use of synthetic variants. This would enable maintaining a diverse gene pool while enhancing production and adaptation at the same time. These hybrid crops with improved tolerance to stress and nutritional quality are expected to play an increasingly major role.

8. Conservation and Utilization of Genetic Resources

Wild cousins, landraces and ancient crop types have considerable genes for resistance and adaptability. In the future, plant genetic resources stored in gene banks and in natural ecosystems will be more significant for crop development projects. The preservation of biodiversity is important since it is the elemental components that are necessary for future reproduction.

Challenges in Crop Improvement

There has been great progress in plant breeding, but there are still a vast number of major barriers to overcome. Climate change, the emergence of new diseases and pests, the decline in genetic variety and increasing demands for food place rising strain on crop development programmes. In addition, the creation of better kinds is generally a lengthy process requiring large quantities of resources, modern technology and excellent coordination between scholars and companies.

1. Climate Change

“Climate change is one of the biggest challenges facing agriculture globally. Crop yields are under threat from hard-to-predict climate changes, heat waves, droughts, floods and the arrival of new pests. Stress tolerance is a highly complex trait that requires interactions among numerous genes and the environment and so it is difficult to design crops that are capable of tolerating stress.

2. Declining Genetic Diversity

Modern agriculture depends on a few high-yielding cultivars and, as a consequence, genetic diversity is being lost. The elimination of wild species and traditional kinds will reduce the

number of valuable genes for future breeding. The conservation and maintenance of plant genetic variety for sustainable agricultural development remains a daunting task.

3. Emerging Pests and Diseases

Diseases and insect pests continue to appear in novel strains which may overcome resistance currently existent in certain crop varieties. The process of breeding is crucial with continuous breeding attempts to generate resistant cultivars. Climate change and global commerce are also likely to be major factors to the development of exotic diseases and pests.

4. Limited Natural Resources

Soil fertility is deteriorating, water is scarce, land is degrading - agriculture is under growing strain. The crops that follow should be more productive and need fewer inputs. Breeding for efficiency in the utilization of resources is challenging since the traits involved are typically polygenic and affected by environmental influences.

5. Public Concerns about Biotechnology

Biotechnology has enormous promise, but genetically modified crops tend to be the subject of public concern over safety, environmental effects and ethical considerations. Modern breeding methods may be limited by legislation and by what society finds acceptable. For biotechnology to be used successfully, the population must be informed about scientific advances and proper biosafety protocols.

6. High Cost and Long Duration of Breeding Programs

BR: Developing a new crop variety involves a number of years of study, testing in the field, and assessment. Technologies such as genomic selection and gene editing need a competent team and a costly infrastructure.

7. Complex Nature of Quantitative Traits

Many genes controlling yield, drought tolerance and quality are very sensitive to environmental factors. The development of these complex traits is one of the biggest scientific issues in plant breeding.

8. Balancing Yield and Sustainability

You need to safeguard the environment and you need to increase the quantity of product that is taken from the earth. Ecosystems may be affected by the overuse of fertilizers, pesticides and irrigation equipment. The future development of crops will have to include both production and environmental sustainability.

Conclusion

Genetics has revolutionized modern agriculture in the sowing of seeds. From Mendel's peas to the modern-day genome-edited crops, each breakthrough has provided new capabilities to the breeders. Today, sophisticated molecular techniques allow us to target previously intractable traits and speed up breeding cycles. But technology is not enough. The combination of these technologies with a strong breeding plan, a wide base of genetic resources and collaboration between public and private sectors will define the future of agricultural output. Genetics-driven breeding has the potential to further improve yields and sustainability for the world's food crops by tackling increasing challenges in climate stress, nutrition and access equity. The future of crop development and plant breeding has to be planned with regard to global food security, environmental sustainability and human nutrition. Advances in biotechnology, genetics,

artificial intelligence and precision agriculture are opening exciting possibilities for designing improved crop varieties. On the other hand, climate change, the depletion of resources, the emergence of new illnesses and the loss of biodiversity are issues that need constant innovation and cooperation amongst specialists. The ultimate aim of future breeding programmes must be to develop resilient, nutritious, high producing and sustainable crops that can meet the demands of a constantly growing world population. Plant breeders may combine conventional breeding approaches with new technology and so contribute significantly to the development of sustainable agriculture and to the provision of secure sources of food for future generations.

References

1. Tanksley SD, McCouch SR. Seed banks and molecular maps: Unlocking genetic potential from the wild. *Science*. 1997;277(5329):1063-1066.
2. Baenziger PS, Russell WK, Graef GL. Plant breeding: Importance of genetic diversity. In: *Plant Breeding Reviews*. Wiley-Blackwell; 2007. p. 129-162.
3. Huang S, Li R, Zhang Z, Li L, Gu X, Fan W, *et al.* The draft genome of the cucumber (*Cucumis sativus* L.) reveals insights into genome evolution and fruit development. *Nature Genetics*. 2009;41(12):1275-1285.
4. Li JY, Wang J, Zeigler RS, The B. Molecular mapping of genes for resistance to rice stripe virus in two indica rice cultivars (*Oryza sativa* L.). *Theoretical and Applied Genetics*. 2001;103(4):526-532.
5. Sweeney MT, McCouch SR. The complex history of the domestication of rice. *Annals of Botany*. 2007;100(5):951-957.
6. Xu Y, Crouch JH. Marker-assisted selection in plant breeding: From publications to practice. *Crop Science*. 2008;48(2):391-407.
7. Myles S, Boyko AR, Owens CL, Brown PJ, Grassi F, Aradhya MK, *et al.* Genetic structure and domestication history of the grape. *Proceedings of the National Academy of Sciences USA*. 2011;108(9):3530-3535.
8. Rife TW, Poland JA. Field-based high throughput phenotyping for maize and wheat breeding. *Methods in Molecular Biology*. 2012;877:131-148.
9. Tanksley SD, Young ND, Paterson AH, Bonierbale MW. RFLP mapping in plant breeding: New tools for an old science. *Biotechnology*. 1989;7(3):257-264.
10. Collard BCY, Mackill DJ. Marker-assisted selection: An approach for precision plant breeding in the twenty-first century. *Philosophical Transactions of the Royal Society B Biological Sciences*. 2008;363(1491):557-572.
11. Heffner EL, Sorrells ME, Jannink JL. Genomic selection for crop improvement. *Crop Science*. 2009;49(1):1-12.
12. Crossa J, Pérez-Rodríguez P, Cuevas J, Montesinos-López OA, Jarquín D, de Los Campos G, *et al.* Genomic selection in plant breeding: Methods, models, and perspectives. *Trends in Plant Science*. 2017;22(11):961-975.
13. Hickey LT, Hafeez AN, Robinson H, Jackson SA, Leal-Bertioli SCM, Tester M, *et al.* Breeding crops to feed 10 billion. *Nature Biotechnology*. 2019;37(7):744-754.
14. Spindel J, Begum H, Akdemir D, Virk P, Collard B, Redoña E, *et al.* Genomic selection and association mapping in rice (*Oryza sativa*): Effect of trait genetic architecture, training population composition, marker number and statistical model on accuracy of rice genomic selection in elite, tropical rice breeding lines. *PLoS Genetics*. 2015;11(2):e1004982.
15. Jannink JL, Lorenz AJ, Iwata H. Genomic selection in plant breeding: From theory to practice. *Briefings in Functional Genomics*. 2010;9(2):166-177.
16. Acquaah G. *Principles of Plant Genetics and Breeding*. Wiley; 2012.
17. Allard RW. *Principles of Plant Breeding*. Wiley; 1999.
18. Poehlman JM, Sleper DA. *Breeding Field Crops*. Wiley; 2006.
19. Athwal DS, Stuber CW. Hybridization of crop plants. In: Smith CW, Betran FJ, editors. *Corn: Origin, History, Technology, and Production*. Wiley; 2004. p. 375-422.
20. Gupta PK, Varshney RK. *Cereal Genomics: Methods and Protocols*. Humana Press; 2014.
21. Bernardo R. Molecular markers and selection for complex traits in plants: Learning from the last 20 years. *Crop Science*. 2008;48(5):1649-1664.
22. Jannink JL, Lorenz AJ, Iwata H. Genomic selection in plant breeding: From theory to practice. *Briefings in Functional Genomics*. 2010;9(2):166-177.
23. Ma X, Zhang Q, Zhu Q, *et al.* A robust CRISPR/Cas9 system for convenient, high-efficiency multiplex genome editing in monocot and dicot plants. *Molecular Plant*. 2015;8(8):1274-1284.
24. Shan Q, Wang Y, Li J, Zhang Y, Chen K, Liang Z, Gao C. Targeted genome modification of crop plants using a CRISPR-Cas system. *Nature Biotechnology*. 2013;31(8):686-688.
25. Reynolds M, Foulkes MJ, Slafer GA, Berry P, Parry MA, Snape JW. Raising yield potential in wheat. *Journal of Experimental Botany*. 2009;60(7):1899-1918.
26. Araus JL, Slafer GA, Reynolds MP, Royo C. Plant breeding and drought in C3 cereals: What should we breed for? *Annals of Botany*. 2002;89(7):925-940.
27. Fischer RA, Edmeades GO. Breeding and cereal yield progress. *Crop Science*. 2010;50(S1):S85-S98.
28. Singh RP, Hodson DP, Jin Y, Huerta-Espino J, Kinyua MG, Wanyera R, *et al.* The emergence of Ug99 races of the stem rust fungus is a threat to world wheat production. *Annual Review of Phytopathology*. 2015;49:465-481.
29. Concibido VC, Denny RL, Boutin SR, Hautea RA, Orf JH, Young ND, *et al.* DNA marker analysis of accessions in the USDA soybean germplasm collection resistant to *Heterodera glycines*. *Theoretical and Applied Genetics*. 2004;109(7):1448-1455.
30. Lafitte HR, Courtois B, Atlin GN, Hammer GL. Helping rice to survive water shortages. *IRRI Research Digest*. 2004;3(3):1-3.
31. Prajval V, Krishnamoorthi A, Thakur R, Ruchitha T, Kapoor M, Singh A, *et al.* From code to crop: How bioinformatics is transforming crop genomics in modern agriculture and bettering environment. *Journal of Advances in Biology & Biotechnology*. 2024;27(4):27-49.
32. Anushi SS, Krishnamoorthi A, Kumar S, Pareta P, Kalaiselvi P, Sinha G, *et al.* Biotech bounty on verge: GM (genetically modified) crops and the science of sustainable agriculture and horticulture.
33. Anushi M, Jain S, Sharma R, Thapliyal V. *The Horticulture Encyclopedia*.
34. Anushi FD, Krishnamoorthi A, Singh V. Enhancing sustainable food systems through the cultivation of nutrient-rich crops: Millets.
35. Septiningsih EM, Pamplona AM, Sanchez DL, Neeraja CN,

- Vergara GV, Heuer S, *et al.* Development of submergence-tolerant rice varieties: The Sub1 locus and beyond. *Annals of Botany*. 2009;103(2):151-160.
36. Rincen R, Laloe D, Nicolas S, Altmann T, Brunel D, Revilla P, *et al.* Maximizing the reliability of genomic selection by optimizing the calibration set of reference individuals: Comparison of methods in two diverse groups of maize inbreds (*Zea mays* L.). *Genetics*. 2014;16:184-195.
 37. Ray DK, Mueller ND, West PC, *et al.* Yield trends are insufficient to double global crop production by 2050. *PLoS ONE*. 2013;8(6):e6642.
 38. Dwivedi SL, Ceccarelli S, Blair MW, Upadhyaya HD, Are AK, Ortiz R. Landrace germplasm for improving yield and abiotic stress adaptation. *Trends in Plant Science*. 2017;22(5):337-348.
 39. Kumar R, Kaur R, Kaur R, Bains NS. Molecular breeding approaches for enhancing nutrient use efficiency and crop productivity. *3 Biotech*. 2018;8(7):305.
 40. Dempewolf H, Baute G, Anderson J, *et al.* Past and future use of wild relatives in crop breeding. *Crop Science*. 2017;57(3):1070-1082.
 41. Ceccarelli S, Grando S, Maatougui M, *et al.* Plant breeding and climate changes. *Journal of Agricultural Science*. 2010;148(6):627-637.
 42. Shrestha R, Padulosi S, editors. *The role of plant genetic resources in reclaiming lands and ecosystem services in dry areas*. Springer; 2019.
 43. Tuberosa R, Graner A, editors. *Genomics of Plant Genetic Resources*. Springer Science & Business Media; 2012.
 44. Collard BC, *et al.* An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement: The basic concepts. *Euphytica*. 2005;142(1-2):169-196.
 45. Ceccarelli S, Guimaraes EP, editors. *Plant breeding and farmer participation*. Food and Agriculture Organization of the United Nations; 2008.
 46. Singh A, Labanya GSR. Exploring the role of hydrogen in agriculture for machinery, biomass and reducing carbon footprints. *Plant Archives*. 2025;25(1):2852-2863.
 47. Debnath P, Raj R. Optimizing functional genomics and application of root wounding and immersion for enhanced virus-induced gene silencing in plants: A comprehensive review. *Plant Archives*. 2025;25(1):3115-3126.
 48. Krishnamoorthi A, Chaurasia J, Baidya BK, Singh A, Kumar V, Singh A. A comprehensive review on evolution, challenges of models, opportunities in urban farming practices in the world. *Journal of Scientific Research and Reports*. 2024;30(6):136-156.
 49. Raghuvanshi HR, Kalaiselvi P, Ravindra NR, Kumar V. Biotechnological breakthroughs: Paving the path to cleaner and more productive agriculture through bioremediation. *Journal of Advances in Biology & Biotechnology*. 2024;27(4):119-142.
 50. Bhardwaj R, Kumar M, Kaushal N, Kamboj AD, Krishnamoorthi A, Singh A, *et al.* From lab to bouquet: The biotechnological frontier in modern floriculture for sustainable and resilient flower farming. *Journal of Advances in Biology & Biotechnology*. 2024;27(2):119-137.
 51. Jain S, Ranganna G, Jadhav PS, Shrivastava U, Sood A, Prasad L, *et al.* Cultivating tomorrow: Harnessing gene editing and silencing for precision horticulture. *Journal of Advances in Biology & Biotechnology*. 2024;27(1):147-160.
 52. Krishnamoorthi A, Salam NK, Kalaiselvi D, KB C, Kumar S, Kumar V, *et al.* Digital sequencing information in agricultural crops: A comprehensive review. *International Journal*. 2024;8(8):1404-1412.
 53. International Service for the Acquisition of Agri-biotech Applications. *Commercialized biotech/GM crops*. ISAAA Brief No. 54. Ithaca (NY): ISAAA; 2018.
 54. Tanksley SD, McCouch SR. Seed banks and molecular maps: Unlocking genetic potential from the wild. *Science*. 1997;277(5329):1063-1066.
 55. Bradshaw JE. *Plant breeding: Past, present, and future*. Euphytica. 2016;207(3):535-548.
 56. Ceccarelli S, Grando S, Bailey E. Participatory plant breeding in developing countries. *Euphytica*. 2001;122(3):469-475.
 57. Cobb JN, Biswas PS, Platten JD. Back to the future: Revisiting MAS as a tool for modern plant breeding. *Theoretical and Applied Genetics*. 2019;132(3):647-667.
 58. Collard BCY, Mackill DJ. Marker-assisted selection: An approach for precision plant breeding in the twenty-first century. *Philosophical Transactions of the Royal Society B Biological Sciences*. 2008;363(1491):557-572.
 59. Evans LT. *Crop evolution, adaptation, and yield*. Cambridge University Press; 1993.
 60. Fischer RA, Edmeades GO. Breeding and cereal yield progress. *Crop Science*. 2010;50(3):S85-S98.
 61. Gepts P. A comparison between crop domestication, classical plant breeding, and genetic engineering. *Crop Science*. 2002;42(6):1780-1790.
 62. Jones H, Ougham H. Marker-assisted selection in wheat. *Plant Biotechnology Journal*. 2006;4(4):411-424.
 63. Koornneef M, Meinke D. The development of Arabidopsis as a model plant. *The Plant Journal*. 2010;61(6):909-921.
 64. Rimpika, Anushi, Manasa S, Anusha KN, Sharma S, Thakur A, *et al.* An overview of precision farming. *International Journal of Environment and Climate Change*. 2023;13(12):441-456.
 65. Jain S, Bhujel S, Shrivastava U, Mohapatra A, Mishra G. Advancements in drone technology for fruit crop management: A comprehensive review. 2023.
 66. Anushi AK, Ghosh PK. From seed to succulence: Mastering dragon fruit propagation techniques. *Journal of Plant Biota*. 2024.
 67. Lee EA, Tollenaar M. Physiological basis of successful breeding strategies for maize grain yield. *Crop Science*. 2007;47(S3):S202-S215.
 68. Moose SP, Mumm RH. Molecular plant breeding as the foundation for 21st-century crop improvement. *Plant Physiology*. 2008;147(3):969-977.
 69. Phillips RL, Vasil IK. *DNA-based markers in plants*. Springer; 2001.
 70. Poland JA, Rife TW. Genotyping-by-sequencing for plant breeding and genetics. *The Plant Genome*. 2012;5(3):92-102.
 71. Priyadarshan PM. *Plant breeding: Classical to modern*. Springer; 2019.
 72. Rana RB, *et al.* Participatory plant breeding in Nepal: A success story. *Agriculture and Human Values*. 2007;24(3):387-396.
 73. Ray DK, Mueller ND, West PC, Foley JA. Yield trends are insufficient to double global crop production by 2050. *PLoS ONE*. 2013;8(6):e66428.
 74. Ribaut JM, Ragot M. Marker-assisted selection to improve drought adaptation in maize. *Journal of Experimental*

- Botany. 2007;58(2).
75. Singh BD. Plant breeding: Principles and methods. Kalyani Publishers; 2001.
 76. Tester M, Langridge P. Breeding technologies to increase crop production in a changing world. Science. 2010;327(5967):818-822.
 77. Varshney RK, *et al.* Genomics-assisted breeding for crop improvement. Trends in Plant Science. 2014;19(5):353-361.