


International Journal of Advanced Biochemistry Research



ISSN Print: 2617-4693
 ISSN Online: 2617-4707
 NAAS Rating (2026): 5.29
 IJABR 2026; 10(5): 650-654
www.biochemjournal.com
 Received: 02-03-2026
 Accepted: 06-04-2026

Debabrata Das
 ICAR-CIFRI, Barrackpore,
 Kolkata, West Bengal, India

Aranya Das
 Chandigarh University,
 Chandigarh, India

Prakriti Das
 Amity University Kolkata,
 West Bengal, India

Santa Ana
 Academy In Modern
 Ayurvedic, AIMA, West
 Bengal, India

Corresponding Author:
Debabrata Das
 ICAR-CIFRI, Barrackpore,
 Kolkata, West Bengal, India

The discovery in hydrogen ion + often negatively correlated with digital soil-CEC metal elements in the environment and helping all apical dominances both in plants and animals

Debabrata Das, Aranya Das, Prakriti Das and Santa Ana

DOI: <https://www.doi.org/10.33545/26174693.2026.v10.i5h.8484>

Abstract

This Research Article dealt Discovery with Hydrogen Cation that helps in all apical dominances both in plants and animal Since Ayurveda digital biochemistry describes that H + ion helps in every apical-movements and every positive features in biology in environmental-biochemistry complemented H + often inhibited by the soil CEC whereas H + is promoted by digital hydroponic & digital "DISPER-EEM" DISease PERcentage null with Environment Editing Model by lowering Digital CEC below 20 meq per 100 g Soil Sample in universal mission. H + Ion helps in apical-movements and every positive features in biology including tallness both in plants and animals allinhibited by digital CEC and promoted by holy "DISPER-EEM" Ecotechnology a digital cation exchange capacity in environments that determines every-features in plants and animals biology ecology and ecotechnology "DISPER-EEM" may be the best Ecotechnology owing to digital cation exchange capacity in environments that determines every features in biology. DISPER-EEM DISease PERcentage null with EEM environment Editing Model stated that digital CEC is everything in Biology. A digital CEC below 20 meq per 100 g Soils which usually Rocks, Plateau and sands and gravels environments are non-diseases. Any Ecotechnology is algorithmic relations among environmental parameters in nature and in synthetic environments to find the esteem godness. This Ecotechnology has strong digital application even in natural, Synthetics in Hydroponics and all mankind. Our Study found Every Inland fish-species can be broodable and breedable well within the low TDS viz i.e. Total Dissolved Solids below 100 ppm or alternatively a low Water-Hardness below 150 ppm. Beyond this any higher water Hardness or water TDS results lack of Oxygen causing hazards or may be considered as environmental pollutions to all the young off-springs the same scientific principle is applied in digital Hydroponic as well. Recently we derive dissolved Oxygen can be judged based on water Temperature following Ecotechnology. Not only in water Environmental Soils are having a huge 93 metals and many ions 86 Metals are harmful to every Biology whereas water having 7 dissolved metals and sand is the better and best medium as digital hydroponics than conventional soils. Thus in agriculture and fisheries Ecotechnology DISPER is used Its apparent that the water hardness or metals contents or digital CEC can be well identified with the Satellite based remote sensed digital data or grey-values also and hence less metals digital hydroponics or any environment are beneficial to Biology and Dissolved Oxygen can be determined remotely as well with water Temperature to benefit fisheries and Hydroponics. Study has been found that and excessive water-hardness results excessive metals in soil, excessive poisonous metals and heavy metals (86) are very harmful and can be controlled with adding Ash and ash also in water the best medium to make water more transparent or a low TDS or low Water-Hardness and make congenial Fishes to breed and hatch at the same time makes the best environment This communication has applied Ecotechnology namely Digital CEC in sediments or environment is everything to biology, all plants and animals. Present communication has been showing H + is very essential and linear relations between H + in environments and commonly measuring Metals in Environments that changing amount of H + Ions.

Keywords: H + in apical movement in all biology, the best Ecotechnology is DISPER-EEM, digital CEC is controlling H +, DISPER-EEM to make Environment disease-less, digital health & environment

Introduction

In Digital Science authors have revealed that a low digital CEC matters everything in biology ecology and ecotechnology.

This article and advancement and dealt the Discovery with Hydrogen Cation helps in apical dominances and every positive features both in the plants and animal. Since Ayurveda digital biochemistry describes that H⁺ ion helps in every apical-movements and every positive features in biology in environmental-biochemistry complemented H⁺ is often inhibited by the soil CEC whereas H⁺ is promoted by digital hydroponic & digital “DISPER-EEM” DISEASE PERcentage null with Environment Editing Model by lowering Digital CEC below 20 meq per 100 g Soil Sample in universal mission. H⁺ Ion helps in apical-movements and every positive features in biology including tallness both in plants and animals all inhibited by digital CEC and promoted by holy “DISPER-EEM” Ecotechnology a digital cation exchange capacity in environments that determines every-features in plants and animals biology ecology and ecotechnology “DISPER-EEM” may be the best Ecotechnology owing to digital cation exchange capacity in environments that determines every features in biology. DISPER-EEM DISEASE PERcentage null with EEM environment Editing Model stated that digital CEC is everything in Biology. A digital CEC below 20 meq per 100 g Soils which usually Rocks, Plateau and sands and gravels environments are non-diseases. Any Ecotechnology is algorithmic relations among environmental parameters in nature and in synthetic environments to find the esteem godness. This Ecotechnology has strong digital application even in natural, Synthetics in Hydroponics and all mankind. Our Study found Every Inland fish-species can be broodable and breedable well within the low TDS viz i.e. Total Dissolved Solids below 100 ppm or alternatively a low Water-Hardness below 150 ppm. Beyond this any higher water Hardness or water TDS results lack of Oxygen causing hazards or may be considered as environmental pollutions to all the young off-springs the same scientific principle is applied in digital Hydroponic as well. Recently we derive dissolved Oxygen can be judged based on water Temperature following Ecotechnology. Not only in water Environmental Soils are having a huge 93 metals and many ions 86 Metals are harmful to every Biology whereas water having 7 dissolved metals and sand is the better and best medium as digital hydroponics than conventional soils. Thus in agriculture and fisheries Ecotechnology DISPER is used Its apparent that the water hardness or metals contents or digital CEC can be well identified with the Satellite based remote sensed digital data or grey-values also and hence less metals digital hydroponics or any environment are beneficial to Biology and Dissolved Oxygen can be determined remotely as well with water Temperature to benefit fisheries and Hydroponics. Study has been found that and excessive water-hardness results excessive metals in soil, excessive poisonous metals and heavy metals (86) are very harmful and can be controlled with adding Ash and ash also in water the best medium to make water more transparent or a low TDS or low Water-Hardness and make congenial Fishes to breed and hatch at the same time makes the best environment This communication has applied Ecotechnology namely Digital CEC in sediments or environment is everything to biology, all plants and animals. Present communication has been showing H⁺ is very essential and linear relations between H⁺ in environments and commonly measuring Metals in Environments that changing amount of H⁺ Ions. H⁺ In Apical movement in all Biology, The best Ecotechnology is DISPER-EEM,

Digital CEC is controlling H⁺, DISPER-EEM to make Environment disease-less, Digital Health & Environment

Methodology

Data Science following yjis Table and depicted Graphics with SPSS AI/ML is applied H⁺ In Apical movement in all Biology, The best Ecotechnology is DISPER-EEM, Digital CEC is controlling H⁺, DISPER-EEM to make Environment disease-less, Digital Health & Environment to find Linear Algorithm Relations between H⁺ and all common the metals present in Soil measured in “meq” possibly every 93 metals in Digital CEC to find relation for the optimum H⁺ found between 1 mole H⁺ per Litre (pH = 1) to 0 mole H⁺ per Litre (pH = 14). With AI/ML we find methodology linear regressions in Ayurveda discovery reveals that H⁺ ion helps in all apical-movements, Totally 14 or every positive features in biology in environmental-biochemistry dealt with H⁺ ions also complementarily H⁺ is often inhibited by the soil digital “CEC” whereas H⁺ is promoted by digital hydroponic & digital “DISPER-EEM” in universal “MISSION”

HYDROGEN Negatively Linearity with Na

Model Description		
Model Name		MOD_1
Dependent Variable	1	HYDROGEN
Equation	1	Linear
Independent Variable		Na
Constant		Included
Variable Whose Values Label Observations in Plots		Unspecified

Linear

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Na	-1.048E-11	.000	-.043	.	.
(Constant)	1.741E-8	.000		.	.

Model Description		
Model Name		MOD_2
Dependent Variable	1	HYDROGEN
Equation	1	Linear
Independent Variable		Ca
Constant		Included
Variable Whose Values Label Observations in Plots		Unspecified

HYDROGEN Positively Linearity with Ca

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Ca	6.785E-11	.000	.060	.	.
(Constant)	1.544E-8	.000		.	.

HYDROGEN Linearly with Mg

Model Description		
Model Name		MOD_3
Dependent Variable	1	HYDROGEN
Equation	1	Linear
Independent Variable		Mg
Constant		Included
Variable Whose Values Label Observations in Plots		Unspecified

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Mg	-2.518E-10	.000	-.183	.	.
(Constant)	2.232E-8	.000		.	.

HYDROGEN Negatively Linearity with Alkalinity

Model Description				
Model Name		MOD_4		
Dependent Variable	1	HYDROGEN		
Equation	1	Linear		
Independent Variable		ALKALINITY		
Constant		Included		
Variable Whose Values Label Observations in Plots		Unspecified		

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	T	Sig.
	B	Std. Error	Beta		
ALKALINITY	-3.797E-11	.000	-.083	.	.
(Constant)	2.203E-8	.000		.	.

HYDROGEN H + Negatively Linearity with Total-hardness

Model Description				
Model Name		MOD_5		
Dependent Variable	1	HYDROGEN		
Equation	1	Linear		
Independent Variable		TOTHARDNESS		
Constant		Included		
Variable Whose Values Label Observations in Plots		Unspecified		

HYDROGEN H + Linearity with Ammonium NH₄⁺

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
TOTHARDNESS	-6.439E-11	.000	-.144	.	.
(Constant)	2.572E-8	.000		.	.

Model Description				
Model Name		MOD_6		
Dependent Variable	1	HYDROGEN		
Equation	1	Linear		
Independent Variable		Ammonia +		
Constant		Included		
Variable Whose Values Label Observations in Plots		Unspecified		

HYDROGEN

Linear

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Ammonia +	4.241E-9	.000	.122	.	.
(Constant)	1.590E-8	.000		.	.

HYDROGEN H + Negatively Linearity with Fe

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Fe	9.033E-11	.000	.010	.	.
(Constant)	1.710E-8	.000		.	.

Curve Estimation.

Model Description				
Model Name		MOD_8		
Dependent Variable	1	HYDROGEN		
Equation	1	Linear		
Independent Variable		Mn		
Constant		Included		
Variable Whose Values Label Observations in Plots		Unspecified		

HYDROGEN H + Linearity with Mn

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Mn	3.632E-9	.000	.100	.	.
(Constant)	1.618E-8	.000		.	.

HYDROGEN H + Negatively Linearity Relation with Zn

Model Description				
Model Name		MOD_9		
Dependent Variable	1	HYDROGEN		
Equation	1	Linear		
Independent Variable		Zn		
Constant		Included		
Variable Whose Values Label Observations in Plots		Unspecified		

HYDROGEN

Linear

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Zn	1.511E-8	.000	.071	.	.
(Constant)	1.615E-8	.000		.	.

HYDROGEN H + Linearity Relation with Cu

Model Description				
Model Name		MOD_10		
Dependent Variable	1	HYDROGEN		
Equation	1	Linear		
Independent Variable		Cu		
Constant		Included		
Variable Whose Values Label Observations in Plots		Unspecified		

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Cu	-3.184E-8	.000	-.027	.	.
(Constant)	1.757E-8	.000		.	.

HYDROGEN H + Linearity Relation with Cd

Model Description				
Model Name		MOD_11		
Dependent Variable	1	HYDROGEN		
Equation	1	Linear		
Independent Variable		Cd		
Constant		Included		
Variable Whose Values Label Observations in Plots		Unspecified		

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Cd	6.817E-8	.000	.044	.	.
(Constant)	1.697E-8	.000		.	.

HYDROGEN H + Linearity Relation with Cr

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Cr	2.126E-9	.000	.020	.	.
(Constant)	1.711E-8	.000		.	.

HYDROGEN H + Linearity Relation with Ni

Model Description			
Model Name		MOD_13	
Dependent Variable		1	HYDROGEN
Equation		1	Linear
Independent Variable			Ni
Constant			Included
Variable Whose Values Label Observations in Plots			Unspecified

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Ni	-9.677E-9	.000	-.040	.	.
(Constant)	1.770E-8	.000		.	.

HYDROGEN H + Linearity Relation with Pb

Model Description			
Model Name		MOD_14	
Dependent Variable		1	HYDROGEN
Equation		1	Linear
Independent Variable			Pb
Constant			Included
Variable Whose Values Label Observations in Plots			Unspecified

Coefficients					
	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
Pb	-3.800E-9	.000	-.052	.	.
(Constant)	1.760E-8	.000		.	.

Results and Discussion

H + In Apical movement in all Biology found in The best Ecotechnology is DISPER-EEM dealt Digital CEC is controlling H + and DISPER-EEM to make Environment disease-less Digital Health & Environment. The amount of Hydrogen ions and water pH are depending on Digital CEC both in the Environment and in Biology. Pic 1 to Pic 14 showing often negatively co-related linear relations between existing H + and 12 common Metals water and sedimented Environments. This is all about methodology linear regressions tin Ayurveda discovery revealed that H + ion helps in apical-movements and in every positive features in biology in environmental-biochemistry also complementarily H + is often inhibited by the soil "CEC" whereas H + is promoted by digital hydroponic & digital "DISPER-EEM" in universal "MISSION" This article dealt Discovery with Hydrogen Cation that helps in apical dominances both in the plants and animal Since Ayurveda

digital biochemistry describes that H + ion helps in every apical-movements and every positive features in biology in environmental-biochemistry complemented H + often inhibited by the soil CEC whereas H + is promoted by digital hydroponic & digital "DISPER-EEM" DISEase PERcentage null with Environment Editing Model by lowering Digital CEC below 20 meq per 100 g Soil Sample in universal mission. H + Ion helps in apical-movements and every positive features in biology including tallness both in plants and animals allinhibited by digital CEC and promoted by holy "DISPER-EEM" Ecotechnology a digital cation exchange capacity in environments that determines every-features in plants and animals biology ecology and ecotechnology "DISPER-EEM" may be the best Ecotechnology owing to digital cation exchange capacity in environments that determines every features in biology. DISPER-EEM DISEase PERcentage null with EEM environment Editing Model stated that digital CEC is everything in Biology. A digital CEC below 20 meq per 100 g Soils which usually Rocks, Plateau and sands and gravels environments are non-diseases. Any Ecotechnology is algorithmic relations among environmental parameters in nature and in synthetic environments to find the esteem godness. This Ecotechnology has strong digital application even in natural, Synthetics in Hydroponics and all mankind. Our Study found Every Inland fish-species can be broodable and breedable well within the low TDS viz i.e. Total Dissolved Solids below 100 ppm or alternatively a low Water-Hardness below 150 ppm. Beyond this any higher water Hardness or water TDS results lack of Oxygen causing hazards or may be considered as environmental pollutions to all the young off-springs the same scientific principle is applied in digital Hydroponic as well. Recently we derive dissolved Oxygen can be judged based on water Temperature following Ecotechnology. Not only in water Environmental Soils are having a huge 93 metals and many ions 86 Metals are harmful to every Biology whereas water having 7 dissolved metals and sand is the better and best medium as digital hydroponics than conventional soils. Thus in agriculture and fisheries Ecotechnology DISPER is used Its apparent that the water hardness or metals contents or digital CEC can be well identified with the Satellite based remote sensed digital data or grey-values also and hence less metals digital hydroponics or any environment are beneficial to Biology and Dissolved Oxygen can be determined remotely as well with water Temperature to benefit fisheries and Hydroponics. Study has been found that and excessive water-hardness results excessive metals in soil, excessive poisonous metals and heavy metals (86) are very harmful and can be controlled with adding Ash and ash also in water the best medium to make water more transparent or a low TDS or low Water-Hardness and make congenial Fishes to breed and hatch at the same time makes the best environment This communication has applied Ecotechnology namely Digital CEC in sediments or environment is everything to biology, all plants and animals. Present communication has been showing H + is very essential and linear relations between H + in environments and commonly measuring Metals in Environments that changing amount of H + Ions

Conclusions

In our digital biochemistry reserach studies the low digital CEC or synnonomously a more Hydrogen Ion is holiness in

Environments. A higher concentration of Hydrogen Ions helps in apical dominance for both plants and animals even found by hormone having hydrogen Ions. A low digital CEC results in Soil is more H + In Apical movement in all Biology plants and animals. The best Ecotechnology is DISPER-EEM stated Digital CEC is controlling H + and DISPER-EEM to make Environment disease-less and digital Health & better Environmen if digital CEC value remains low or alternatively persisting a higher contents Hydrogen Ions resulting non diseases and all positive features in plants and animals, ecology and ecotechnology.

Acknowledgements

Authors are thankful to the HOD FRAI Division and the Director ICAR-CIFRI and esteemed Whites Science, UK London This is to updated in documenting to Whites science and Acknowledged digital DISPER EEM Project in all the Ghats in River Ganges and Others to make Rivers as digital health environment landings and supporting data centre and Liveli-hoods.

References

1. Das D. Digital rules say growth and fecundity of any fish are negatively correlated with TDS and CEC. In: Proceedings of SCSI India National Web Conference: Sustainable Soil and Water Management for Biodiversity, Food Security and Climate Resilience; 2020. E-book abstract. p. 1-2.
2. Das D. Fecundity of any fish may be environmentally controlled and values are negatively correlated with the TDS and CEC. In: ISCA Webinar Book of Abstracts, International Symposium on Coastal Agriculture: Transforming Coastal Zones for Sustainable Food Security; 2021 Mar 16-19; Canning Town, West Bengal, India. p. 1-2.
3. Das D, Das R. The rules in digital fisheries, growth and fecundity negatively correlated with TDS and CEC and approximated linear models. *Int J Fish Aquatic Stud.* 2021;145-149.
4. Das D, Das P. The digital rules of isoprene biochemistry in preventing and curing diseases caused by unicellular pathogens. In: 2nd International Web Conference on Smart Agriculture for Resource Conservation and Ecology Stability; 2021. p. 1-3.
5. Das D, Das A, Das P, Das Santa Ana. Preventing and curing diseases with hydrocarbon, isoprene, and chlorine nanoparticles destroying unicellular pathogens of inland, marine environments, and mankind. *Int J Fish.* 2022;10(3):26-33.
6. Das D, Das A, Das P, Das Santa Ana. The digital theories of isoprene nanoparticles and related treatments in curing and preventing diseases caused by unicellular pathogens in fisheries and allied sciences. *Aquatic Studies.* 2022;1-6.
7. Das D, Das A. Ecotechnological relations between aquatic microbes and turbidity with machine learning techniques. *Int J Fish Aquatic Stud.* 2022;10(3):101-105.
8. Das D, Das P, Das A, Das Santa Ana. The machine learning techniques for controlling and preventing viruses and microbes with digital parameters and hydrocarbons. *Int J Adv Biochem Res.* 2022;10(3):133-140.
9. Das D, Das P, Das A, Das SA. Digitally, CEC, electrolytes, and others with temperature may determine every phenology in fisheries and anthropogenics. *Int J Fish Aquatic Stud.* 2022;10(4):128-134.
10. Das D. Antivirus-fat synthesis or its accumulation among the species are based on TDS and CEC and may be digitally sustainable measurable. In: National Webinar on Interventions towards Resource Conservation and Natural Farming Abstract E-book; 2022. p. 1-2.
11. Das D, Das P, Das A, Das Santa Ana. Ecotechnology of isoprene in curing or preventing diseases in fisheries as environmental biomolecules. *Int J Fish Aquatic Stud.* 2022;10(4):141-145.
12. Das D, Das P, Das A, Das Santa Ana. Protecting peptide bonds may lead to longer life spans in cooler climates for fisheries and mankind. *Int J Fish Aquatic Stud.* 2022;10(4):152-155.
13. Das D, Das P. Amino acid therapy in mankind. In: International Conference on AAFS; 2022 Aug 22-24. E-book of Abstracts. p. 324-324.
14. Das D, Das A, Das P, Das Santa Ana. Digital biochemistry of non-diseases with low-protein diets during old age. In: International Conference on AAFS; 2022 Aug 22-24. E-book of Abstracts. p. 323-323.
15. Das D, Das P, Das A, Das Santa Ana. Beyond the central dogma with digital biochemistry. *Int J Adv Biochem Res.* 2022;6(2):113-116.
16. Das D, Gupta RA. A database on fish diseases, pathogens, and related information. *J Interacademia.* 2007;11(4):528-532.
17. Das D, Das P, Das A, Das Santa Ana. The digitally measuring electrolytes and nonelectrolytes may lead to dwarfness and tallness respectively in the animal kingdom. *Int J Adv Biochem Res.* 2023;7(1):14-18.
18. Das D, Das A, Das P, Das Santa Ana, Das RN. Biochemistry of non-diseases with environmental editing models. *Int J Adv Biochem Res.* 2024;8(11):465-470.
19. Das D, Das P, Das A, Das Santa Ana. Mighty AI in rock formation can turn to the best in biology with low digital CEC and low TDS, providing the best habitation in fishery, poultry, AH and humans by following non-inhibitions from metals to biology resulting in non-diseases. *Int J Adv Biochem Res.* 2024;8(12):827-836.
20. Das D, Prakriti, Aranya, Santa Ana. AI/ML biochemistry in every digital-health biology. *Int J Adv Biochem Res.* 2025;SP-9(1):843-849.
21. Das D, Santa Ana. "DISPER-EEM" is ecotechnology having a digital cation exchange capacity in environments that determines every-features in all plants and animal biology, ecology and ecotechnology. *Int J Adv Biochem Res.* 2026;10(4):345-350.