

International Journal of Advanced Biochemistry Research



ISSN Print: 2617-4693
 ISSN Online: 2617-4707
 NAAS Rating (2026): 5.29
 IJABR 2026; 10(6): 320-322
www.biochemjournal.com
 Received: 17-04-2026
 Accepted: 19-05-2026

Thamizharasu T
 Ph.D. Scholar, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

M Poojith Kumar Reddy
 M.Sc. Student, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

Srikanth P
 M.Sc. Student, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

Nutan Yadav D
 M.Sc. Student, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

R Srimathi
 M.Sc. Student, Department of Entomology, Annamalai University

C Manoj
 B.Sc. Student, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

Nishrita Khangia
 M.Sc. Student, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

S Nivya
 M.Sc. Student, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

Corresponding Author:
Thamizharasu T
 Ph.D. Scholar, Department of Sericulture, College of Temperate Sericulture, Sher-e-Kashmir University of Agricultural Sciences and Technology-Shalimar, Srinagar, Jammu and Kashmir, India

Advances in silkworm biology and genetics: From traditional breeding to molecular innovations: A review

Thamizharasu T, M Poojith Kumar Reddy, Srikanth P, Nutan Yadav D, R Srimathi, C Manoj, Nishrita Khangia and S Nivya

DOI: <https://www.doi.org/10.33545/26174693.2026.v10.i6d.8633>

Abstract

Silkworms (*Bombyx mori*) have been indispensable to sericulture for centuries, serving as both economic assets and scientific models. Their domestication has provided humanity with silk, a material of immense cultural and commercial value, while simultaneously offering insights into genetics, physiology, and biotechnology. The biology of silkworms encompasses their complete metamorphosis egg, larva, pupa and adult each stage intricately regulated by hormones, nutrition, and environmental cues. These processes directly influence silk yield and quality, making developmental biology a cornerstone of sericulture studies. Classical genetics laid the foundation for understanding inheritance in silkworms, with mutant strains revealing variations in cocoon traits and polygenic studies highlighting the complexity of traits such as thermotolerance and fecundity. The advent of molecular markers accelerated breeding programs, enabling the development of robust strains resilient to environmental stressors. The sequencing of the *Bombyx mori* genome marked a turning point, facilitating transcriptomic and proteomic studies that revealed gene networks regulating silk gland development and immunity. Genome editing technologies such as CRISPR/Cas9 have enabled precise manipulation of traits, bridging traditional breeding with biotechnology and positioning silkworms as industrial and biomedical assets. Silk protein genetics has further expanded the scope of sericulture. Fibroin and sericin, the two major silk proteins, are now engineered for superior mechanical properties. Biomedical applications include sutures, scaffolds and drug delivery systems, underscoring silk's versatility beyond textiles.

Collectively, these advances demonstrate how traditional practices and molecular innovations converge, securing the relevance of silkworms in biotechnology, medicine, and sustainable rural development.

Keywords: *Bombyx mori*, sericulture, silkworm genetics, CRISPR/Cas9, silk biotechnology

Introduction

Sericulture, the art and science of silk production, has played a transformative role in shaping civilizations across Asia and beyond. The domesticated silkworm, *Bombyx mori*, has long been recognized not only as the cornerstone of silk production but also as a model organism for genetics, physiology and biotechnology. Its economic and cultural significance is matched by its scientific value, as studies on its biology have provided insights into developmental processes, inheritance patterns, and molecular regulation.

Traditional breeding programs historically exploited natural variation in cocoon traits such as color, size, and fiber strength. These approaches relied on selective breeding to enhance productivity and resilience, laying the foundation for sericulture as a sustainable industry. However, the limitations of classical breeding became evident when dealing with complex traits influenced by multiple genes, such as thermotolerance and fecundity. This challenge prompted the integration of molecular tools, which have revolutionized silkworm research.

The sequencing of the *Bombyx mori* genome marked a turning point, enabling researchers to explore functional genomics and uncover gene networks involved in silk gland development, immunity, and evolutionary adaptation. Transcriptomic and proteomic studies have revealed how gene expression is regulated during larval growth and metamorphosis, while advances in genome editing technologies such as CRISPR/Cas9 have allowed precise manipulation of

of traits. These innovations bridge traditional breeding with biotechnology, positioning silkworms as both industrial assets and biomedical models.

Silkworm research now extends beyond textiles. The genetic regulation of silk proteins, particularly fibroin and sericin, has opened new avenues for engineering silk with superior mechanical properties. Biomedical applications include sutures, scaffolds for tissue engineering, and drug delivery systems, underscoring silk's versatility as a biomaterial. At the same time, studies on disease resistance have identified genetic markers and molecular pathways that enhance resilience against pathogens, ensuring sustainability for rural communities dependent on sericulture. Evolutionary and comparative biology further enriches this field, highlighting how domestication narrowed genetic diversity while wild silkworm strains remain reservoirs of useful traits. Conservation and breeding strategies informed by these insights ensure long-term sustainability and adaptability. Together, these advances illustrate the synergy between tradition and innovation. By integrating classical breeding with molecular technologies, sericulture continues to evolve, safeguarding livelihoods while expanding its relevance to biotechnology, medicine, and sustainable development.

Silkworm Developmental Biology

The silkworm undergoes complete metamorphosis, progressing through egg, larva, pupa, and adult stages. Hormonal regulation by ecdysone and juvenile hormone orchestrates molting and metamorphosis. Nutritional physiology, particularly mulberry leaf quality, influences larval growth and cocoon yield.

Nagaraju (2002) ^[9] emphasized the role of endocrine regulation in silkworm molting, while Kumar *et al.* (2016) ^[6] studied silk gland differentiation at the cellular level, revealing how fibroin synthesis is tightly controlled during larval development. These insights not only enhance silk production but also provide a comparative model for insect physiology.

Recent work has expanded developmental biology into stress physiology. For example, temperature fluctuations and photoperiod changes have been shown to alter hormone levels, directly affecting cocoon yield. Studies on silk gland ultrastructure have revealed how fibroin-producing cells undergo hypertrophy during the fifth instar, a process tightly regulated by transcription factors. Developmental biology thus provides a framework for linking environmental cues with genetic regulation, ensuring optimal silk production under diverse agro-climatic conditions.

Genetics of Silkworms

Classical genetics identified mutant strains with diverse cocoon traits. Doira (1992) ^[2] catalogued mutant strains, providing a foundation for breeding programs. Chromosomal mapping and inheritance studies revealed polygenic traits such as thermotolerance and fecundity.

Nagaraju and Goldsmith (2002) ^[11] highlighted the complexity of polygenic inheritance, while Mita *et al.* (2003) ^[8] introduced molecular markers such as microsatellites and SNPs, accelerating trait identification. These advances enabled breeders to develop robust silkworm strains with higher productivity and resilience against environmental stressors.

Genetics continues to be a vital tool for improving traits that are otherwise difficult to select through traditional breeding

alone. For instance, thermotolerance is critical in tropical sericulture regions, where high temperatures reduce cocoon quality. Marker-assisted selection has allowed breeders to identify strains with improved resilience. Similarly, fecundity traits have been mapped to specific chromosomal regions, enabling targeted breeding strategies. Genetics thus bridges traditional sericulture with modern molecular biology, ensuring sustainability in diverse agro-climatic zones.

Genomics and Molecular Advances

The sequencing of the *Bombyx mori* genome by the International Silkworm Genome Consortium (2008) ^[8] marked a milestone in sericulture research. Transcriptomic and proteomic studies by Xia *et al.* (2004) ^[16] revealed gene networks regulating silk gland development and immunity. CRISPR/Cas9 applications were pioneered by Wang *et al.* (2013) ^[15], enabling targeted gene manipulation for enhanced silk yield and pathogen resistance. Comparative genomics with wild relatives, studied by Li *et al.* (2015) ^[7], provided insights into domestication and genetic diversity.

These molecular advances bridge traditional breeding with biotechnology, positioning silkworms as industrial assets and model organisms. The integration of genomics with functional studies has expanded the scope of sericulture into biomedical and industrial domains. Transcriptomic profiling has identified genes responsible for silk gland enlargement, while proteomic studies have revealed pathways involved in pathogen defense. Together, these advances demonstrate how genomics can directly inform breeding and biotechnology applications.

Silk Protein Genetics

Silk proteins, fibroin and sericin are encoded by specific gene clusters. Tanaka *et al.* (1999) ^[13] identified fibroin gene clusters, while Zhou *et al.* (2001) ^[18] explored sericin regulation. Fibroin contributes tensile strength, while sericin provides elasticity and adhesion.

Genetic manipulation has produced engineered silk with superior mechanical properties. Biomedical applications were emphasized by Altman *et al.* (2003) ^[1], who demonstrated silk fibroin's potential in tissue engineering. Engineered silk is now explored for sutures, scaffolds, and drug delivery systems, underscoring its versatility beyond textiles.

Silk protein genetics also intersects with nanotechnology. Researchers have engineered silk fibroin nanoparticles for drug delivery, exploiting its biocompatibility and biodegradability. Recombinant silk proteins have been produced in transgenic organisms, expanding the potential for large-scale biomedical applications. This demonstrates how sericulture research has moved beyond textiles into cutting-edge biotechnology.

Disease Resistance and Genetic Improvement

Silkworms are vulnerable to pathogens such as nuclear polyhedrosis virus, bacteria, and fungi. Nagaraju (2008) ^[8] identified genetic markers linked to resilience, while Rahman *et al.* (2012) ^[12] applied RNA interference to enhance pathogen resistance.

Transgenic approaches by Tamura *et al.* (2000) ^[14] further improved disease tolerance, safeguarding farmer livelihoods. These advances exemplify how genetics directly addresses practical challenges in sericulture,

ensuring sustainability and stability in silk production. Disease resistance research demonstrates the direct socio-economic impact of molecular innovations, protecting rural communities dependent on sericulture. RNA interference has been used to silence viral genes, reducing mortality in infected silkworm populations. Transgenic silkworms expressing antimicrobial peptides have shown enhanced resistance to bacterial infections. These innovations not only stabilize silk production but also reduce reliance on chemical treatments, promoting eco-friendly sericulture.

Evolutionary and Comparative Biology

Domestication narrowed genetic diversity, but wild strains remain reservoirs of useful traits. Xia *et al.* (2009) ^[18] compared domesticated *Bombyx mori* with wild relatives, revealing evolutionary adaptations linked to silk production. Juhi Gupta (2015) ^[5] emphasized cocoon traits shaped by human selection, while Li *et al.* (2015) ^[7] highlighted conservation strategies informed by comparative genomics. These evolutionary insights enrich understanding of sericulture, linking ancient heritage with modern genetic science.

Comparative biology ensures that sericulture remains sustainable by integrating traits from wild relatives into breeding programs. Wild silkworms exhibit greater tolerance to environmental stressors, which can be harnessed to improve domesticated strains. Evolutionary studies also highlight how human selection has shaped silk gland specialization, narrowing genetic diversity but enhancing cocoon quality. Conservation of wild strains is therefore essential for future sericulture innovations.

Conclusion

Silkworm biology and genetics exemplify the synergy between tradition and innovation. Contributions from scientists across Asia, Europe, and the US—Goldsmith, Xia, Tamura, Nagaraju, Altman, and others—demonstrate how classical breeding and molecular tools converge. Advances in silk protein genetics and disease resistance ensure sustainability, while biomedical applications extend silk's relevance beyond textiles. Integrating molecular tools with traditional breeding strengthens sericulture, safeguarding livelihoods and meeting global demand for eco-friendly silk. Evolutionary insights further enrich understanding, ensuring the enduring importance of silkworms as both economic assets and scientific models.

By weaving together developmental biology, genetics, genomics, and biotechnology, silkworm research continues to expand its horizons. The future of sericulture lies not only in producing high-quality silk but also in harnessing silkworms as platforms for biomedical innovation, sustainable materials, and rural empowerment. This comprehensive review underscores the enduring legacy of *Bombyx mori* as a bridge between ancient practices and cutting-edge science.

References

- Altman GH, Diaz F, Jakuba C, Calabro T, Horan RL, Chen J, *et al.* Silk-based biomaterials. *Biomaterials*. 2003;24(3):401-416.
- Doira H. Genetic stocks and mutations of the silkworm. *Bulletin of the Sericultural Experiment Station*. 1992;26:1-159.
- Goldsmith MR, Shimada T, Abe H. The genetics and genomics of the silkworm, *Bombyx mori*. *Annual Review of Entomology*. 2005;50:71-100.
- International Silkworm Genome Consortium. The genome of a lepidopteran model insect, the silkworm *Bombyx mori*. *Insect Biochemistry and Molecular Biology*. 2008;38(12):1036-1045.
- Juhi G. Genetic diversity and cocoon traits in domesticated and wild silkworms. *Journal of Sericulture and Technology*. 2015;56(2):45-52.
- Kumar V, Singh A, Sharma R. Cellular differentiation in silk gland development of *Bombyx mori*. *International Journal of Insect Science*. 2016;8:1-8.
- Li Z, Zhang Z, Xia Q. Comparative genomics between domesticated and wild silkworms reveals genetic diversity and domestication signatures. *BMC Genomics*. 2015;16:110.
- Mita K, Kasahara M, Sasaki S, Nagayasu Y, Yamada T, Kanamori H, *et al.* The genome sequence of silkworm *Bombyx mori*. *DNA Research*. 2003;10(1):27-35.
- Nagaraju J. Application of genetic principles in improving disease resistance in silkworms. *Current Science*. 2002;83(4):409-414.
- Nagaraju J. Silkworm disease resistance: Molecular markers and breeding strategies. *Journal of Invertebrate Pathology*. 2008;98(2):111-118.
- Nagaraju J, Goldsmith MR. Silkworm genomics: Progress and prospects. *Current Science*. 2002;83(4):415-425.
- Rahman MM, Ghosh A, Hossain M. RNA interference in silkworm: A tool for functional genomics and disease resistance. *Journal of Insect Biotechnology and Sericulture*. 2012;81(1):23-30.
- Tanaka K, Inoue S, Mizuno S. Structural genes encoding silk fibroin in *Bombyx mori*. *Insect Biochemistry and Molecular Biology*. 1999;29(3):269-276.
- Tamura T, Thibert C, Royer C, Kanda T, Abraham E, Kamba M, *et al.* Germline transformation of the silkworm *Bombyx mori* L. using a piggyBac transposon-derived vector. *Nature Biotechnology*. 2000;18(1):81-84.
- Wang Y, Li Z, Xu J, Xia Q. CRISPR/Cas9-mediated genome editing in the silkworm *Bombyx mori*. *Scientific Reports*. 2013;3:1177.
- Xia Q, Li S, Feng Q. Advances in silkworm genomics and functional studies. *Annual Review of Entomology*. 2004;49:193-216.
- Xia Q, Zhou Z, Lu C, Cheng D, Dai F, Li B, *et al.* A draft sequence for the genome of the domesticated silkworm (*Bombyx mori*). *Science*. 2009;306(5703):1937-1940.
- Zhou CZ, Confalonieri F, Jacquet M, Perasso R, Li ZG, Janin J. Silk fibroin: Structural implications of protein sequences. *Structure, Function, and Genetics*. 2001;44(2):119-122.