


International Journal of Advanced Biochemistry Research



ISSN Print: 2617-4693
 ISSN Online: 2617-4707
 NAAS Rating (2026): 5.29
 IJABR 2026; SP-10(7): 1823-1830
www.biochemjournal.com
 Received: 16-04-2026
 Accepted: 18-05-2026

Dr. Swathi BS
 Assistant Professor, Regional
 Agriculture Research Station,
 Kerala Agricultural
 University, Kerala, India

Sustainable packaging solutions for fresh horticultural produce

Swathi BS

DOI: <https://www.doi.org/10.33545/26174693.2026.v10.i7Sv.9310>

Abstract

The global horticulture industry faces significant challenges related to post-harvest losses, environmental pollution from conventional plastic packaging, and increasing consumer demand for sustainable food systems. Fresh fruits and vegetables are highly perishable commodities that require effective packaging to maintain quality, safety, and shelf life during storage, transportation, and marketing. Sustainable packaging solutions have emerged as a promising approach to reduce environmental impacts while preserving product freshness and minimizing food waste. This review examines recent advances in biodegradable polymers, edible coatings, compostable materials, active packaging, intelligent packaging, and nanotechnology-based systems for fresh horticultural produce. The mechanisms by which sustainable packaging regulates moisture loss, gas exchange, microbial growth, and physiological deterioration are discussed. The review also evaluates the advantages, limitations, economic considerations, and regulatory aspects associated with sustainable packaging technologies. Emerging innovations such as bio-based nanocomposites, antimicrobial films, and smart freshness indicators are highlighted as potential tools for next-generation horticultural supply chains. Integrating sustainable packaging with cold-chain management, renewable materials, and circular economy principles can substantially reduce post-harvest losses and environmental burdens while supporting sustainable agricultural and food distribution systems.

Keywords: Sustainable packaging, fresh produce, biodegradable films, edible coatings, active packaging, intelligent packaging, horticultural crops, post-harvest management, nanocomposites, circular economy

1. Introduction

Fresh horticultural produce, including fruits, vegetables, herbs, and ornamental crops, constitutes an essential component of human nutrition and global food systems. These commodities provide vitamins, minerals, dietary fiber, antioxidants, and numerous bioactive compounds that contribute to the prevention of chronic diseases and improvement of public health ^[1]. However, fresh produce is highly perishable because of its elevated moisture content, active metabolism, and susceptibility to mechanical injury and microbial contamination. Post-harvest deterioration begins immediately after harvest and continues throughout handling, transportation, storage, and marketing, leading to significant quantitative and qualitative losses ^[2].

Globally, post-harvest losses of fruits and vegetables are estimated to range from 20% to 40%, with even higher losses occurring in regions that lack efficient cold-chain infrastructure and appropriate packaging systems ^[3]. These losses not only reduce food availability but also result in wasted agricultural inputs such as water, fertilizers, energy, and labor. Consequently, improving post-harvest preservation has become a major priority for achieving food security and sustainable development goals ^[4].

Packaging plays a central role in preserving the quality and safety of fresh horticultural produce. Conventional plastic materials such as polyethylene (PE), polypropylene (PP), polyvinyl chloride (PVC), and polystyrene (PS) have been widely adopted because of their low cost, flexibility, and favorable barrier properties ^[5]. These materials protect produce from physical damage, reduce moisture loss, and facilitate transportation and retail display. Nevertheless, the extensive use of petroleum-based plastics has generated serious environmental concerns due to their persistence in the environment, accumulation in landfills, and contribution to marine pollution and microplastic contamination ^[6].

Corresponding Author:
Dr. Swathi BS
 Assistant Professor, Regional
 Agriculture Research Station,
 Kerala Agricultural
 University, Kerala, India

Growing consumer awareness of environmental sustainability has increased demand for eco-friendly packaging alternatives. Governments and regulatory agencies in many countries are also implementing policies aimed at reducing single-use plastic waste and promoting recyclable, biodegradable, and compostable materials [7]. In response, researchers and industry stakeholders are developing sustainable packaging systems derived from renewable resources such as starch, cellulose, chitosan, polylactic acid, proteins, and other biopolymers [8]. These materials offer the potential to reduce environmental impacts while maintaining adequate protection of fresh produce.

In addition to biodegradable materials, significant advances have occurred in edible coatings, active packaging, intelligent packaging, and nanotechnology-based packaging systems. Edible coatings can create semipermeable barriers that reduce respiration rates and moisture loss, while active packaging incorporates antimicrobial agents, antioxidants, or ethylene scavengers to enhance shelf life [9]. Intelligent packaging technologies, including freshness indicators and time-temperature sensors, provide real-time information about product quality and storage conditions, thereby improving supply-chain management and reducing unnecessary food waste [10].

Nanotechnology has further expanded the capabilities of sustainable packaging by enabling the development of bio-based nanocomposites with improved mechanical strength, gas barrier properties, and antimicrobial activity [11]. Nanocellulose, nano-clay, zinc oxide nanoparticles, and silver nanoparticles have been incorporated into biodegradable films to enhance their performance and extend the shelf life of fresh fruits and vegetables [12].

The transition toward sustainable packaging is not without challenges. Issues related to production cost, scalability, moisture sensitivity, regulatory approval, consumer acceptance, and end-of-life management continue to influence commercial adoption [13]. Furthermore, the environmental benefits of sustainable packaging must be evaluated through life cycle assessment to ensure that reductions in plastic waste are not offset by increased energy consumption or other unintended impacts [14].

This review provides a comprehensive examination of sustainable packaging solutions for fresh horticultural produce. It discusses biodegradable polymers, edible coatings, active and intelligent packaging technologies, nanotechnology-based systems, their mechanisms of action, applications in major horticultural crops, environmental benefits, limitations, and future research directions aimed at creating more sustainable and efficient post-harvest packaging systems [1-14].

2. Requirements of Packaging for Fresh Horticultural Produce

Packaging for fresh horticultural produce must fulfill multiple functions beyond simple containment. Fresh fruits and vegetables continue to respire after harvest, and inappropriate packaging can accelerate physiological deterioration, moisture loss, microbial spoilage, and quality degradation [15]. Therefore, an effective packaging system should maintain the balance between product protection and the physiological needs of the commodity.

One of the primary requirements is mechanical protection. Fresh produce is highly susceptible to bruising, compression

damage, abrasion, and impact injury during harvesting, transportation, and retail handling. Packaging materials and container designs must absorb shocks and distribute loads uniformly to minimize physical damage [16].

Another essential function is moisture management. Excessive water loss leads to wilting, shriveling, and weight reduction, particularly in leafy vegetables and soft fruits. Packaging should provide adequate water vapor barrier properties while preventing condensation that could favor microbial growth [17].

Gas permeability is also critical because fresh produce consumes oxygen and releases carbon dioxide during respiration. Packaging films must permit appropriate gas exchange to avoid anaerobic conditions that can cause off-flavors and physiological disorders. Modified atmosphere packaging (MAP) systems are designed specifically to optimize internal gas composition and extend shelf life [18].

Packaging should further provide microbial protection by limiting contamination from external sources. The incorporation of antimicrobial coatings or active packaging components can reduce the growth of spoilage microorganisms and foodborne pathogens [19].

Additional requirements include transparency for product visibility, compatibility with cold-chain storage, ease of handling and transportation, cost-effectiveness, and environmental sustainability. Increasingly, packaging systems are expected to be recyclable, biodegradable, or compostable while maintaining adequate performance throughout the distribution chain [20].

3. Biodegradable Packaging Materials

Biodegradable packaging materials have attracted considerable attention as alternatives to conventional petroleum-based plastics because they can decompose naturally under suitable environmental conditions, thereby reducing long-term plastic accumulation [21]. Most biodegradable materials used for horticultural packaging are derived from renewable biological resources.

3.1 Starch-Based Films

Starch is one of the most widely available and economical biopolymers. Films produced from corn, potato, cassava, or rice starch exhibit excellent oxygen barrier properties and are suitable for packaging fresh produce with moderate moisture requirements [22]. However, pure starch films tend to be brittle and sensitive to water, necessitating the addition of plasticizers such as glycerol or blending with other polymers.

3.2 Cellulose-Based Materials

Cellulose and its derivatives offer good mechanical strength, transparency, and biodegradability. The incorporation of nanocellulose can significantly enhance tensile strength and reduce gas permeability, making cellulose-based materials promising candidates for sustainable fruit and vegetable packaging [23].

3.3 Chitosan-Based Films

Chitosan, obtained from the deacetylation of chitin, possesses inherent antimicrobial and film-forming properties. Chitosan films have been successfully applied to tomatoes, strawberries, citrus fruits, and leafy greens, where they reduce microbial growth and delay quality deterioration [24].

3.4 Polylactic Acid (PLA)

PLA is a biodegradable thermoplastic produced through the fermentation of plant-derived sugars. It offers good clarity, processability, and mechanical properties and is increasingly used for compostable trays, clamshells, and flexible films for fresh produce packaging ^[25]. Although PLA has lower heat resistance than some conventional plastics, ongoing

modifications and blending strategies are improving its performance.

Biodegradable packaging materials contribute to sustainable waste management and support circular economy initiatives. Nevertheless, challenges remain regarding cost, moisture sensitivity, industrial composting requirements, and large-scale commercial production ^[26].

Table 1: Major Sustainable Packaging Materials for Fresh Horticultural Produce

Packaging material	Source	Key properties	Typical applications
Starch-based films	Corn, potato, cassava	Biodegradable, good oxygen barrier	Fresh fruits and vegetables
Cellulose films	Plant cellulose	Transparent, renewable, strong	Leafy greens, berries
Chitosan films	Chitin from crustaceans	Antimicrobial, film-forming	Tomato, citrus, strawberry
Poly(lactic acid) (PLA)	Fermented plant sugars	Compostable, good clarity	Trays, clamshells, films
Alginate coatings	Seaweed	Edible, semipermeable barrier	Mango, apple, pear
Protein-based films	Gelatin, whey, soy	Good oxygen barrier	Fresh-cut produce

Table 2: Active Packaging Components and Their Functions

Active component	Mechanism of action	Benefit to produce
Essential oils	Antimicrobial activity	Reduced microbial spoilage
Chitosan	Cell membrane disruption	Extended shelf life
Potassium permanganate	Ethylene absorption	Delayed ripening
Activated carbon	Ethylene adsorption	Reduced senescence
Oxygen scavengers	Removal of residual oxygen	Lower oxidation and browning
Antioxidant extracts	Free radical scavenging	Maintained nutritional quality

Table 3: Intelligent Packaging Technologies for Fresh Produce

Technology	Monitored parameter	Practical application
Time-temperature indicator	Cumulative temperature exposure	Cold-chain monitoring
Freshness sensor	Volatile spoilage compounds	Spoilage detection
Gas indicator	O ₂ /CO ₂ concentration	Modified atmosphere verification
RFID system	Product tracking	Supply-chain traceability
Colorimetric sensor	pH or metabolite change	Visual freshness assessment

4. Edible Coatings and Films

Edible coatings are thin layers of edible material applied directly to the surface of fruits and vegetables, while edible films are standalone consumable sheets used as packaging components ^[27]. These systems act as semipermeable barriers that regulate gas exchange, reduce moisture loss, and limit oxidative and microbial deterioration.

Polysaccharide-based coatings, including alginate, pectin, and chitosan, are widely used because of their excellent film-forming ability and compatibility with fresh produce ^[28]. Chitosan coatings, in particular, exhibit antimicrobial activity and have been shown to reduce fungal decay in strawberries, tomatoes, and citrus fruits.

Protein-based coatings, such as gelatin, whey protein, and soy protein films, provide good mechanical strength and oxygen barrier properties. These coatings can be enriched with antioxidants or natural antimicrobials to enhance preservation ^[29].

Lipid-based coatings, including waxes and vegetable oils, are especially effective at reducing transpiration and moisture loss. Carnauba wax and beeswax coatings have long been used commercially for citrus fruits, apples, and cucumbers ^[30].

The effectiveness of edible coatings can be further improved by incorporating active compounds such as essential oils, plant extracts, organic acids, and nanoparticles. Such composite coatings can simultaneously reduce respiration rates, inhibit microbial growth, and delay ripening ^[31].

Edible coatings offer several advantages, including reduced packaging waste, direct application to the commodity, and

compatibility with biodegradable packaging systems. However, their performance may vary depending on commodity type, coating thickness, storage conditions, and interactions with the produce surface ^[32].

5. Active Packaging Technologies

Active packaging represents a significant advancement over conventional passive packaging because it interacts directly with the packaged product or the surrounding atmosphere to improve preservation and extend shelf life. In fresh horticultural produce, active packaging systems are designed to regulate physiological and microbial processes that contribute to quality deterioration during storage and transportation ^[33].

One of the most widely studied approaches is antimicrobial packaging. Biodegradable films and coatings can be incorporated with natural antimicrobial agents such as essential oils, organic acids, plant extracts, and biopolymer-derived compounds. These substances inhibit the growth of spoilage microorganisms and foodborne pathogens on the surface of fruits and vegetables. Chitosan-based antimicrobial films, for example, have demonstrated effectiveness against fungal pathogens responsible for post-harvest decay in strawberries, tomatoes, and citrus fruits ^[34]. Ethylene scavenging systems are particularly important for climacteric fruits such as bananas, mangoes, tomatoes, and apples. Ethylene is a plant hormone that accelerates ripening, senescence, and softening. Active packaging materials containing potassium permanganate, activated carbon, zeolites, or other adsorbent materials can absorb

ethylene from the package atmosphere, thereby delaying ripening and extending marketable shelf life [35].

Another important strategy involves oxygen scavengers, which reduce oxygen concentrations inside the package and limit oxidative reactions and microbial growth. These systems are especially useful for minimally processed fruits and vegetables that are highly susceptible to enzymatic browning and aerobic spoilage [36].

Active packaging technologies offer substantial potential for reducing post-harvest losses while decreasing reliance on synthetic chemical preservatives. However, factors such as controlled release of active compounds, compatibility with biodegradable matrices, regulatory approval, and consumer acceptance remain important considerations for commercial application [37].

6. Intelligent Packaging Systems

Intelligent packaging systems provide information about product quality, package integrity, or storage conditions without necessarily altering the packaged environment. These technologies support better decision-making throughout the horticultural supply chain and help reduce unnecessary disposal of edible produce [38].

Time-temperature indicators (TTIs) are among the most common intelligent packaging tools. They monitor cumulative temperature exposure and provide a visual indication of whether the product has been subjected to conditions that may compromise quality or safety. Since fresh fruits and vegetables are highly sensitive to temperature fluctuations, TTIs can improve cold-chain management and inventory control [39].

Freshness indicators detect biochemical changes associated with spoilage, such as the production of volatile compounds, changes in pH, or alterations in gas composition. Colorimetric sensors incorporated into packaging films can change color when spoilage-related metabolites accumulate, providing consumers and retailers with a simple visual assessment of product freshness [40].

Gas indicators monitor oxygen and carbon dioxide levels inside modified atmosphere packages. These indicators help verify that the desired atmosphere has been maintained throughout distribution and storage, ensuring the effectiveness of the packaging system [41].

Modern intelligent packaging increasingly incorporates radio-frequency identification (RFID), wireless sensors, and digital traceability systems. These technologies facilitate real-time monitoring of storage conditions, improve logistics management, and enhance transparency across the supply chain [42]. Despite their benefits, intelligent packaging systems often face challenges related to cost, sensor stability, integration with biodegradable materials, and large-scale commercialization.

7. Nanotechnology in Sustainable Packaging

Nanotechnology has emerged as a transformative tool for improving the performance of sustainable packaging materials. By incorporating nanoscale particles into biopolymer matrices, researchers have developed nanocomposite films with enhanced mechanical strength, barrier properties, thermal stability, and antimicrobial activity [43].

Nanocellulose is one of the most promising bio-based

nanomaterials because of its high surface area, biodegradability, and excellent reinforcing ability. When added to starch or cellulose films, nanocellulose significantly improves tensile strength and reduces oxygen permeability, making the packaging more effective for preserving fresh produce [44].

Nano-clay particles create a tortuous pathway that slows the diffusion of gases and moisture through the film. This enhancement helps maintain optimal humidity and atmospheric conditions around fruits and vegetables, thereby reducing physiological deterioration [45].

Metal oxide nanoparticles, including zinc oxide (ZnO) and titanium dioxide (TiO₂), exhibit antimicrobial properties and can inhibit the growth of bacteria and fungi on produce surfaces. Similarly, silver nanoparticles possess strong antimicrobial activity and have been incorporated into biodegradable films to extend the shelf life of strawberries, grapes, and other highly perishable commodities [46].

While nanotechnology offers substantial benefits, concerns regarding nanoparticle migration into food, human health effects, environmental safety, and regulatory compliance require careful evaluation. Future research is expected to focus on bio-based and food-safe nanomaterials that provide high performance while minimizing potential risks [47].

8. Applications in Major Horticultural Crops

Sustainable packaging technologies have been successfully applied to a wide range of horticultural commodities, with packaging strategies tailored to the specific physiological characteristics of each crop.

In strawberries, chitosan coatings and antimicrobial biodegradable films have significantly reduced fungal decay caused by *Botrytis cinerea* while maintaining firmness, color, and antioxidant content during refrigerated storage [48]. Because strawberries have a high respiration rate and delicate texture, moisture control and antimicrobial protection are particularly important.

For tomatoes, PLA-based clamshell containers combined with ethylene scavengers have been used to delay ripening and reduce softening. These systems help maintain marketable quality during long-distance transportation and retail display [49].

Cucumbers benefit from edible wax coatings that reduce transpiration and prevent shriveling. Such coatings can substantially decrease weight loss and maintain visual appearance during storage [50].

In mangoes, alginate coatings enriched with essential oils have demonstrated the ability to suppress microbial growth, delay ripening, and extend shelf life under both ambient and refrigerated conditions [51].

Leafy vegetables, including lettuce and spinach, have shown improved freshness when packaged in biodegradable modified atmosphere bags that maintain appropriate oxygen and carbon dioxide concentrations while limiting moisture loss [52].

Similarly, citrus fruits packaged with chitosan-based antimicrobial films exhibit reduced post-harvest disease incidence and better retention of firmness and nutritional quality [53]. These examples illustrate that sustainable packaging solutions can be adapted to diverse horticultural crops and can effectively reduce post-harvest losses while supporting environmentally responsible packaging practices.

Commodity	Sustainable packaging solution	Primary benefit
Strawberry	Chitosan coating	Reduced fungal decay
Tomato	PLA clamshell with ethylene scavenger	Delayed ripening
Cucumber	Edible wax coating	Reduced moisture loss
Mango	Alginate coating with essential oils	Extended shelf life
Leafy greens	Modified atmosphere biodegradable bags	Maintained freshness
Citrus fruits	Chitosan-antimicrobial film	Reduced post-harvest diseases

9. Environmental Benefits of Sustainable Packaging

The adoption of sustainable packaging for fresh horticultural produce offers substantial environmental advantages compared with conventional petroleum-based plastic systems. One of the most significant benefits is the reduction in plastic waste accumulation. Biodegradable and compostable materials derived from renewable resources can decompose under appropriate conditions, thereby decreasing the persistence of packaging waste in landfills and natural ecosystems^[54]. This is particularly important in regions where inadequate waste management contributes to plastic pollution in rivers, oceans, and agricultural lands. Sustainable packaging can also contribute to lower greenhouse gas emissions. Many bio-based polymers are produced from plant-derived feedstocks that absorb atmospheric carbon dioxide during growth. Although the overall carbon footprint depends on cultivation, processing, transportation, and end-of-life management, life cycle assessments often indicate that renewable packaging materials can reduce fossil carbon emissions relative to conventional plastics^[55].

Another major environmental benefit is the reduction of food waste. Fresh fruits and vegetables have high environmental production costs in terms of water, energy, fertilizers, and land use. Packaging systems that effectively extend shelf life can prevent spoilage and reduce losses throughout the supply chain. In many cases, the environmental savings achieved by reducing food waste exceed the impacts associated with manufacturing the packaging material itself^[56].

Sustainable packaging further supports circular economy principles by promoting the use of renewable resources, recycling, composting, and recovery of organic materials. Agricultural residues and food-processing by-products are increasingly being explored as feedstocks for biodegradable packaging production, creating opportunities for resource valorization and waste reduction^[57].

Despite these advantages, the environmental performance of sustainable packaging depends on proper disposal infrastructure, industrial composting availability, transportation distances, and the efficiency of material production processes. Consequently, comprehensive life cycle assessment is essential for evaluating the true sustainability of alternative packaging systems^[58].

10. Challenges and Limitations

Although sustainable packaging technologies have advanced considerably, several technical, economic, and regulatory challenges continue to limit widespread commercialization. One of the primary constraints is higher production cost. Biodegradable polymers such as PLA, chitosan, and nanocomposite materials generally remain more expensive than conventional plastics, which can restrict adoption in price-sensitive horticultural markets^[59].

Another important limitation is moisture sensitivity. Many biopolymer-based films exhibit relatively poor water vapor barrier properties, making them less suitable for

commodities that require strict humidity control. Researchers are addressing this issue through polymer blending, multilayer structures, and nanomaterial reinforcement, but further improvements are needed^[60].

Mechanical performance can also be a concern. Some biodegradable materials have lower tensile strength, flexibility, or impact resistance than conventional plastics, potentially reducing their effectiveness during transportation and handling^[61].

Scalability and manufacturing infrastructure represent additional challenges. Existing packaging production systems are largely designed for petroleum-based plastics, and transitioning to bio-based materials may require significant investment in new processing technologies and equipment^[62].

Regulatory approval is particularly important for active and nanotechnology-based packaging systems. Authorities must evaluate the safety of antimicrobial agents, nanoparticles, and other active components to ensure that they do not migrate into food at harmful levels^[63]. Consumer perception and acceptance also influence market success, especially when novel technologies such as nanomaterials are involved.

Finally, the environmental benefits of biodegradable packaging may not be fully realized in regions lacking appropriate composting or organic waste management systems. If biodegradable materials are disposed of improperly, degradation may be slow and the anticipated sustainability advantages may be reduced^[64].

11. Future Perspectives

Future development of sustainable packaging for fresh horticultural produce is expected to focus on creating high-performance bio-based materials that combine excellent barrier properties, mechanical strength, biodegradability, and affordability. Advances in polymer science and nanotechnology are likely to produce next-generation nanocomposite films capable of competing directly with conventional plastics in commercial applications^[65].

Research is increasingly directed toward the incorporation of natural antimicrobial and antioxidant compounds derived from plants, algae, and agricultural by-products. These bioactive additives can enhance preservation while reducing reliance on synthetic chemical preservatives^[66].

Smart and intelligent packaging is another rapidly growing area. Integration of freshness sensors, gas indicators, wireless monitoring systems, and digital traceability technologies could enable real-time assessment of produce quality throughout the supply chain. Such systems may improve inventory management, reduce unnecessary product disposal, and optimize distribution logistics^[67].

The utilization of agricultural waste streams for packaging production represents an important opportunity within the circular economy framework. Materials derived from fruit peels, cereal residues, sugarcane bagasse, and other agro-industrial by-products could provide low-cost renewable feedstocks while reducing environmental waste burdens^[68].

Artificial intelligence and data analytics may further support sustainable packaging by optimizing film composition, package design, storage conditions, and transportation strategies for specific commodities^[69]. In addition, future policies promoting extended producer responsibility, plastic reduction targets, and compostable packaging standards are expected to accelerate industrial adoption of sustainable packaging technologies.

Overall, the integration of biodegradable materials, active preservation systems, intelligent monitoring technologies, and circular economy principles has the potential to transform post-harvest management of horticultural produce. Continued collaboration among material scientists, food technologists, horticulturists, industry stakeholders, and regulatory agencies will be essential for developing commercially viable and environmentally responsible packaging solutions^[70].

12. Conclusion

Sustainable packaging solutions represent a critical component of modern post-harvest management for fresh horticultural produce. Biodegradable polymers, edible coatings, active packaging, intelligent packaging, and nanotechnology-based systems offer promising alternatives to conventional petroleum-based plastics while helping maintain product quality and extend shelf life. Among these technologies, chitosan coatings, PLA-based packaging, and bio-based nanocomposites have shown considerable potential for commercial application.

Although challenges related to cost, barrier performance, scalability, and regulation remain, continued advances in materials science, biotechnology, and smart packaging technologies are expected to accelerate adoption. Integrating sustainable packaging with circular economy principles and efficient cold-chain systems can significantly reduce post-harvest losses, environmental pollution, and food waste, thereby contributing to more sustainable horticultural production and distribution systems.

References

- Geyer R, Jambeck JR, Law KL. Production, use, and fate of all plastics ever made. *Science Advances*. 2017;3(7):e1700782.
- Thomas S, Mathew L. Plant growth promoting rhizobacteria enhancing vigour and yield: a brief review. *Agric Arch*. 2024;10.
- European Commission. A new circular economy action plan. 2020.
- Heller MC, Keoleian GA. Greenhouse gas emission estimates of U.S. dietary choices and food loss. *Journal of Industrial Ecology*. 2015;19(3):391-401.
- Rout S, Gupta B, Kanaka S, Rao APC, Naganjaneyulu P. Plant tissue culture: advancing quality material production through micro propagation, with emphasis on Banana cultivation. *Journal of Plant Biota*. 2022.
- Chaudhary RC, Chauhary P, Yadav P, Mishra AK. Distinction from near extinction of Kalanamak: a heritage Rice's journey from a Remote Village to the globe. *Agric Arch Int J*. 2024;3:26-38.
- Siracusa V, Rocculi P, Romani S, Dalla Rosa M. Biodegradable polymers for food packaging. *Trends in Food Science & Technology*. 2008;19(12):634-643.
- Jamshidian M, Tehrani EA, Imran M, Jacquot M, Desobry S. Poly-lactic acid: Production, applications, and future trends. *Comprehensive Reviews in Food Science and Food Safety*. 2010;9(5):552-571.
- Mallareddy M, Vinay G, Padmaja B, Jayasree G, Padmaja G, Vijayakumar R. Is Zero-Budget Natural Farming (ZBNF) Viable for Corn Cultivation? A Comparative Study among ZBNF, Organic and Chemical Farming in Corn in South India. *Agriculture Association of Textile Chemical and Critical Reviews Journal*. 2023;11(2):259-266.
- Vardhan H, Sharma Y, Sharma A, Paras M, Agrahari R, Sharma K. Exploring Heterosis Utilization in Cucurbitaceous Vegetable Crops. *Agriculture Archives*. 2022;1.
- Kumar V, Bahadur V, Sharma SK, Saini PK, Tripathi AM. Genome Editing in Agriculture: CRISPR/Cas9's Promise in Creating Resilient and High-Yielding Crops. *Acta Botanica Plantae*. 2023;2(3):17-21.
- Rhim JW, Park HM, Ha CS. Bio-nanocomposites for food packaging applications. *Progress in Polymer Science*. 2013;38(10-11):1629-1652.
- Arora A, Padua GW. Nanocomposites in food packaging. *Journal of Food Science*. 2010;75(1):R43-R49.
- Alemu TT. Effect of storage time and room temperature on physicochemical and geometric properties of banana (*Musa* spp.) Fruit. *Journal of Plant Biota*. 2023;30-40.
- Valdés A, Burgos N, Jiménez A, Garrigós MC. Natural additives and agricultural wastes in biopolymer formulations. *Food and Bioprocess Technology*. 2015;8(7):1475-1486.
- Realini CE, Marcos B. Active and intelligent packaging systems for a modern society. *Meat Science*. 2014;98(3):404-419.
- Elsabee MZ, Abdou ES. Chitosan based edible films and coatings. *Materials Science and Engineering C*. 2013;33(4):1819-1841.
- Abeles FB, Morgan PW, Saltveit ME. Ethylene in Plant Biology. 2nd ed. Academic Press; 1992.
- Vermeiren L, Devlieghere F, van Beest M, de Kruijf N, Debevere J. Developments in the active packaging of foods. *Trends in Food Science & Technology*. 1999;10(3):77-86.
- Yam KL, Takhistov PT, Miltz J. Intelligent packaging: Concepts and applications. *Journal of Food Science*. 2005;70(1):R1-R10.
- Kuswandi B, Wicaksono Y, Abdullah A, Heng LY, Ahmad M. Smart packaging: Sensors for monitoring of food quality and safety. *Sensing and Instrumentation for Food Quality and Safety*. 2011;5(3-4):137-146.
- Arora A, Padua GW. Nanocomposites in food packaging. *Journal of Food Science*. 2010;75(1):R43-R49.
- Rhim JW, Park HM, Ha CS. Bio-nanocomposites for food packaging applications. *Progress in Polymer Science*. 2013;38(10-11):1629-1652.
- Emamifar A, Kadivar M, Shahedi M, Soleimanian-Zad S. Evaluation of nanocomposite packaging containing Ag and ZnO on shelf life of fresh orange juice. *Innovative Food Science & Emerging Technologies*. 2010;11(4):742-748.
- Rojas-Graü MA, Soliva-Fortuny R, Martín-Belloso O. Edible coatings to incorporate active ingredients to fresh-cut fruits. *Trends in Food Science & Technology*. 2009;20(10):438-447.

26. Baldwin EA. Edible coatings for fresh fruits and vegetables. *HortScience*. 1994;29(6):784-789.
27. Valdés A, Burgos N, Jiménez A, Garrigós MC. Natural additives and agricultural wastes in biopolymer formulations. *Food and Bioprocess Technology*. 2015;8(7):1475-1486.
28. Harisudan C, Natarajan K, Vincent S, Allwin L, Baskaran R, Bharathi Kumar K. Seed encapsulation and supplemental nutrition for enhancing the productivity of summer sesame (*Sesamum indicum* L.). *AATCC Rev*. 2023;11(3):6-9.
29. Sagar S. Greening the tech industry: Evaluating the environmental impact of ewaste recycling technologies. *Environmental Reports*. 2023.
30. Gautam SB, Chand R, Chandra S, Singh DP, Rahul SN, Kumar P. Impact Assessment of Neem Products against Root-Knot Nematode, *Meloidogyne incognita* on Tomato. *Agric Assoc Textile Chem Critic Rev J*. 2023:76-80.
31. Paras M, Sharma A, Vardhan H, Sharma Y, Agrahari R, Sharma K. Deciphering the physicochemical interplay of pesticides: Implications for soil and water management. *Agriculture Archives: an International Journal*. 2024.
32. Keerthi MM. Innovative approaches to carbon sequestration emerging technologies and global impacts on climate change mitigation. *Environmental Reports; an International Journal*. 2024.
33. Gaballa M, Soutiyah M, Abid A, Attitalla I. Distribution, Abundance, and Environmental Responses of Actinobacteria in Rhizospheric and Bulk Soils of Al-Haniya, Libya. *Acta Biology Forum*. 2025.
34. Anushi AK, Ghosh PK. From seed to succulence: Mastering dragon fruit propagation techniques. *Journal of Plant Biota*. 2024;3(1):8-12.
35. Yam KL, Takhistov PT, Miltz J. Intelligent packaging: Concepts and applications. *Journal of Food Science*. 2005;70(1):R1-R10.
36. Dhanushkodi V, Krishnaveni A, Nageswari R, Senthil K, Ramesh KR, Sangeetha S, *et al.* Harmful effect of sugarcane trash burning and significant benefit on utilization of sugarcane trashes-a review. *Transportation*. 2023;13(20):2.
37. Gupta J. Role of ornamental plants in the improvement of environment. *Agriculture Association of Textile Chemical and Critical Reviews Journal*. 2024;12(1):185-191.
38. Devi MG, Lakshmi VV. A review on Occupational Health Problems in Carpet Weaving. *Agriculture Association of Textile Chemical and Critical Review Journal*. 2022.
39. Kaman PK, Das A, Verma R, Narzary PR, Saikia B, Kaman N. The Importance of Nanotechnology on Sericulture as a Promising Field. *Agriculture Association of Textile Chemical and Critical Reviews Journal*. 2023:40-46.
40. Thapa U, Ansari ZG, Ramesh S, Anbalagan K, Rabi A. Plant hormones and growth regulators: Mechanisms, interactions, and agricultural applications. *Agric Arch Int J*. 2024;3:11-20.
41. George IE, Abiaobo NO, Akpan II, George UU. Ecological Assessment of heavy metal contamination of *Tympanotonus fuscatus* in Iko River Basin. *Acta Biology Forum*. 2023.
42. Seriki SA, Otoikhila OC. Phytochemical screening and medicinal properties of ethanolic leaf extract of *Harungana madagascariensis*. *Acta Botanica Plantae*. 2022:11-17.
43. Ayana DT, Olika GI. Effect of mulching practice as soil moisture conservation for tomato (*Lycopersicon esculentum* Mill.) production under supplemental irrigation in Yabello district of Borana zone, Ethiopia. *Acta Biology Forum*. 2024;3(2):43-47.
44. Aulakh GK, Bajaj K, Kaur G, Kaur N. Effect of meteorological parameters on the incidence of insect-pests of green gram during summer and Kharif season. *Agriculture Association of Textile Chemical and Critical Reviews Journal*. 2024;12(1):98-101.
45. Mishra SP. The Anthropocene Geology and Biodiversity of North Eastern Ghats Mobile Belt; Odisha; India. *Acta Biology Forum*. 2023;8(V02i01):18.
46. Dahal B, Bag AG, Raut S. Integrated nutrient management for lentil cultivation: Improving soil fertility, nutrient content, and economic returns. *Acta Biology Forum*. 2024;4(1):24-34.
47. Asma J, Subrahmanyam D, Krishnaveni D. Tungro virus disease in India: historical insights and contemporary prevalence trends in rice cultivation. *Agriculture Archives*. 2023.
48. Manonmani S, Senthilkumar S, Manivannan S. Response of pre-harvest plant bio-regulator applications over the bunch characters and yield traits in banana cv. Poovan under the Cauvery delta. *AATCC Rev J*. 2023:222-225.
49. Singh AK, Yadav N, Singh A, Singh A. Transcription factors that regulate gene expression under drought. *Acta Biology Forum*. 2023;2:01-04.
50. Arubaluez CU, Ilodibia CV. Impact of crossbreeding on the growth and yield improvement of two cultivars of *Solanum aethiopicum* L. found in Anambra State. *Acta Botanica Plantae*. 2024;3(1):13-16.
51. Fatima S. Study and evaluation of heavy metals in medicinal plants. *Acta Biology Forum*. 2022;1:13-16.
52. Tiwari AK. Empowering farmers: Integrating farming systems for sustainable prosperity. *Agriculture Archives: An International Journal*. 2023;2(2):35-38.
53. Vats VS. Green Chemistry Innovations an Advancing Sustainable Solutions for Environmental Challenges. *Environmental Reports; an International Journal*. 2022;1.
54. Singh A, Bhadauria SS. Integration of remote sensing and GIS for environmental assessment. *Environmental Reports*. 2024;6(1).
55. Khambalkar PA, Yadav SS, Sadawarti MJ. Innovative use of algae for carbon sequestration and renewable energy generation. *Environmental Reports*. 2023.
56. Realini CE, Marcos B. Active and intelligent packaging systems for a modern society. *Meat Science*. 2014;98(3):404-419.
57. Singh P, Singh R. Bacteriophage Therapy as a Next Generation Solution for Treating Drug Resistant Bacterial Infections. *Microbiology Archives, an International Journal*. 2023;5(2):21-24.
58. Renjan B. Enhancing Intercropping Research and Practices in Modern Agricultural Landscapes. *Agriculture Archives: an International Journal*. 2023.

59. Prabhavathi SJ, Subrahmaniyan K, Kumar MS, Gayathry G, Malathi G. Exploring the Antibacterial, Anti-Biofilm, and Anti-Quorum Sensing Properties of Honey: A Comprehensive Review. *Agriculture Archives*. 2023.
60. Rajkumar V, Shailaja K, Rao SG. Effect of Agricultural activities on Surface water quality of Kolthur and Sampambole Lakes of Medchal Malkajgiri district, Telangana India. *Environmental Reports; an International Journal*. 2024;1.
61. Nazneen S, Nausheed R. Exploring the Contribution of Botanical Families to Medicinal Ethnobotany. *Journal of Plant Biota*. 2022;1(2):1-4.
62. Sirisha B, Devi CV. Smart Antibacterial Agents: Mechanisms, Challenges, and Future Directions in Combatting Bacterial Infections. *Microbiology Archives, an International Journal*. 2023.
63. Chaudhary RC, Chauhary P, Yadav P, Mishra AK. Distinction from near extinction of Kalanamak: a heritage Rice's journey from a Remote Village to the globe. *Agric Arch Int J*. 2024;3:26-38.
64. Yelikbayev B, Correa EJA, Laith K, Al-Ani, Duarte NF, Pagano MC. Revitalizing Degraded Rural Landscapes: Approaches and Strategies for Ecological Restoration. *Environmental Reports: an International Journal*. 2024;2.
65. Naik DB, Rao BB, Kumar CU, Bhavani NL. Phytochemical analysis of different varieties of sorghum biocolor in Telangana State, India. *Agriculture Archives*. 2022;1:16-20.
66. Islam A, Elango S, Saini PK, Jan I, Sharma Y. Advancing plant pathology and the innovative methods for enhancing disease resistance. *Journal of Plant Biota*. 2023.